

NORTON

SAINT-GOBAIN®

Reshaping
your
world.®

ABRASIVE SOLUTIONS

AUTOMOTIVE AFTERMARKET

QUICK REFERENCE GUIDE

2019




SAINT-GOBAIN



NORTON

SAINT-GOBAIN[®]

RESHAPING YOUR WORLD WITH...

WORLDWIDE MARKET LEADERSHIP

WORLD CLASS PRODUCT INNOVATIONS

CUTTING EDGE TECHNOLOGIES

A COMPLETE RANGE OF STOCK PRODUCTS

THE WIDEST SPECTRUM OF PRODUCT QUALITY

MADE TO ORDER SOLUTIONS



Reshaping
your
world.®



PATENTS & TRADEMARKS

Norton shows its commitment to innovation by filing Patents and Trademarks for its most innovative product solutions.

ALTOS®

BDX™

BEARTEX®

BLAZE®

BLACK ICE™

BLUE FIRE®

CYCLONIC®

DRY ICE™

LIQUID ICE™

MESHPower™

MULTI-AIR®

NEON™

NORBIDE STIK®

NO-FIL®

NORAX®

NORCLEAN®

NORFLEX™

NORLINE™

NORZON®

OCTOPUS®

PLASTIFILM®

QUANTUM™

RAPIDSTRIP™

RED HEAT™

ROTOLO FOAM®

SG™

SPEEDLOK™

SPITFIRE™

STARLINE™

TOROS™

VITRIUM®

VORTEX®

VULCAN®

METAL WORKING

BEST +++++

BLUE FIRE CUT-OFF & GRINDING WHEELS

The Norton Blue Fire range of cut-off and grinding wheels offers a choice of high quality metal working tools for all rough applications including: weld removal, surface preparation, metal removal, reshaping and cutting-off rusted and corroded materials.

Norton Blue Fire is the choice of the professional and brings quick and comfortable results. The range is packed in small quantity packs that are re-closable.



BLUE FIRE CUT-OFF WHEELS




TYPE 41



DIMENSIONS D x T x B (mm)	MAXIMUM SPEED (m/sec)	SPECIFICATION	PART NO.	PK QTY
50 x 1.0 x 6.35	80	A60T-BF41	66252842745	50
50 x 2.0 x 6.35	80	A60T-BF41	66252842746	50
76 x 1.0 x 10	80	A60T-BF41	66252844850	50



TYPE 41



DIMENSIONS D x T x B (mm)	MAXIMUM SPEED (m/sec)	SPECIFICATION	PART NO.	PK QTY
100 x 1.0 x 22.23	80	A60T-BF41	66253371235	10
115 x 1.0 x 22.23	80	A60T-BF41	66253371236	10
125 x 1.0 x 22.23	80	A60T-BF41	66253371237	10



TYPE 41



DIMENSIONS D x T x B (mm)	MAXIMUM SPEED (m/sec)	SPECIFICATION	PART NO.	PK QTY
115 x 1.0 x 22.23	80	A60T-BF41	66252843723	25
125 x 1.0 x 22.23	80	A60T-BF41	66252843724	25

MULTI MATERIAL UTG GRINDING WHEELS



TYPE 27



DIMENSIONS D x T x B (mm)	MAXIMUM SPEED (m/sec)	SPECIFICATION	PART NO.	PK QTY
100 x 3.0 x 16.0	80	C30P-BF27	66252811006	25
115 x 3.0 x 22.23	80	C30P-BF27	66252811007	25
125 x 3.0 x 22.23	80	C30P-BF27	66252811008	25

SPINDLES



Spindles for use on straight grinders. With these you are guaranteed to mount your cutting-off or grinding wheel in the correct way, even if the arbor of the wheel doesn't match the original machine. Use these spindles to mount your wheels safely and securely.

SIZE	DESCRIPTION	PART NO.	PK QTY
6mm	Spindle for straight grinder	07660739614	1
8mm	Spindle for straight grinder	07660739616	1
10mm	Spindle for straight grinder	07660739615	1

BLAZE FIBRE DISCS F980

BEST +++++



Norton XTreme Life Blaze F980 Fibre Discs are engineered for durability and life. These are attributes required for grinding stainless steel and other hard to grind metals: cobalt, chrome, inconel & titanium.

BLAZE

GRIT	100 x 16mm	115 x 22mm	125 x 22mm	180 x 22mm	PK QTY
24	66261053168	69957398000	69957398005	69957398010	25
36	66261053170	69957398001	69957398006	69957398011	25
50	-	69957398002	69957398007	69957398012	25
60	66261062965	69957398003	69957398008	69957398013	25
80	66261062966	69957398004	69957398009	69957398014	25
120	66254436181	66254425332	66254409084	66254411528	25

NORZON FIBRE DISCS F827

BETTER ++++



The F827 fibre disc with premium Norzon grain provides a fast cutting action, combined with a high stock removal and long lifetime.

NorZon

GRIT	100 x 16mm	115 x 22mm	115 x 22mm	125 x 22mm	125 x 22mm	178 x 22mm	178 x 22mm
24	63642531831	63642533048	69957360048	66261176682	63642539619	66261061165	-
36	63642531839	66261061298	63642539615	63642539602	63642536483	66261061166	63642533063
60	66261061296	63642560658	63642539616	66261176659	69957360057	66261061167	63642533065
80	-	-	63642539617	-	63642539622	-	63642533066
120	-	-	63642533055	-	63642533056	-	63642533068
PK QTY	25	25	25	25	25	25	25

ALUMINIUM OXIDE FIBRE DISCS F226

GOOD +++



The F226 fibre disc provides an entry level solution with good performance. This tough, versatile aluminium oxide fibre disc is ideal for metal grinding applications.

GRIT	100 x 16mm	115 x 22mm	125 x 22mm	178 x 22mm	PK QTY
16	66623320424	66623320454	66623320447	66623320441	25
24	66623320440	66623320439	66623320438	66623320437	25
36	66623320436	66623320435	66623320434	66623320433	25
50	66623320428	66623320427	66623320426	66623320425	25
60	66623320432	66623320431	66623320430	66623320429	25
80	66623320420	66623320419	66623320423	66623320418	25
100	66623320422	66623320451	66623320421	66623320415	25
120	66623320448	66623320446	66623320416	66623320417	25

METAL WORKING

FLAP DISCS FOR DEBURRING & RUST/PAIN T REMOVAL

Because flap discs are engineered for light stock removal, blending and finishing all in one application, they can help reduce processing time and lower costs. Flap discs provide a fast cut and better finish than fibre discs while providing very long life due to their construction.

BLAZE FLAP DISCS R980P

BEST +++++



Norton XTreme Life Blaze R980P Flap Discs are engineered for the metal fabrication market where durability and life are required for grinding stainless steel and other hard to grind metals: cobalt, chrome, inconel & titanium.

BLAZE
HIGH PERFORMANCE

GRIT	100 x 16mm	115 x 22mm	125 x 22mm	180 x 22mm	PK QTY
40	66254412097	66261183487	66261190002	66261183495	10
60	66261193211	66261183488	66261190003	66261183496	10
80	66254412098	66261183489	66261190004	66261183497	10

NORLINE FLAP DISCS R842

BETTER ++++



Ideal product for smoothing down welding beads, light deburring and blending, removal of old paint layers and corrosion, and polishing operations, e.g. periphery or interior of doors.

NORLINE
HIGH PERFORMANCE

GRIT	100 x 16mm	115 x 22mm	125 x 22mm	178 x 22mm	PK QTY
40	77696088177	77696088179	77696088184	63642580358	5
60	77696088176	77696088180	77696088185	63642580360	5
80	77696088178	77696088181	77696088186	63642580364	5
120	63642580352	63642580353	63642580356	63642580367	5

VORTEX RAPID BLEND DISCS

VORTEX
RAPID BLEND



DIMENSIONS (mm)	CAP CODE	MAX RPM	GRADE	PART NO.	PK QTY
115	U2305	12000	VORTEX 5AM	66254429268	10
125	U2305	12000	VORTEX 5AM	66254496323	10

RAPID STRIP CLEANING WHEELS

Ideal for de-rusting, de-scaling weld beads and removing old paint work.

BLAZE RAPID STRIP

BEST +++++


Blaze Rapid Strip for use with angle grinder discs for longer life and aggressive cutting power.

DIMENSIONS (mm)	CAP CODE	GRADE	MAX RPM	PART NO.	PK QTY
100 x 16	R9101	Ceramic SGXCRS	12000	63642509505	10
115 x 22			12000	66623303783	10
125 x 22			11000	66623303916	10
178 x 22			8000	66623303920	10

STANDARD

DIMENSIONS (mm)	CAP CODE	GRADE	MAX RPM	PART NO.	PK QTY
100 x 6	R9101	Ceramic SGXCRS	8000	66623334345	5
100 x 16			8000	66623340168	5
180 x 22			6000	66623340177	5

RAPID STRIP WHEELS

GOOD +++

For use on flexible shaft grinder, straight grinder, drill machine.

RAPID STRIP


For use with an angle grinder.

DIMENSIONS (mm)	CAP CODE	GRADE	MAX RPM	PART NO.	PK QTY
100 x 16	R4101	S/C Coarse (Hard)	15000	66261030651	10
115 x 22			13000	66261009649	10
125 x 22			12000	66261030655	10
180 x 22			9000	66261009586	10

SPINDLE MOUNTED



DIMENSIONS (mm)	CAP CODE	GRADE	PART NO.	PK QTY
100 x 13 x 6	R4101	S/C Coarse	07660701217	10

STANDARD



DIMENSIONS (mm)	CAP CODE	GRADE	MAX RPM	PART NO.	PK QTY
100 x 13 x 6	R4101	S/C Coarse (Hard)	8000	66261016412	5
180 x 13 x 22			6000	66261010021	5

METAL WORKING

SPEEDLOK QUICK CHANGE DISCS FOR SANDING SMALL SURFACE AREAS

General use applications, including blending, breaking edges and removing parting lines and machine marks.

BLAZE X-TREME LIFE DISCS R980P

BEST +++++

BLAZE



BLAZE SPEEDLOK DISC TR
(TYPE 3 - SL3) R980P TRIPLE PLY



GRIT	50mm	75mm	PK QTY
36	66261162318	66261162328	25
50	66261162320	66261162330	25
60	66261162322	66261162332	25
80	66261162324	66261162334	25
120	66261043386	66261043392	25

BLAZE SPEEDLOK DISC TR
(TYPE 3 - SL3) R980P TWO PLY



GRIT	50mm	75mm	PK QTY
36	63642595470	63642595479	25
60	63642595476	63642595481	25
80	63642595478	63642595493	25
120	66261043421	66261043425	25

MINI-FLAP DISCS TR R980P

BLAZE



GRIT	50mm	75mm	PK QTY
40	77696090146	77696090151	10
60	77696090147	77696090152	10
80	77696090148	77696090153	10

BLAZE RAPID STRIP SPEEDLOK DISCS TR & TR+

BLAZE

For use on flexible shaft grinder, straight grinder, drill machine.



DIMENSIONS (mm)	CAP CODE	GRADE	PART NO.	PK QTY
50	R9101	X Coarse SG	66623303912	25
75			66261096557	25
100			66623303921*	5

*Use with TR+ holder, order separately

NORZON DISCS R821P

BETTER ++++

NorZon



GRIT	50mm	75mm	PK QTY
24	66254444619	66254444613	25
36	66254444620	66254444615	25
50	66254444621	66254444617	25
80	-	66254444618	25

BETTER ++++

MINI-FLAP DISCS TR R884P



BLUEfire

GRIT	50mm	75mm	PK QTY
40	77696090166	77696090171	10
60	77696090167	77696090172	10
80	77696090168	77696090173	10

VORTEX RAPID BLEND DISCS OPEN



VORTEX
RAPID BLEND

GRADE	50mm	75mm	PK QTY
Medium	66254497067	66254497068	25

RAPID PREP AO SCM


GOOD +++



Smear free finish



RAPIDPREP

DIA (mm)	CAP CODE	GRADE	TR 	PK QTY
50	S2228	Coarse	66261004437	50
	S2328	Medium	66254444642	50
	S2528	Very Fine	66254444637	50
75	S2228	Coarse	66254444633	25
	S2328	Medium	66254444643	25
	S2528	Very Fine	66254444638	25

RAPID BLEND UNITISED DISCS TR

RAPIDBLEND



DIMENSION (mm)	GRADE	PART NO.	PK QTY
75	6A Medium	66261014912	40

RAPID STRIP DISCS TR

RAPIDSTRIP



DIMENSION (mm)	CAP CODE	GRADE	PART NO.	PK QTY
50	R4101	Extra Coarse	66261011782	1*
75			66261011781	1*

*10 discs per pack

METAL WORKING

HANDY ROLLS K283

K283 handy rolls are designed for manual sanding applications. The highly flexible cloth, and wide grit range, from coarse to fine, provides an excellent tool for a variety of applications: deburring, rust removal and finishing applications.

HANDY ROLLS K283

GOOD +++



GRIT	25mm x 50m	40mm x 50m	50mm x 50m	PK QTY
40	66623320800	66623320798	66623320799	1
60	66623320795	66623320797	66623320796	1
80	66623320801	66623320803	66623320802	1
100	66623320804	66623320806	66623320805	1
120	66623320811	66623320810	66623320809	1
150	66623320812	66623320808	66623320807	1
180	66623320821	66623320820	66623320819	1
240	66623320818	66623320816	66623320817	1
320	66623320815	66623320814	66623320813	1

FILE BELTS

Can be used for paint removal, cleaning, removing rust, sanding welding points and much more.

BLAZE FILE BELTS R980P

BEST +++++

INNOVATION



Ideal for heat sensitive materials in modern vehicles

BLAZE

GRIT	10mm x 330mm	12mm x 305mm	12mm x 330mm	12mm x 457mm	PK QTY
40	66261030010	69957398018	66261030013	69957398021	50
60	66261030011	69957398019	66261030014	69957398022	50
80	66261030012	69957398020	66261030015	69957398023	50

GRIT	12mm x 610mm	20mm x 457mm	20mm x 520mm	PK QTY
40	69957398024	69957398027	69957398030	50
60	69957398025	69957398028	69957398031	50
80	69957398026	69957398029	69957398032	50

NORZON FILE BELTS R824

BETTER ++++

NorZon



GRIT	10mm x 330mm	13mm x 330mm	20mm x 520mm	PK QTY
40	66623322250	66623322251	66623322247	10
60	66623322245	66623322244	66623322249	10
80	66623322246	-	66623322248	10

MANUAL SANDING

General use applications, including blending, breaking edges and removing parting lines and machine marks.

NORTON MESHPOWER ROLLS

BEST +++++

INNOVATION


MESHPOWER


GRIT	75mm x 10m	115mm x 10m	PK QTY
80	69957326171	69957326269	1
120	69957326176	69957326270	1
180	69957326178	69957326271	1
240	69957326179	69957326272	1
320	69957326182	69957326273	1

NORTON MULTI-AIR CYCLONIC ROLLS

BEST +++++

INNOVATION


**MULTI-AIR
CYCLONIC**

GRIT	70mm x 11.9m Perforated every 70mm	115mm x 11.9m Perforated every 115mm	PK QTY
80	63642506113	66261156064	4
120	63642506114	66261156065	4
150	63642506117	66261156066	4
180	63642506118	66261156067	4
240	63642506120	66261156068	4
320	63642506121	66261156070	4
400	63642506122	66261156071	4
500	63642506123	66261156072	4
600	63642506124	66261156073	4

MULTI-AIR CUT SHEETS

MULTI-AIR WITH NORZON TECHNOLOGY H835

BEST +++++



Effective for the fast removal of old paint layers, smoothing of body filler, flattening of sharp edges, and large surface areas. Self-grip fixing for easy application and removal from sanding block.

MULTI-AIR
WITH NORZON TECHNOLOGY


GRIT	70 x 125mm	70 x 198mm	70 x 420mm	115 x 230mm	PK QTY
P40	69957394449	69957394363	69957394450	69957394452	50
P60	69957394350	69957394367	69957394358	69957394453	50
P80	69957394355	69957394369	69957394360	69957394454	50
P120	69957394357	69957394451	69957394361	69957394455	50

MANUAL SANDING

MULTI-AIR PLUS A975

BEST +++++



In very fine grits, it can be used for final dry sanding operations before spraying without the risk of runs. Self-grip fixing for easy application and removal from sanding block.


MULTI-AIR⁺



GRIT	70 x 125mm	70 x 198mm	70 x 420mm	115 x 230mm	PK QTY
P80	69957394456	69957394470	69957394463	69957394479	50
P120	69957394457	69957394472	69957394464	69957394481	50
P180	69957394459	69957394474	69957394466	69957394483	50
P240	69957394460	69957394475	69957394467	69957394484	50
P320	69957394461	69957394477	69957394468	69957394485	50

NORTON A275

A275OP[™]



The unique properties of Norton A275 provide a fast, cool cut rate with no clogging, resulting in a longer lasting product, and an outstanding result compared to competitor products.

The special No-Fil coating prevents the build-up of dust and premature clogging of the disc. In very fine grits it can be used for final dry sanding operations before spraying without any risks of runs.



GRIT	70 x 127mm 8 HOLES	70 x 198mm 8 HOLES	70 x 420mm 14 HOLES	81 x 153mm 8 HOLES	115 x 230mm 10 HOLES	PK QTY
P80	66623324355	66623324361	66623324369	66623324381	66623324389	50
P100	-	66623324362	-	-	66623324390	50
P120	66623324356	66623324363	66623324370	66623324383	66623324391	50
P150	66623324357	66623324364	66623324371	66623324384	66623324392	50
P180	66623324358	66623324365	66623324372	66623324385	66623324393	50
P240	66623324359	66623324366	66623324373	66623324386	66623324394	50
P320	66623324360	66623324367	66623324374	-	66623324395	50
P400	-	-	66623324375	-	-	50



NORTON NO-FIL A297

BETTER ++++



Pre-cut No-Fil sheets with premium aluminium oxide grain and Speed Grip backing, available in grits P40 - P400. The water based No-Fil stearate prevents clogging and loading to increase productivity.



GRIT	70 x 127mm NO HOLES	70 x 197mm NO HOLES	70 x 420mm 14 HOLES	81 x 153mm 8 HOLES	115 x 230mm 10 HOLES	PK QTY
P40#	-	-	66623320297	-	66623320294	50
P80	66623320352	66623320358	66624420299	66623320320	66623320308	50
P120	66623320353	66623320359	66623320300	66623320321	66623320310	50
P180	66623320354	66623320360	66623320301	66623320322	66623320311	50
P240	66623320355	66623320361	66623320302	66623320323	66623320312	50
P320	66623320356	66623320362	-	-	66623320296	50
P400	66623320357	66623320363	-	-	-	50

H233 material

NORTON ADALOX G216

GOOD +++




GRIT	70 x 460mm NO HOLES	115 x 280mm NO HOLES	PK QTY
P36	66623320220	66623320219	50
P40	66623320221	66623320222	50
P60	66623320211	66623320218	50
P80	66623320212	66623320213	50
P120	66623320216	66623320217	50

NORTON SHEETS

An excellent choice for dry sanding old paint, primer, filler and between coats. Also used for deburring, removing scratches and finishing plastic filler, and feather-edging repaired areas.

NORTON A275

BETTER ++++



A275OP™

230 x 280mm SHEETS

GRIT	230 x 280mm	PK QTY	GRIT	230 x 280mm	PK QTY
P80	66261131634	50	P320	66261131626	100
P100	66261131633	100	P400	66261131624	100
P120	66261131632	100	P500	66261131623	100
P150	66261131631	100	P600	66261131622	100
P180	66261131630	100	P800	66261131621	100
P220	66261131629	100	P1000	66261131620	100
P240	66261131628	100	P1200	66261131619	100
P280	66261131627	100	P1500	66261131618	100

MANUAL SANDING PAPER ROLLS

Paper rolls are available in a number of different sizes and are easy to cut for hand or machine use.

NO-FIL PAPER ROLLS A297

BETTER ++++



GRIT	70 x 50m	115 x 50m	PK QTY
P40#	-	66623321146*	1
P60#	-	66623321147	1
P80	66623321148	66623321149	1
P100	-	66623321150	1
P120	66623321151	66623321152	1
P150	-	66623321153	1
P180	66623321154	66623321155	1
P240	-	66623321156	1
P320	-	66623321157	1

H233 material * Made-to-order

ADALOX ROLLS G216

GOOD +++



Adalox rolls with heat treated aluminium oxide grain on strong E-weight backing. Openkote design provides good performance on body fillers, wood and paint.

GRIT	70mm x 50m	100mm x 50m	115mm x 50m	150mm x 50m	PK QTY
P36	66623320869	-	66623320847	66623321138	10
P40	66623320870	66623321114	66623320774	66623320775	1
P60	66623320844	66623321115	66623320768	66623321023	1
P80	66623320843	66623321116	66623320773	66623320763	1
P100	66623321139	66623321117	66623320766	66623321140	1
P120	66623320906	66623321118	66623320830	66623321141	1



SPEED-GRIP ROLLS

A range of high performance abrasive rolls selected for fairing, shaping, sanding and finishing boats, plugs and moulds.

NORTON A275 ROLLS

BETTER ++++

A275OP™



GRIT	115 x 25m	PK QTY
P80	69957370002	1
P120	69957370004	1
P180	69957370006	1
P240	69957370007	1
P320	69957370008	1
P400	69957370009	1

NO-FIL SPEED-GRIP ROLLS A297


BETTER ++++



GRIT	115 x 25m	PK QTY
P120	66623321072	1
P180	66623321073	1
P240	66623321074	1
P320	66623321075	1

ADALOX SPEED-GRIP ROLLS G216

GOOD +++



GRIT	115 x 25m	PK QTY
P36	66623321069	1
P40	66623321070	1
P80	66623321071	1

DISCS

MULTI-HOLE DISCS FOR CLEANER SANDING

Norton offers conventional sanding discs in various hole configurations for smoothing body filler, flattening sharp edges, and large surface areas.

MESHPower DISCS CERAMIC

BEST +++++

INNOVATION



MESH-POWER

An alternative to traditional perforated paper discs, Norton MeshPower is a multifunctional abrasive, designed with thousands of holes, created by the unique mesh matrix structure. This hole structure allows dust extraction in any application.



GRIT	150mm CERAMIC	PK QTY	BOX QTY
P80	69957325723	50	400
P120	69957325730	50	400
P180	69957325731	50	400
P240	69957325732	50	400
P320	69957325733	50	400
P400	69957325736	50	400

NORTON

SAINT-GOBAIN


MESH-POWER



BLAZE CYCLONIC A995

BEST +++++

INNOVATION



BLAZE

Norton A995 Blaze starts with the finest design essentials of ultra-premium ceramic grain, proprietary high-strength backing and prevailing anti-clog coating. This is coupled with our most advanced vacuum science technology to deliver the ultimate powerhouse of paper discs.



GRIT	150mm CYCLONIC	PK QTY	BOX QTY
P80	63642597505	50	200
P120	63642597506	50	200
P150	63642597507	50	200
P180	63642597508	50	200
P220	63642597509	50	200

CYCLONIC CERAMIC DISCS A975

BEST +++++

INNOVATION



CYCLONIC

Norton SG ceramic abrasive blended with premium heat treated aluminium oxide abrasive delivers a higher and faster cut rate with a consistent and uniform scratch pattern.



GRIT	76mm CYCLONIC	150mm CYCLONIC	PK QTY	BOX QTY
P80	77696095005	77696007770	50	200
P120	77696095006	77696007773	50	200
P150	77696095007	77696007774	50	200
P180	77696095008	77696007775	50	200
P240	77696095010	77696007777	50	200
P320	77696095011	77696007781	50	200
P400	77696095012	77696007784	50	200
P500	77696095013	77696007785	50	200
P600	77696095014	77696007786	50	200
P800	77696095015	77696007787	50	200
P1000	77696095016	77696007788	50	200

DISCS

MULTI-AIR SOFT-TOUCH DISCS

Multi-Air Soft-Touch discs eliminate dust, conform to contoured surfaces and increase the surface cutting area, improving productivity.

BEST +++++

MULTI-AIR PLUS WITH SOFT-TOUCH TECHNOLOGY A975

MULTI-AIR⁺
SOFT TOUCH



Multi-Air Plus Soft-Touch discs have a soft foam backing for high performance and exceptionally long life. The foam layer absorbs any difference in surface contours when sanding, without cutting through the paint layer, maintaining excellent cutting action for a very high level finish.




COLOUR	GRIT	APPLICATION	150mm	PK QTY	BOX QTY
Salmon	P320	Sanding cataphoretic coats and primer	63642595575	20	120
Yellow	P400	Sanding polyurethane primer	63642595577	20	120
Dark Blue	P500		66254477927	20	120
Blue	P800	Cutting back lacquer before a flush joint	66254477932	20	120
White	P1000	Blending on clear coat	63642536301	20	120



MULTI-AIR A275

BETTER ++++



MULTI-AIR

GRIT	150mm	PK QTY	OUTER BOX QTY
P80	63642560561	100	400
P120	63642560562	100	400
P150	63642560563	100	400
P180	63642560564	100	400
P240	63642560566	100	400
P320	63642560568	100	400
P400	63642560570	100	400
P500	63642560571	100	400
P600	63642560572	100	400
P800	63642560573	100	400

MULTI-AIR WITH
SOFT-TOUCH TECHNOLOGY A275MULTI-AIR
SOFT TOUCH

The original Soft-Touch system is designed to provide a solution for each specific application. The foam backing is colour coded to aid identification of the disc required for each sanding operation.



COLOUR	GRIT	APPLICATION	150mm	PK QTY	BOX QTY
Salmon	P320	Sanding cataphoretic coats and primer	66261032772	20	120
Yellow	P400	Sanding polyurethane primer	66261032773	20	120
Dark Blue	P500		66261032774	20	120
Blue	P800	Cutting back lacquer before a flush joint	66261032775	20	120
White	P1000	Retouching clear coat	66261034247	20	120
Green	P1500	Before polishing and buffing	66261034248	20	120

DISCS

CONVENTIONAL SANDING DISCS FOR MACHINE SANDING

Norton offers conventional sanding discs in various hole configurations for smoothing body filler, flattening sharp edges, and large surface areas.

BLUE FIRE H875P

BETTER ++++



Blue Fire combines the latest Norzon grain design, with a high strength paper backing, providing the best product - both in performance and productivity. Used for smoothing body filler, flattening of sharp edges, and large surface areas.



GRIT	150mm NO HOLES	150mm 6+1 HOLES	200mm NO HOLES	200mm 8 HOLES	PK QTY	BOX QTY
Z36	66261123590	-	66261123593	66261123598	25	100
Z40	66261123589	69957391250*	66261123592	66261123597	25	100
Z60	-	69957391255*	-	-	25	100
Z80	66261123588	69957391256*	66261123591	66261123596	25	100
Z120	-	69957391257*	-	-	25	100

* H835 material

STICK'N'SAND DISCS



GRIT	150mm NO HOLES	PK QTY	OUTER BOX QTY	200mm NO HOLES	PK QTY	BOX QTY
Z36	66261123575	50	200	66261123578	25	100
Z40	66261123574	50	200	66261123577	25	100
Z80	66261123573	50	200	66261123576	25	100

NORTON PRO FILM DISCS Q275



The range of film backed discs are not only tough and hard wearing, but also reduce clogging and dust build-up in all sanding applications. The super smooth flexible film backing provides a consistent scratch pattern, providing the perfect solution for a flawless finish.



GRIT	150mm 15 HOLES	PK QTY	OUTER BOX QTY
P80	77696085879	100	400
P120	77696088028	100	400
P150	77696088145	100	400
P180	77696088146	100	400
P240	77696088149	100	400
P320	77696088150	100	400
P400	77696088151	100	400
P600	77696088153	100	400
P800	77696088154	100	400
P1000	77696088155	100	400
P1200	77696088156	100	400
P1500	77696088388	100	400

ANTI-CLOGGING SANDING DISCS FOR MACHINE SANDING

Norton offers a number of standard hole configuration discs in a variety of abrasives types for all applications found in the bodyshop from heavy sanding to fine finishing.

NORTON A275

BETTER ++++
A275OP™


GRIT	150mm NO HOLES	150mm 6+1 HOLES	150mm 8+1 HOLES	PK QTY
P80	66623320456	66623320649	66623320576	100
P120	66623320457	66623320650	66623320577	100
P150	-	66623320651	66623320578	100
P180	66623320458	66623320652	66623320579	100
P240	66623320459	66623320653	66623320580	100
P320	66623320460	66623320654	66623320581	100
P400	-	66623320655	66623320582	100
P500	-	66623320666	66623320583	100
P600	66623320681	66623320656	66623320584	100
P800	-	66623320659	66623320585	100
P1200	-	66623320657	66623320586	100
P1500	-	66623320658	66623320587	100

STICK 'N' SAND DISC ROLLS



GRIT	150mm NO HOLES	PK QTY
P80	66261131481	6
P100	66261131480	6
P120	66261131479	6
P150	66261131478	6
P180	66261131477	6
P240	66261131475	6

* 100 discs per roll

NORTON SMART REPAIR DISCS A275

A275OP™


GRIT	80mm	PK QTY
P80	66623320635	100
P120	66623320636	100
P150	66623320637	100
P180	66623320638	100
P240	66623320639	100
P320	66623320640	100
P400	66623320641	100
P600	66623320642	100
P800	66623320643	100
P1200	66623320644	100
P1500	66623320645	100


DISCS

NO-FIL A297

BETTER ++++



No-Fil A297 is ideal for feather edging, stripping old paint and dry sanding filler. The Sharp, hard premium aluminium oxide abrasive on a durable C-weight latex paper backing is perfect for aggressive sanding; No-Fil water-based stearate and engineered coating techniques prevent clogging and loading. The speed-grip backing allows quick change on the machine to reduce process time.



GRIT	125mm NO HOLES	125mm 8 HOLES	150mm NO HOLES	150mm 6+1 HOLES	150mm 8+1 HOLES	200mm NO HOLES	200mm 8 HOLES	PK QTY
P36*	-	-	-	66623320554	-	66623320566	66623320732	50
P40*	-	66623320733	66623320541	66623320555	-	-	66623320680	50
P60*	-	66623320734	66623320542	66623320556	66623320667	-	66623320664	50
P80	66623320727	66623320735	66623320543	66623320557	66623320736	66623320551	66623320751	100
P100	66623320633	66623320737	66623320544	66623320558	66623320738	-	-	100
P120	66623320728	66623320740	66623320545	66623320559	66623320741	66623320552	66623320739	100
P150	-	66623320690	66623320546	66623320560	66623320742	-	-	100
P180	66623320729	66623320743	66623320547	66623320561	66623320744	66623320553	66623320753	100
P240	66623320730	66623320745	66623320548	66623320562	66623320746	66623320629	66623320631	100
P320	66623320731	66623320747	66623320549	66623320563	66623320748	66623320630	66623320632	100
P400	-	66623320749	66623320550	66623320572	66623320750	-	-	100

H233 material

STICK'N'SAND DISCS



GRIT	150mm NO HOLES	150mm 6+1 HOLES	200mm NO HOLES	200mm 8 HOLES	PK QTY
P36*	66623320506	-	66623320518	66623320565	50
P40*	66623320507	-	66623320519	-	50
P60*	66623320508	-	66623320520	-	50
P80	66623320509	66623320530	66623320521	66623320538	100
P100	66623320510	-	66623320522	-	100
P120	66623320505	66623320532	66623320523	-	100
P150	66623320511	66623320533	-	-	100
P180	66623320512	-	66623320524	-	100
P220	66623320513	-	-	-	100
P240	66623320514	-	66623320525	-	100
P280	66623320515	-	-	-	100
P320	66623320516	-	-	-	100
P400	66623320517	66623320537	66623320527	-	100

H233 material



FOAM

ROTOLO FOAM

NORTON A275

BETTER ++++

A275OP™



- Foam backed abrasive
- Norton A275 now with new cut technology providing a straight edge when torn


LABEL	GRIT	APPLICATION	115mm x 25m	PK QTY	BOX QTY
Purple	P180	Sanding of body filler	66254499717	1	2
Electric Blue	P240	Sanding of finishing filler	66254499719	1	2
Salmon	P320	Sanding cataphoretic coats and primer	66254499721	1	2
Yellow	P400	Sanding polyurethane primer	66254499722	1	2
Dark Blue	P500		66254499723	1	2
Fuchsia	P600		66254499724	1	2
Turquoise	P800	Cutting back lacquer before a flush joint	66254499725	1	2

SANDING SPONGES

A number of sanding sponges are available for various applications found within a bodyshop.

SOFT TOUCH SANDING SPONGES

BETTER ++++



Soft-Touch sponges generate a finer finish than conventional coated abrasive products. Conform to curves and contours to smooth surfaces with complex shapes. Very long working life when used wet.

GRADE	GRIT	FINISH GENERATED	APPLICATIONS	140 x 115 x 6mm	PK QTY
Medium	60	180/120	Scuffing, shaping filler	07660703074	20
Fine	100	400/320	Feather edging, scuffing primer and new parts before painting	07660703075	20
Super Fine	180	600/500	Preparing panel for base coat	07660703076	20
Ultra Fine	220	1000/800	Sanding base coat, removing clear coat defects	07660703077	20
Micro Fine	280	1500/1200	Clear coat sanding, removing minor defects	07660703078	20

NON-WOVEN

BEAR-TEX NON-WOVEN

Hand pads and rolls are ideal for a broad range of applications from cleaning and finishing to deburring and light polishing operations.

The flexibility of Bear-Tex products ensures constant contact with the surface and prevents cutting or gauging when working.

BEARTEX

BEAR-TEX



Bear-Tex products consist of a non-woven web of nylon, impregnated with abrasive grain bonded with synthetic resins. This produces a cushioned, three-dimensional material which is extremely pliable and long lasting. The uniform dispersion of abrasive throughout the web provides a constant finish during use.

APPLICATION TIPS

COLOUR	GRADE	GRIT GENERATED	FEATURES	APPLICATIONS
Maroon	Very Fine	P320/400	Quick and aggressive cut Tear-resistant	Cutting back surface inside a brand new part
Grey	Ultra Fine	P600/800	Quick cut, uniform finish Incredibly flexible, yet tear-resistant	Finishing a primer on sharp edges. Gentle cutting back before flush joint. Can be used with Scuff Gel
Gold	Micro Fine	P1000	Ideal for pearls and metallics	Cleaning of clear coat or lacquer. Can be used with Scuff Gel
White	Non-abrasive	Non-abrasive	Use on all surfaces	For final cleaning



ROTOLO BEARTEX ROLLS PRE-CUT

GOOD +++



Flexible and durable product, perfect for use on contoured surfaces and hard to reach areas. In roll dispenser/self merchandising pack.

BEAR-TEX THIN FLEX

COLOUR	GRADE	115mm x 10m	PK QTY	BOX QTY
Maroon	Very Fine A	77696042073	1	4
Grey	Ultra Fine S	77696042075	1	4

BEARTEX PRE-CUT HAND PADS



Pre-cut hand pads, highly flexible and comfortable, easy to tear, for use wet or dry. Combine the grey and gold pads with Norton Scuff Gel to clean, degrease and abrade in one step.

COLOUR	GRADE	GRIT GENERATED	152 x 229mm	PK QTY
Maroon	Very Fine	P320/P400	66261074700	20
Grey	Ultra Fine	P600/P800	66261074800	20
Gold	Micro Fine	P1000	66261195914	20
White	Non-abrasive	Non-abrasive	66261045600	20

ROLLS

Conformable for cleaning and blending applications.



COLOUR	GRADE	115mm x 10m	PK QTY
Maroon	Very Fine A	66623321812	1
Grey	Ultra Fine S	66623321810	1

THIN FLEX - FLEXIBLE HAND PADS



COLOUR	GRADE	100 x 200mm	APPLICATION	PRE-CUT SHEETS / BOX
Maroon	Very Fine A	63642506166	For use before primer and on primer surfaces. Removes rust and cleans off metal.	100 (25x4)
Grey	Ultra Fine S	63642506167	Ideal for blending applications. Final scuffing of primer. Flexible. Non loading.	100 (25x4)

FINISHING

BLACK ICE

The Black Ice range of waterproof sandpaper uses the highest technology abrasive manufacturing.

BLACK ICE TUFBAK WATERPROOF SHEETS T417

BEST +++++

**BLACK
Ice**



- Waterproof, latex flexible paper
- Fast cut, long life, consistent finish

GRIT	230 x 280mm	PK QTY	OUTER BOX QTY
60	66623320254	50	100
80	66623320255	50	100
100	66623320256	50	250
120	66623320257	50	250
150	66623320258	50	250
180	66623320259	50	250
220	66623320260	50	250
240	66623320261	50	250
280	66623320262	50	250
320	66623320263	50	250
360	66623320264	50	250
400	66623320265	50	250
500	66623320266	50	250
600	66623320267	50	250
800	66623320268	50	250
1000	66623320269	50	250
1200	66623320270	50	250
1500	66623320337	50	250
2000	66623320338	50	250

2K TUFBAK ALUMINIUM OXIDE WATERPROOF SHEETS T226


BETTER ++++



- Waterproof paper with flexible latex backing
- Excellent material removal and finish quality

GRAIN	230 x 280mm	PK QTY	OUTER BOX QTY
P240	66623320283	50	250
P320	66623320284	50	250
P400	66623320285	50	250
P600	66623320286	50	250
P800	66623320287	50	250
P1000	66623320371	50	250
P1200	66623320288	50	250
P1500	66623320406	50	250

BLACK ICE SELF ADHESIVE ROSETTE DISCS




- Use by hand or with a sanding block to eliminate flaws in lacquer before polishing or buffing



GRIT	38mm	PK QTY
1500	63642534470	400
2000	69957360371	400
2500	63642561155	400

SANDING BLOCK FOR BLACK ICE ROSETTE DISCS



38mm	70 x 133mm	PK QTY
63642567819	-	12
-	07660701889	1




NORTON

SAINT-GOBAIN[®]

OTHER ABRASIVE SOLUTIONS

Norton offers a full range of versatile tools for metal applications, including file belts, carbide burrs, and metal brushes which are available in various dimensions and shapes.

Please refer to the Norton Industrial catalogue or contact your local Norton representative.



MICROFINISHING

PURE ICE Q175

BEST +++++

PUREice™



Pure Ice Q175 finishing film discs are the most technologically advanced discs available. A superior grain coating on a super smooth film backing provides an incredibly fast cut that simply doesn't load so there are no "pigtailed" that take extra time to polish out. The state of the art Norton No-Fil technology gives superior anti-loading properties to Pure Ice, extending the useful life of the product while ensuring perfect finish.

GRIT	COLOUR	76mm NO HOLES	150mm NO HOLES	PK QTY	BOX QTY
P800	Black	77696088701	77696088713	50	200
P1000	Red	77696088702	77696088714	50	200
P1200	Green	77696088703	77696088715	50	200
P1500	Blue	77696088704	77696088716	50	200

BLACK ICE T401

**BLACK
ice™**



Ideal for fine sanding applications such as de-nibbing and eliminating flaws before polishing and buffing.

GRIT	76mm	PK QTY	OUTER BOX QTY
C2000	66261147433	50	200
C2500	66261147432	50	200

NORTON ICE DISCS Q255

ice



New improved Norton Ice foam backed discs are ideal for polishing out even faster on spot repair applications. The new 'open mesh' backing technology absorbs water and moulds to the surface for equal pressure distribution.

DIMENSIONS (mm)	COLOUR	GRADE	PART NO.	PK QTY	OUTER BOX QTY
80	Blue	1500	66623324958	12	48
	Fuchsia	2000	66623324955	12	48
	Green	3000	66623324956	12	48
150	Blue	1500	66623324933	15	60
	Fuchsia	2000	66623324952	15	60
	Green	3000	66623324954	15	60

POLISHING SOLUTIONS

POLISHING SOLUTIONS

When only the perfect finish is acceptable, use Liquid Ice polishing compounds and accessories. By reducing the number of polishing steps required, Liquid Ice Xtra Cut, Quickcut and OEM are a practical solution to improve productivity and quality of work.

LIQUID ICE - XTRA CUT

SINGLE STEP
PROCESS



- Remove scratches after grade 2000 and finer
- Use with hard foam or Norwool for best results
- Only one single step is required for the most common top clear coat applications, for high gloss finishing and fast application.

PART NO.	VOLUME	PK QTY
66623339742	1 Litre	6 bottles

LIQUID ICE - QUICK CUT

DUAL STEP
PROCESS



- Polish after grade 1500
- Use with hard foam or Norwool lambswool for best results
- Follow with OEM and black backed finishing foam to achieve a perfect gloss finish.

PART NO.	VOLUME	PK QTY
66254429419	1 Litre	6 bottles

LIQUID ICE - OEM



To remove holograms and clouds and improving gloss for a final finish.

PART NO.	VOLUME	PK QTY
66261191537	1 Litre	6 bottles

FOAM POLISHING HEADS



The unique combination of density and softness is ideal for polishing and improving shine. The open cell design allows the compound to flow in and is held during use with little or no splattering.

APPLICATION TIP

For the best comfort in application, use the super comfort support pad.

DESCRIPTION	BACKING COLOUR	VOLUME / DIMENSIONS	DENSITY / SHAPE	PART NO.	PK QTY
Cutting Foam - White Flat	Red	150 x 30mm	Hard Flat	63642537212	2 pcs
		80 x 25mm		63642537215	5 pcs
Cutting Foam - White Waffle	White	150 x 30mm	Hard Waffle	63642541644	2 pcs
		80 x 25mm		63642541544	5 pcs
Finishing Foam - Black Flat	Black	150 x 30mm	Soft Flat	66254441985	2 pcs
		80 x 25mm		66254441987	5 pcs
General Purpose Foam - Orange Flat	-	150 x 50mm	Firm Flat	66623339748	50 pcs
		150 x 30mm		77696068719	2 pcs
		80 x 25mm		66623339749	5 pcs
Support Pad - Super Comfort	-	125mm - M14	Soft	63642541545	1 pc

LIQUID ICE DETAILER SPRAY



- Designed to easily clean up excess buffing residue and provide excellent paint protection
- Use in conjunction with NORTON BLUE MAGNET microfiber cloth for the perfect finish

VOLUME	PART. NO.	PK QTY
1 litre	63642542082	4 bottles

BLUE MAGNET MICROFIBRE CLOTH



- Polyester micro fibres are ultra absorbent and can be used wet or dry

DIMENSIONS (mm)	PART. NO.	PK QTY
400 x 400	63642504402	5

NORWOOL LAMBSWOOL POLISHING HEADS



For quick polishing out after sanding. Made with natural fibres, Norwool gives fast and cool cutting for immediate shine.

DIAMETER (mm)	PART NO.	PK QTY
150	63642567955	1
76	63642567956	1

BACK-UP PADS



Standard speed-grip system allows quick and easy changing of foam and Norwool polishing heads. They are specially designed for microfinishing.

SPEED-GRIP



DIAMETER (mm)	PART NO.	PK QTY
76mm - 5/16"	69957370046	1
150mm - M14	63642567812	1

MASKING PRODUCTS

PREMIUM MASKING TAPE FOR SOLVENT BASED PAINTS



Norton Premium masking tapes has been designed to meet high performance demands, saving time and providing an excellent result. They conform easily to contours and irregular surfaces and are resistant to temperatures up to 110°C and 150°C (30 minutes).

DIMENSIONS	PART NO.	PK QTY
110°C HIGH TEMP TAPE		
24mm x 50m	66623320102	36
48mm x 50m	66623320104	24
150°C HIGH TEMP TAPE		
18mm x 50m	66623320067	48
24mm x 50m	66623320068	36
36mm x 50m	66623320069	24
48mm x 50m	66623320070	24

PREMIUM MASKING TAPE FOR WATER & SOLVENT BASED PAINTS



Norton Premium masking tapes has been designed to meet high performance demands, saving time and providing an excellent result. They conform easily to contours and irregular surfaces and are resistant to temperatures of 95°C (30 minutes).

DIMENSIONS	PART NO.	PK QTY
95°C HIGH TEMP TAPE		
18mm x 50m	66261136970	48
24mm x 50m	66261136972	36
36mm x 50m	66261136973	24
48mm x 50m	66261136974	24

FINE LINE TAPE



The Fine Line Tape range is designed for the demarcation of the most delicate paint work. This tape adheres and conforms easily to contours and irregular surfaces without wrinkling or tearing

DIMENSIONS	PART NO.	PK QTY
3mm x 55m	66261194993	10
6mm x 55m	66261194994	10
12mm x 55m	66261194996	10

DOUBLE-SIDED POLYURETHANE FOAM TAPE



High-density black foam tape coated with high strength acrylic adhesive on both sides with black polyethylene release liner is designed for bonding medium to large moldings and accessories.

DIMENSIONS	PART NO.	PK QTY
12mm x 4m	66623324550	12
24mm x 2.5m	66623324551	12
12mm x 10m	66623320087	1
12mm x 61m	66623320088	1

CLOTH TAPE



Cloth tape is a general purpose tape that can be used for a wide variety of tasks. High strength and aggressive adhesive makes this an excellent repair tape for many different materials

DIMENSIONS	COLOUR	PART NO.	PK QTY
50mm x 50m	BLACK	66623322255	12
50mm x 50m	SILVER	66623322256	12



MASKING PRODUCTS

Norton Plastifilm provides the perfect solution for protecting car bodywork when spraying primer, paint or varnish.

PLASTIFILM



Higher resistance to temperature and wear & tear



TYPE	DIMENSIONS W x L	PART NO.	PK QTY
Standard - Clear	5m x 120m - 9µ	66623341455	1
Premium - Blue	5m x 120m - 11µ	66623341458	1

ACCESSORIES



DESCRIPTION	PART NO.	PK QTY
Dispenser for Plastifilm	66623341459	1
Cutter for Plastifilm	07660708055	50

BLUE WRAP WHEEL MASKERS



- Tri-layer plastic
- Paintable - NO Flaking
- Fully covers both sides of the wheel
- Covers wheels up to 17"



DESCRIPTION	PART NO.	PK QTY
Wheel Maskers (50/roll) Paintable	63642505922	1

BLUE WRAP SEAT COVERS



- Full coverage from headrest to floor
- Will not slip or bunch up
- Protects seats from grease, dust and chemicals
- Perforated roll

DESCRIPTION	PART NO.	PK QTY
Bucket Seat Covers (125/roll) Non-Slip	63642505921	1

BLUE WRAP FLOOR MATS



- Will not slip or tear
- Protects floor from dirt, grease and chemicals
- Perforated roll
- Generous size: 420mm x 533mm (16-1/2" x 21")

DESCRIPTION	PART NO.	PK QTY
Floor Mats (125/roll)	63642505923	1

PAINTING ACCESSORIES

The combination of high quality Norton abrasives and painting accessories increase productivity

DEFECT GUIDE COAT



Using Norton Defect Guide Coat before sanding primer will allow better identification of superficial imperfections and ensure the total area is sanded prior to top coat.

VOLUME	PART NO.	PK QTY
100g	77696072696	6

COTTON TACK RAG



The special weaving structure allows very small particles to be caught inside the cloth.

DIMENSIONS (mm)	PART NO.	PK QTY
456 x 914	07660749008	12

SCUFF GEL



APPLICATIONS	PART NO.	PK QTY	WEIGHT
Use with grey and gold Bear-TEX	07660705376	6 bottles	700 grams

Rinses off easily and completely. Water-based formula, very low in V.O.C (Volatile Organic Compounds)

BUMPER CARDS™ SPRAY OUT CARDS



Plastic spray out cards for plastic bumpers. Treat the cards exactly like you treat the bumper. SEMA New Product Award Winner 2013.

SIZE	COLOUR	PART NO.	PK QTY
89 x 178mm	Black	63642506039	200 (4 x 50 cards)
89 x 178mm	Grey	63642506040	200 (4 x 50 cards)



PAINTING ACCESSORIES

PAINT STRAINER



The disposable paint-strainer filters paint before spraying. With a high quality paper and mesh, it gives the highest purity required by end-users for the preparation of waterborne, basecoat and clear-coat paints.

DESCRIPTION	PART NO. BLUE FILTER 125µ	PART NO. WHITE FILTER 190µ	PK QTY
Paint Strainer	63642530324	63642530358	4 x 250 pcs

ACCESSORIES



Overalls are antistatic, breathable, washable and reusable.

DESCRIPTION	SIZE	PART NO.	PK QTY
Mixing bar with scale		07660721879	10
Washable paint overall	M	66254428976	10
	L	66254428977	10
	XL	66254428978	10

NORTON PAINT SYSTEM - DISPOSABLE KIT



Each kit comes complete with lids, liners, rings, plugs and a mixing bar.

VOLUME (ml)	PART NO. FILTER 125µ	PART NO. FILTER 190µ	PK QTY
250	07660721644	07660721645	48
750	07660721646	07660721647	48
950	07660721648	07660721649	24

NORTON PAINT SYSTEM - REUSABLE HARD CUP



The reusable mixing cup has preprinted mixing ratio scales for greater convenience.

VOLUME	PART NO.	PK QTY
250 ml	07660721650	8
750 ml	07660721651	8
950 ml	07660721652	4

NORTON PAINT SYSTEM - DISPENSERS




DESCRIPTION	SIZE	PART NO.	QTY PER DISPENSER	BOX QTY
Liner dispenser	Small	07660721654	50 liners	1
Liner dispenser	Medium / Large	07660721655	50 liners	1
Lid and ring dispenser overall	All sizes	07660721656	Holds 25 M/L lids or rings or 50 small lids or rings	1

NORTON PAINT SYSTEM- ADAPTORS



BRAND	MODELS	ADAPTER		PART NO.	PK QTY
Accuspray	Issac	7A.1*	3/8 Female, 18 Thread (BSP)	63642501581	4
Airgunsa	AZ3, AZ5, AZ30 HTE, AZ40 HTE	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	4
Asturo	OM Green	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	4
DeVilbiss	PRI, GTI, GTI Pro, GFG, GFV, GFHV 510, FLG4	15A.1	3/8 Male, 19 Thread (BSP)	63642501355	4
	SRI Minigun	14A.1*	7/16 Male, 14 Thread (UNC)	63642501565	4
Eminent	E13	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	4
IWATA	W 400, WR 400, LPA 94, VXL Primer Gun, LPH 400, LPH 440	2A.1	16mm Female, 1.5mm Thread	63642501558	4
	W300, LPH300	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	4
	Supernova WS400, LS400	43A.1*	1/4" Male, 19 Thread	63642501564	4
	LPH-80 Mini Spray Gun	31A.1*	1/8 Male 28 Thread (BSP)	63642501568	4
Kremlin	M 21 G	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	4
Sagola	475 Mini-Gun	12A.1*	10mm Male, 1.0mm Thread	63642501563	4
	403 G, 433 G, 434 G, 444 G, 450 G, 4100 G, 4200 G, 4300	5A.1	12mm Male, 1.5mm Thread	63642501540	4
	4400 Xtreme, 4500 Xtreme	32A.1*	18mm x 1,5mm Female Thread	63642501567	4
	SATAjet 2000 HVLP w/o QCC, SATAjet RP w/o QCC, SATA LM 2000 HVLP/RRP, SATA KLC HVLP/RRP, KLC P, SATAjet 90	9A.1	16mm Male, 1.5mm Thread	63642501559	4
SATA	SATAjet 3000, SATAjet 4000	40A.1	SATA QCC Quick Connect	63642501539	4
	SATAjet B NR 92, NR 95 HVLP	2A.1	16mm Female, 1.5mm Thread	63642501558	4
	SATA LM B 92	5A.1	12mm Male, 1.5mm Thread	63642501540	4
	SATA Mini-Jet 1, 2, 3	12A.1*	10mm Male, 1.0mm Thread	63642501563	4
	QCC: Quick Connect for SATA use with Adaptor			07660721752	4
TEKNA	TEKNA Cooper, Prolite, Quick Clean	15A.1	3/8 Male, 18 Thread (NSP)	63642501355	4
Sharpe	GT1, Platinum, Titanium, Cobalt, SGF 98	11A.1*	Male 3/8 Net. 18 (NPS)	63642501576	4
Walcom	FX GEO, FX HVLP	8A.1	12mm Male, 1.0mm Thread	63642501566	4
	Touch-up STM	22A.1*	8mm Male, 0.75mm Thread	63642501577	4
	Suction gun	16A.1*	3/8 Female, 19 Thread (BSP)	63642501583	4

* these adaptors and other models available on request



ADAPTOR WITH ACTUATOR & MEMBRANE

The new actuator inside the adaptor, has been specially designed to pierce the membrane inside the lid, allowing the paint to flow through when the cup is attached to the spray gun.

NORTON

SAINT-GOBAIN®

Reshaping
your
world.

PAINT SYSTEM

THE MOST EFFECTIVE SOLUTION



FOR
PREPARING,
MIXING
& SPRAYING
PAINTS



ABRASIVE ACCESSORIES

SPINDLES

Spindles for use on straight grinders. With these you are guaranteed to mount your cutting-off or grinding wheel in the correct way, even if the arbor of the wheel doesn't match the original machine. Use these spindles to mount your wheels safely and securely.



SIZE	DESCRIPTION	PART NO.	PK QTY
6mm	Spindle for straight grinder	07660739614	1
8mm	Spindle for straight grinder	07660739616	1
10mm	Spindle for straight grinder	07660739615	1

PADS FOR SPEEDLOK DISCS TR

QUICK CHANGE HOLDER TR



DIMENSION (mm)	GRADE	PART NO.	PK QTY
50	Medium	66261055103	1
75	Medium	66261055105	1

QUICK CHANGE HOLDER TR+

DIMENSION (mm)	GRADE	PART NO.	PK QTY
6	Medium	63642586196	1

*For 100mm Speedlok TR+ discs

BACKING PADS



DIMENSIONS (mm)	NUT	DENSITY	PART NO.	PK QTY
100 x 16	M 10 x 1.5	Medium	66623320044	1
115 x 22	M 14 x 2.0	Medium	66623320045	1
125 x 22	M 14 x 2.0	Medium	66623320046	1
180 x 22	M 14 x 2.0	Medium	66623320047	1

ABRASIVE ACCESSORIES

MULTI-AIR SANDING BLOCKS, KITS & HOSE

MULTI-AIR SANDING BLOCKS



Designed with the user in mind, Multi-Air sanding blocks are ergonomic, resistant and built for performance.

MULTI-AIR



70 x 125mm	70 x 198mm	70 x 420mm	115 x 230mm	PK QTY
69957396645	69957396646	69957396648	69957396644	1

ATTACHABLE HOSE



The 4 metre flexible tube is provided with a universal conical adaptor that can be connected to any vacuum system. This universal adaptor can be removed to be connected directly to an adapted vacuum system.

DESCRIPTION	PART NO.	PK QTY
25/30mm x 4m	07660767979	1

SANDING BLOCK STARTER KIT



DESCRIPTION	PART NO.	PK QTY
Starter Kit	69957396649	1

MULTI-AIR SANDING DISC BLOCK KIT




Manual sanding block with a set of 3 self-gripping interchangeable plates (plane, concave and convex) to be used with Multi-Air discs, including Soft-Touch version. Kit contains air valve for better aspiration.



DESCRIPTION	PART NO.	PK QTY
Fits Multi-Air 150mm discs	077696024493	1

SANDING BLOCKS

ERGONOMIC SANDING BLOCKS



DESCRIPTION	70 x 127mm	70 x 197mm	PK QTY	OUTER BOX QTY
Firm - Speed Grip	63642542093	63642542095	1	5

RUBBER HAND SANDING BLOCK




DESCRIPTION	PART NO.	PK QTY	OUTER BOX QTY
Rubber Hand Sanding Block	07660701889	1	5

DUAL DENSITY WET SANDING BLOCK



DESCRIPTION	PART NO.	PK QTY
Wet Sanding Block	63642503728	12

HOLEY BLOCK



DESCRIPTION	PART NO.	PK QTY
Holey Block	63642503729	8

SPEED FILE



DESCRIPTION	PART NO.	PK QTY
Speed File 70 x 420mm	66623320002	1

ABRASIVE ACCESSORIES

BACK-UP PADS & FOAM INTERFACES

Speed-Grip industrial back-up pads are available in 4 different perforations, 3 densities and a versatile attachment system (M8 & 5/16" + key + 3 washers).

BACK-UP PADS & FOAM INTERFACES



DENSITY	COLOUR	APPLICATION
HARD	BLUE	Heavy duty sanding, best for flattening surfaces or dimensioning.
MEDIUM	BLACK	Scuffing, shaping, sanding and finishing. For use on filler, primer, pain, clear coat, wood, plaster, composites, metal.
SOFT	ORANGE	Final sanding, to obtain a perfect finish.


NORTON PRO SPEED-GRIP BACK-UP PADS









DIAMETER (mm)	PERFORATIONS	TYPE	DENSITY			PK QTY
			SOFT	MEDIUM	HARD	
76	3 hole 	5/16"		69957370046		1
150	No hole 	5/16" & M8		66623320037		1
	6 + 1 holes 	5/16" & M8		66623320038		1
	8 + 1 holes 	5/16" & M8		66623320039		1
	15 hole 	5/16" & M8	66623338452	66623338450	66623338451*	1
150	Multi-Air 		63642560605	63642585872		1
200	8 holes 	M14		66623320011		1

NORTON PRO SPEED-GRIP FOAM INTERFACE



DIAMETER (mm)	PERFORATIONS	PART NO.	PK QTY
76	No hole 	63642505457	1
150	6+1 holes 	66623320015	5
	8+1 holes 	66623320016	5
	15 holes 	07660719360	10

NORTON PRO STICK 'N' SAND BACK-UP PADS

DIAMETER (mm)	PERFORATIONS	TYPE	MEDIUM DENSITY	PK QTY
150	No hole 	-	66623320040	1
	6 + 1 holes 	-	66623320041	1
	No hole 	5/16"	66623320004	1
	6 holes 	5/16"	66623320014	1
200	No hole 	5/8"	66623320003	1
	No hole 	M14	66623320000	1

DUAL CARTRIDGE RESPIRATOR MASK 7700 SERIES AS/NZS 1716:2012



MODEL	DESCRIPTION	SIZE	PART NO.	PK QTY
7700 Series	Dual cartridge respirator mask	Small	66252841382	1
		Medium	66252841370	1
		Large	66252841369	1

DUAL CARTRIDGE RESPIRATOR MASK AS/NZS 1716:2012 5500 SERIES - ECONOMICAL GRADE MASK



MODEL	DESCRIPTION	SIZE	PART NO.	PK QTY
5500 Series	Dual cartridge respirator mask	Medium	66252841413	1

PARTICULATE FILTERS AS/NZS 1716:2012



66252841408

DESCRIPTION	PROTECTION LEVEL	PART NO.	PK QTY
Particulate filter pad replacement for dual cartridge respirator mask	P2	66252841337	10
	P2	66252841458	50
Particulate filter assembly	P2	66252841408	1

ORGANIC VAPOUR FILTER/CARTRIDGE AS/NZS 1716:2012



DESCRIPTION	PROTECTION LEVEL	PART NO.	PK QTY
Organic Vapour Cartridge	A1	66252841333	8 pairs

RESPIRATORY MASK AS/NZS 1716:2012



DESCRIPTION	PROTECTION LEVEL	PART NO.	PK QTY
Respiratory mask	P1	66252841422	20
Respiratory mask with valve	P2	66252841418	12

DISPOSABLE GLOVES



SIZE	DESCRIPTION	PART NO.	PK QTY
Large	Nitrile gloves for chemical compounds	66252841530	100
Extra Large		66252841531	100

SAFETY GLASSES AS/NZS 1337



MODEL	FRAME	LENS	DESCRIPTION	PART NO.	PK QTY
Python	Blue	Blue Mirror	Standard glasses	66252841545	12
	Clear	Clear		66252841546	12
	Smoke	Smoke		66252841547	12
Hammerhead	Black	Clear	Premium glasses	66252841542	12
	Black	Smoke		66252841543	12

DISPOSABLE OVERALL



DESCRIPTION	SIZE	PART NO.	PK QTY
Disposable Overall	Medium	66252841443	1
	Large	66252841444	1
	Extra Extra Large	66252841445	1

REUSABLE OVERALL



DESCRIPTION	SIZE	PART NO.	PK QTY
Washable paint overall	M	66254428976	10
	L	66254428977	10
	XL	66254428978	10



 - NortonPacific

 - NortonAbrasives

 - NortonAbrasivesPacific

AUSTRALIA

SAINT-GOBAIN ABRASIVES PTY. LTD.

60 Hume Hwy, Somerton, VIC 3062,

Toll Free: 1300 007 650

sales.au@saint-gobain.com

SAINT-GOBAIN.COM.AU

NEW ZEALAND

SAINT-GOBAIN ABRASIVES LTD.

70 Wharf Rd, Te Atatu Peninsula, AK 0610,

Toll Free: 0800 74 24 24

sales.nz@saint-gobain.com

SAINT-GOBAIN.CO.NZ

© Saint-Gobain 2019

Norton and "Reshaping Your World" are registered trademarks of Saint-Gobain Abrasives.