


**NORTON**

SAINT-GOBAIN

Transforming  
surfaces  
...and beyond



SURFACE SOLUTIONS

# AUTOMOTIVE AFTERMARKET

—  
2025

## INTRODUCTION

04-16

Process Solutions	05
Cyclonic Multi-Air	06
MeshPower	08
Latest products & our full abrasives offering	10
MyAbrasives online ordering system	12
Excellence training centres & Norton Advantage	15

## METAL WORKING

17-40

### CUTTING & GRINDING

18-19

Cutting discs	18
Grinding discs	19

### PANEL PREPARATION & WELD GRINDING

21-22

Fibre discs, cloth discs & back-up pads	21
---	----

### DEBURRING & RUST/PAINT REMOVAL

23-24

Flap discs	23
Rapid Blend discs	24

### CLEANING

25-27

Rapid Strip discs	25
High strength discs	26

### QUICK CHANGE DISCS FOR SMALL AREAS

28-35

Plain discs	28
Mini flap discs	30
Flexi-flap discs	31
Rapid discs range	31
Mini Grinder & Kit	33

### SANDING HARD TO REACH AREAS

36-38

File belts	36
Handy rolls	38

### STEP DRILLS, CARBIDE BURRS, WIRE BRUSHES

39-40

Step drills	39
Carbide burr kit	40
Hand brushes	40

## MANUAL SANDING

41-50

### PRE-CUT ROLLS

42

Cyclonic Multi-Air pre-cut rolls	42
----------------------------------	----

### CUT SHEETS & SHEETS

43-44

Cut sheets	43
Sheets	46

### ROLLS

47-48

Self-Grip rolls	47
Paper rolls	48

### SANDING BLOCKS, KITS & HOSES

49-50

Sanding Blocks & hoses	49
Sanding Block kits	50



## MACHINE SANDING

51-74

### SANDING DISCS

52-67

Cyclonic Multi-Air discs & starter kit	52
Multi-Air discs	54
Mesh power discs	58
Multi-Air back-up pads & interfaces	59
Blue Fire discs	60
Norton Pro & Pro Plus discs	61
Norton Pro & Pro Plus smart repair discs	62
Norton Pro film discs	65
Gold Reserve discs	65
Self-grip back-up pads & interfaces	66
D.A. Sander, Vacuum & Accessories	67

### CUT SHEETS

72-73

Multi-Air cut sheets	72
Multi-air plus cut sheets	73

## FINISHING

75-84

### ROTOLO FOAM

76-78

Norton Pro Plus	76
Norton MAX	77
Norton Pro	78
Gold Reserve	78

### BEARTEX NON-WOVEN

79-81

Rotolo rolls	79
BearTex hand pads & discs	80
Scuff Gel	81
Back-up pads	81

### WATERPROOF SHEETS

82-83

Waterproof sheets	82
Sanding block for waterproof paper	83
Rosette discs & blocks	??

### SANDING SPONGES

84

# CONTENTS

## MASKING SOLUTIONS

85-94

### TAPES

86-90

Orange & Gold tape	86
Challenger tape	87
Masking tape	87
Standard Foam Tape	88
Premium perforated trim tape	88
Polyethylene tape	88
Fine line tape	89
Double-sided attachment foam tape	89

### MASKING FILM

91-92

Plastifilm	91
Dispenser & cutter for Plastifilm	92

### PREMIUM KRAFT PAPER

93

## NORTON PAINT SYSTEM

95-100

Disposable kits	96
Refill kits	97
Reusable hard cup	97
Starter kit	97
Mixing cups	97
Accessories	98

## MICROFINISHING 101-112

### NORTON ICE RANGE

102-106

Discs	102
Foam interfaces	104
Rosette discs & blocks	105
Norton Ice starter kit	106

### LIQUID ICE COMPOUNDS

107-108

### ACCESSORIES

109-111

Polishing heads	109
Clothes & Tack rags	110
Clay range	111

### HEADLIGHT REPAIR KIT

112



## FARÉCLA SOLUTIONS

113-130

### POLISH RANGE

114-122

G360 Super Fast Compound	115
G360 Super Fast Finish	115
G360 Kits	115
G3 Compounds	116
G3 Glaze Gloss Enhancer	117
G3 Regular Grade Paste	117
G3 Wax Premium Liquid Protection	118
G-Scuff Paint Preparation Paste	118
G3 Pro Range	118

### ACCESSORIES

122-126

Polishing heads & Lambs wool	122
Backing pads & adaptors	124
Finishing cloths	125
Spray bottle	126
Spurring brush	126
Degreasing & polishing wipes	126

### MACHINES

127-130

G Plus Electric rotary polishing machine	127
AC DELCO mini polisher	127
G Plus D.A. Polisher	127
G Plus D.A. system kit	128
G Plus cordless polishing machines - tool only	129
G plus cordless range - battery and charger	129

## ONEBOND SOLUTIONS

131-160

Adhesives for windscreen replacement	134
Adhesives & sealants for body repair	138
Applicator guns	145
Onebond chemicals, wipes, tapes, safety and care	149
Mixers & Nozzles	157
Accessories	159

## PERSONAL PROTECTION EQUIPMENT

161-167

Masks & filter pad replacements	161
Safety Glasses	164
Gloves	166
Overalls	167



## Transforming surfaces ...and beyond

From the initial metal working in repair processes, through to the final detailing and polishing, Norton provides the most powerful, precise, and user-friendly solutions to transform surfaces of car body repair. And when choice and value are required, we provide the widest portfolio of abrasives and system components along with expert knowledge drawn from more than 135 years of experience. Norton are a true full service, value partner. No matter the application, our passion is in delighting our customers, making them more productive, more profitable, every day. Transforming surfaces, reshaping the Automotive Aftermarket, together.



## METAL WORKING

Norton offers products for cutting, grinding, surface preparation, reshaping, sanding, cleaning and rust and excess material removal from high strength steel and automotive materials in the collision repair sector.

**PRODUCT HIGHLIGHT: BLAZE RAPID STRIP**

Removes rust, scale, old paint and composites quickly and easily leaving the surface prepared ready for the next step.

See page 17.



## MANUAL SANDING

From aggressive removal of paint layers to fine sanding finishing. In panel repair and preparation, look no further than Multi-Air cut sheets with the original hole configuration from Norton, designed for maximum dust extraction.

**PRODUCT HIGHLIGHT: MULTI-AIR PLUS (A975)**

The best product for final sanding when used in conjunction with the Multi-Air sanding block.

See page 41.



## MACHINE SANDING

Whether sanding bare metal, filler, primer, base coat, clear coat, plastics or composites, Norton makes life quicker and easier in the bodyshop. Film discs, foam backed discs, mesh abrasives and Cyclonic Multi-Air which offers innovation as the 'all in one' sanding system with the ultimate dust extraction on all surfaces.

**PRODUCT HIGHLIGHT: MULTI-AIR CYCLONIC**

Colour coded discs and rolls made using premium abrasive grain, laser cut technology, an anti-clog layer, and foam backing make Cylonic the new go-to system

See page 51.



## FINISHING

Scratch and scuff removal during the final repair stages needs quality products that can be relied upon to achieve a high quality finish first time. Norton non-woven products, Rotolo Foam and waterproof sheets do just that.

**PRODUCT HIGHLIGHT: NORTON PRO PLUS ROTOLO FOAM**

Pre-cut sheets with premium abrasive and foam backing gives a superior finish on flat and uneven surfaces thanks to the foam that absorbs the contours.

See page 75.



## MASKING SOLUTIONS

A number of tapes are available for masking applications which require high heat resistance, to more specialist jobs on edges and in apertures.

**PRODUCT HIGHLIGHT: NORTON PREMIUM TAPE**

Resists high temperatures, conforms to contours, and leaves no residue when removed.

See page 85.



## NORTON PAINT SYSTEM

An effective solution for preparing, mixing and spraying paint. A faster, cleaner solution, the NPS saves on cleaning time and solvent usage and can be used without the hard cup, improving spraying visibility and providing a more comfortable experience.

See page 95.



## MICROFINISHING

For a high gloss finish and mirror shine, Norton has many abrasives, compounds and accessories to choose from to make the polishing process fast and simple.

**PRODUCT HIGHLIGHT: LIQUID ICE XTRA CUT**

Achieve a polished finish on most common clear coats using only Liquid Ice Xtra Cut, single step process for great results.

See page 101.



## FARECLA SOLUTIONS

Farécla compounds use Engineered Abrasive Technology developed by scientists in a state-of-the-art R&D facility. Only the highest quality raw materials are used to ensure the engineered particles quickly, efficiently and permanently remove defects, such as scratches, sanding marks, swirls, holograms and oxidation.

**PRODUCT HIGHLIGHT: G3 PRO FARÉCLA'S DEDICATED DETAILING RANGE**

G3 PRO formulas are a range of detailing products designed to clean, restore and finish surfaces such as automotive paintwork, boat surfaces and wood lacquers, amongst others

See page 113.



## ONEBOND SOLUTIONS

The world of OneBond is an emporium of adhesive knowledge, expertise, and contemporary solutions, powered by our understanding of your requirements whatever your sector.

**PRODUCT HIGHLIGHT:**

Glass bonding adhesives are widely used in the installation and replacement of automotive windscreens, back-lights, quarter glass and other automotive glass, including sun and panoramic roofs. They are usually one-part polyurethane-based and one-part MS hybrid adhesives.

See page 131.



## PERSONAL PROTECTION EQUIPMENT

Norton offers a range of respiratory masks, gloves, glasses and overalls for protection in the bodyshop.

See page 161.

...FOR MORE INFORMATION VISIT  
[www.nortonabrasives.com](http://www.nortonabrasives.com)



SAINT-GOBAIN

# CYCLONIC<sup>®</sup>

MULTI-AIR




## THE ULTIMATE SANDING SOLUTION

A truly unique 'all in one' sanding solution combining cleaner working conditions with the ultimate performance for a unique sanding solution for all applications.




### CYCLONIC MULTI-AIR


Thanks to the unique hole pattern based on cyclone formation, Norton Cyclonic improves productivity by up to 32% compared to conventional multi-hole sanding discs, with a 25% increase in dust extraction. Contributing to this increase is new laser cutting technology meaning holes are cut into the disc, not punched, so discs are flatter, dust extraction is better and the abrasive surface area is increased for a more consistent scratch pattern and improved surface finish throughout the life of the disc.




NO HOLE SANDING



VACUUM SANDING



MULTI-AIR SANDING



MULTI-AIR CYCLONIC SANDING



Ceramic grain combined with the No-Fil<sup>®</sup> formula provides a superior cut, greater productivity and longer life than conventional discs.

Thin foam backing of finishing discs gives a wider contact area as the foam adapts to surface curves and contours for a smooth, consistent finish.

# PRODUCT SPOTLIGHT

## FASTER

Minimise your sanding time with four easy sanding steps.

Optional application stages for heavy duty or final finishing operations when necessary.

## SIMPLE

Colour coded by application for quick and easy selection.

## PERFECT SURFACE FINISH

Achieved using the latest Norton Cyclonic dust extraction system combined with a soft foam backing.



## A SIMPLE APPLICATION PROCESS

	STEP	APPLICATION	SHAPE / BACKING	BACK-UP PAD	MACHINE / MANUAL	FINISHING GUIDE
	<b>BLUE</b>	<b>Optional STRIPPING &amp; LEVELLING (heavy duty)</b>	 Self-Grip	Hard	 5mm Orbit	80 / 100
	<b>GREEN</b>	<b>1 STRIPPING &amp; FILLER LEVELLING</b>	 Self-Grip	Hard / Medium	 5mm Orbit	120 / 150
	<b>RED</b>	<b>2 FILLER FINISHING</b>	 Self-Grip	Medium	 5mm Orbit	220 / 240
	<b>SALMON</b>	<b>3 PRIMER SANDING</b>	 Micro Soft-Touch	Medium	 2,5mm Orbit	320 / 400
	<b>FUCHSIA</b>	<b>4 PRIMER FINISHING</b>	 Micro Soft-Touch	Medium / Soft	 2,5mm Orbit	500 / 600
	<b>TURQUOISE</b>	<b>Optional FADEOUT &amp; BLENDING</b>	 Micro Soft-Touch	Soft	 2,5mm Orbit	800 / 1000

SEE PAGE 52 FOR THE FULL NORTON CYCLONIC RANGE



## POWERFUL DUST EXTRACTION

Sanding is traditionally dusty and messy. But, with Norton MeshPower™, you get powerful dust extraction for virtually dust free sanding. This means a cleaner, healthier working environment, a better finish and a much more pleasant sanding experience.


An alternative to traditional perforated paper discs, Norton MeshPower is a multi-functional abrasive, designed with thousands of holes, created by the unique mesh matrix structure. This hole structure allows dust extraction in any application.



# CERAMIC ADVANTAGE


## WHY CHOOSE A CERAMIC ABRASIVE?

Ceramic grain provides the ultimate material removal, best productivity, longest life and finest finish.



## POWERFUL DUST EXTRACTION MEANS A CLEANER ENVIRONMENT

The open mesh construction of the backing allows dust particles to flow freely through thousands of tiny holes, creating a virtually dust free sanding environment. Better for your health, better for your application and better for your business!



SEE PAGE 58 FOR THE FULL NORTON MESHPOWER RANGE

# LATEST PRODUCTS



## ADHESIVES AND SEALANTS FOR AUTOMOTIVE AFTERMARKET

**DISCOVER OUR NEW RANGE!**

### ADHESIVES & SEALANTS FOR WINDSCREEN REPLACEMENT

Glass bonding adhesives are widely used in the installation and replacement of automotive windscreens, back-lights, quarter glass and other automotive glass, including sun and panoramic roofs.



### ADHESIVES & SEALANTS FOR BODY REPAIR

Adhesives & sealants are required for sealing applications in cars and commercial vehicles, mainly for metal repair.



### ADHESIVES FOR PLASTICS REPAIR

Adhesives are needed in order to repair cracks, scratches and holes in automotive exterior plastic parts, including bumpers, spoilers, tailgates and side mirrors.



[onebondadhesives.com](http://onebondadhesives.com)

Onebond.UK

Onebond.UK

OneBond

See page 131

# NORTON

SAINT-GOBAIN

## BODYSHOP STORAGE AND ORGANISATION

Introducing two new customisable work stations to increase bodyshop efficiency by keeping all the necessary tools and materials **organised** and **easily accessible**.

The new **Smart Station** is a compact sanding system featuring an exclusive dispenser for Norton abrasives and holders for sanding machines, pads and mobile phone. Fasten it to the Norton Vacuum System and create a complete mobile sanding solution for a cleaner, safer and more efficient workspace.

The **Working Station** is a perfect companion for all your body shop jobs. Its durable construction and ergonomic handle allow you to move it everywhere you need. Compatible with all Norton solutions for efficient collision repair, finishing, and polishing, the **two-sided station** can be used by two operators simultaneously, so no time is wasted retrieving items from a cabinet.



See page 70

# NORTON

SAINT-GOBAIN

# BLAZE

## NORTON MULTI-AIR BLAZE A995

### BLAZE YOUR WAY TO GREATER PRODUCTIVITY

Sharp design, smooth cut, fast finish, and ultimate strength are the key characteristics of the new Multi-Air Blaze A995. Featuring the finest design essentials to help you achieve the best results, the A995 sanding discs deliver superior productivity and optimal dust extraction in car body repair.

See page 54

# A FULL ABRASIVE OFFER

## MANUAL OPERATIONS

PRODUCT	TOOL	APPLICATION				
		METAL	FILLER	PRIMER	PAINT	CLEAR COAT
CUT SHEETS	SANDING BLOCK	BLUE FIRE				
		NORTON PRO, MULTI-AIR & MULTI-AIR PLUS				
		BEARTEX HAND PADS & THINFLEX				
		MESHPOWER				
ROTOLO FOAM	HAND OR SANDING BLOCK	NORTON PRO, GOLD RESERVE				
SHEETS	HAND OR SANDING BLOCK	BEARTEX				
		Q775 FILM, NORTON PRO, GOLD RESERVE				
		BLACK ICE WATERPROOF PAPER				
ROLLSW	HAND OR SANDING BLOCK	R222				
		H231/G131				
		CYCLONIC MULTI-AIR				
		NORTON PRO, GOLD RESERVE				
		MESHPOWER				
SPONGES	HAND	SOFT-TOUCH SPONGES				

## MACHINE OPERATIONS

PRODUCT	TOOL	APPLICATION				
		METAL	FILLER	PRIMER	PAINT	CLEAR COAT
THIN WHEELS	RIGHT ANGLE GRINDER	BLUE FIRE				
FIBRE DISCS		NORZON, METAL				
FLAP DISCS		BDX, VULCAN, SUPER BLEUE 4, NORSTAR, FLEXI-FLAP				
RAPID STRIP	RIGHT ANGLE OR DIE GRINDER	RS, RSF, RST, TR Plus				
SPEEDLOK	DIE GRINDER	BLAZE & XTREME MINI-FLAP DISCS & SPEEDLOK DISCS, BEARTEX				
CLOTH DISCS	ROTARY SANDER	NORZON				
CYCLONIC MULTI-AIR DISCS	ORBITAL SANDER	CYCLONIC MULTI-AIR				
MULTI-AIR DISCS	ORBITAL SANDER	MULTI-AIR BLAZE				
		MULTI-AIR NORZON				
		MULTI-AIR				
		MULTI-AIR				
MULTI-AIR SOFT-TOUCH DISCS	ORBITAL SANDER	MULTI-AIR				
		MULTI-AIR				
MESHPOWER DISCS	ORBITAL SANDER	MESHPOWER				
SELF-GRIP <sup>+</sup> DISCS	ORBITAL SANDER	BLUE FIRE				NORTON ICE
		NORTON PRO				
		NORTON PRO, NORTON PRO FILM, GOLD RESERVE				
		PURE ICE Q175, Q775 FILM				
MULTI AIR CUT SHEETS	ORBITAL SANDER	MULTI-AIR NORZON				
		MULTI-AIR				
MESHPOWER CUT SHEETS	ORBITAL SANDER	MESHPOWER				
POLISHING COMPOUNDS	RIGHT ANGLE GRINDER / POLISHER					LIQUID ICE
SELF-GRIP DISCS	ORBITAL SANDER				NORTON ICE	
		SUPERFLEXIBLE Q775				

# WE'RE MAKING IT EVEN EASIER TO ORDER OUR GREAT PRODUCTS




## MyAbrasives


The online ordering system from Saint-Gobain Abrasives

Our user-friendly ordering system works very much like online retailers you use every day, easy to navigate and get what you need, whether it's ordering, tracking or research.


With MyAbrasives the ordering process is so simple:



Search for your product




Add to basket



Go to checkout

## ORDERING MADE EASY:

1. Detailed product information and specifications, including images and videos
2. Access to order confirmations, product availability and delivery lead times
3. Available from smartphones, tablets and PCs 24/7
4. Automatically creates a list of most frequently ordered products for ease of future ordering
5. Save favourite lists to make ordering quicker and easier



## MYABRASIVES OFFERS GREATER FLEXIBILITY:


- **Product search:** you can search by UPC, name, category, EAN number and filter and sort search results, making it much easier for you to find what you need
- **Order history and reordering:** you'll be able to see your past orders across all platforms (EDI, ABx, phone and fax) and these can also be easily re-ordered. Invoices, debit/credit notes and shipping status will also be visible in the 'Order History' section so you can be sure all of your paperwork is safe in one place
- **Quotes:** you can request and track quotes in MyAbrasive rather than having to contact the customer services team separately
- **Saved orders:** you can save orders for future reference by putting multiple items in your cart and saving it, e.g. as 'Monthly Order'. You can also add a note to indicate the order frequency, e.g. 'order every month except December' and save it so you can re-order quickly and easily
- **Bulk orders:** if you need to make a bulk order, you can upload a CSV file directly into the system rather than having to search for each product individually
- **Recommended for you:** related products you may need to order
- **Extra support:** FAQs and how-to videos, or contact our dedicated helpline

## Register today

To register call your local customer service team and start using MyAbrasive today.



Transforming surfaces  
...and beyond



DISCOVER MORE ABOUT  
OUR PRODUCTS AT:

[www.nortonabrasives.com](http://www.nortonabrasives.com)



SAINT-GOBAIN

## EXCELLENCE TRAINING CENTRES

It is our goal to establish a long-term relationship with our customers, with a strong emphasis on sharing our professional skills, process knowledge and providing up-to-date information regarding industry developments.

Our Excellence Training Centres in France, Italy, Germany and Poland, are fully equipped facilities offering professional technical locations for hands-on training based on best practices in repair shops.

Our training sessions are held on a regular basis and are open to everyone! If you are interested in participating, please contact your local Norton representative to arrange a suitable date.



SAINT-GOBAIN

**Advantage**

THE NORTON ADVANTAGE:  
WE CAN VISIT YOU ANY  
TIME, ANY PLACE,  
ANYWHERE.

Our mobile demonstration centre allows us to meet you anywhere, for a demonstration by our technicians. This provides the opportunity to “put to the test” our Norton AdvANTage program, demonstrating the benefits of Norton’s innovative products in your own working environment.

# SUPPORTING SUSTAINABILITY IN THE ABRASIVES INDUSTRY

Mitigating climate change means decarbonizing our economies, and here at Saint-Gobain, the goal is simple: by 2050 we must not emit any more carbon than we absorb. We must be carbon neutral, we must preserve our planets assets such as water and rare earth, and we must limit the waste that we generate.

This commitment is rooted in a history of reducing our environmental impact and it is inseparable from our ambition to provide our customers with solutions to decarbonize and reduce their own environmental footprint. Our net zero ambition is also a concrete expression of our purpose, Making the world a better home!

## SUSTAINABILITY IS AT THE CORE OF WHAT WE DO, WE HAVE CLEAR COMMITMENTS **BUILT AROUND FIVE PILLARS:**

### SUSTAINABILITY AS A DRIVER FOR GROWTH



- Decarbonisation of our customers' applications
- By 2030 100% of products covered by Environmental product declaration / Life Cycle Assessment (ISO 14040)
- Circular economy, recycling services, eco-innovation

### LIMIT OUR ENVIRONMENTAL IMPACT



- By 2030 reduce energy consumption and CO<sub>2</sub> emissions by -33% (Scope 1 and 2)
- -50% water withdrawal and reuse by 2030
- Reduction of waste to landfill, and reuse and recycle
- Increased biodiversity and reduced pollution
- -80% of non-valorised residues by 2030

### TAKE ACTIONS ACROSS THE SUPPLY CHAIN



- Reduction of -16% CO<sub>2</sub> value chain emissions by 2030 (Scope 3)
- Decarbonizing our transportation
- 100% of packaging recyclable, >30% of recycled or bio-sourced packaging content by 2030

### SOLUTIONS WITH END-USERS' SAFETY, HEALTH, COMFORT AND WELLBEING AT HEART



- Customer centricity on safety, health, comfort & wellbeing
- Surface solutions to reduce vibration, noise, dust, VOC
- Greener solutions that respect the planet and the people
- 100% REACH compliant

### ENCOURAGE EMPLOYEE ENGAGEMENT



- Awareness and education programs
- Ambassador networks and employee ideation

To understand more and to see practical examples of the steps that we've taken and targets that we work to, for each of these five pillars, please ask your sales representative or visit:

[www.nortonabrasives.com](http://www.nortonabrasives.com)

# METAL WORKING


<b>CUTTING &amp; GRINDING</b>	<b>18</b>
Cutting discs	
Grinding discs	
<b>PANEL PREPARATION &amp; WELD GRINDING</b>	<b>21</b>
Fibre discs	
<b>DEBURRING &amp; RUST/PAINT REMOVAL</b>	<b>23</b>
Flap discs	
Rapid Blend discs	
<b>CLEANING</b>	<b>25</b>
Rapid Strip discs	
High strength discs	
<b>QUICK CHANGE DISCS FOR SMALL AREAS</b>	<b>28</b>
Plain discs	
Mini flap discs + Flexi flap discs	
Rapid Strip discs	
Rapid Blend discs	
Rapid Prep discs	
Mini Grinder & Kit	
<b>SANDING HARD TO REACH AREAS</b>	<b>36</b>
File belts	
Handy rolls	
<b>STEP DRILLS, CARBIDE BURRS, WIRE BRUSHES</b>	<b>39</b>
Step drills	
Carbide burr kit	
Hand brushes	

# CUTTING & GRINDING

Designed for all rough applications including: weld removal, surface preparation, metal removal, reshaping and cutting rusted and corroded materials. Norton Blue Fire is the choice of the professional, cutting quickly and comfortably.



## BLUE FIRE CUTTING DISCS



TYPE 41




- Regarding 1,0 and 1,6mm thick discs, high performance abrasive grain yields up to 50% more cuts than standard AlOx products.
- Strong bond system in disc formula provides longer life, reduces workpiece burn and lowers the need for deburring
- Wide range of disc sizes available for cutting and grinding using a straight grinder or angle grinder in small or hard to reach areas

DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
50 x 1 x 6.35	80	A 60 T-BF41	66252842745	50
50 x 2 x 6.35	80	A 60 T-BF41	66252842746	50
63 x 1 x 10	80	A 60 T-BF41	66252828195	50
63 x 1 x 6.35	80	A 60 T-BF41	66252828238	50
63 x 2 x 6.35	80	A 60 T-BF41	66252828239	25
76 x 1 x 6.35	80	A 60 T-BF41	66252828240	50
76 x 1 x 10	80	A 60 T-BF41	66252828241	50
76 x 1.6 x 10	80	A 46 T-BF41	66252828242	50
76 x 2 x 6.35	80	A 60 T-BF41	66252828243	25
76 x 2 x 8	80	A 60 T-BF41	66252828244*	25
76 x 2 x 10	80	A 60 T-BF41	66252828245	25
100 x 1 x 10	80	A 60 T-BF41	66252828246	50
100 x 1 x 16	80	A 60 T-BF41	66252828247	50

\* Made-to-order

## BLUE FIRE CUTTING DISCS



TYPE 41



DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
115 x 1 x 22.23	80	A 60 T-BF41	66252828255	25
125 x 1 x 22.23	80	A 60 T-BF41	66252828256	25
125 x 1.6 x 22.23	80	A 60 T-BF41	66252828257	25




TYPE 41



DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
115 x 1 x 22.23	80	C 60 T-BF41	66252828253	25
125 x 1 x 22.23	80	C 60 T-BF41	66252828254	25

## BLUE FIRE GRINDING DISCS



TYPE 01



DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
50 x 6 x 6.35	80	A 24 R-BF01	66252828248	10
63 x 6 x 10	80	A 24 R-BF01	66252828249	10
76 x 7 x 10	80	A 24 R-BF01	66252828250	10



TYPE 27




DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
115 x 6 x 22.23	80	A 24 R-BF27	66252828251	10
125 x 6 x 22.23	80	A 24 R-BF27	66252828252	10

## SPINDLES

- Spindles for use on straight grinders
- These products guarantee correct mounting of cutting discs and grinding wheels, even when the wheel arbor does not match the original machine

SIZE	ART. NO.	PK QTY
6mm	07660739614	1
8mm	07660739616	1
10mm	07660739615	1





## PNEUMATIC STRAIGHT CUT-OFF KIT

- Kit designed for quick cutting in collision repair applications
- Machine is delivered with a fixed safety guard and a soft grip to prevent discomfort. It is lightweight, only 0.8kg, and with low noise and low air consumption
- All included Norton Blue Fire wheels are 76mm to fit the 3" machine
- High performance cutting disc 1.0mm, for more cuts and longer disc life
- Metal/Inox 7.0mm grinding disc designed for rough applications

DESCRIPTION	QTY IN KIT	ART. NO.
Norton straight cut-off tool	1	
Norton Blue Fire Inox cutting-off wheel for straight grinder	50	
Norton Blue Fire Metal-Inox grinding wheel for straight grinder	10	78072756398
Norton standard glasses	1	
Norton tool bag	1	

# PANEL PREPARATION & WELD GRINDING

Weld grinding and stock removal is often required during major collision repair jobs. Norton offers a number of fibre discs and self grip discs for medium and heavy material removal from metal.



## NORZON FIBRE DISCS F827



- Sharp NorZon grain provides fast cutting action and high stock removal of old paint and rust, smoothing down welding beads, light deburring and blending
- The 0.8mm fibre backing and full resin bond system makes the disc strong, flexible and long lasting
- The fibre discs are impregnated with active cooling agents, which prevent the workpiece from burning

GRIT	115 x 22mm	125 x 22mm	180 x 22mm	PK QTY
36	63642539615	63642536483	63642533063	25
50	69957360053	63642539620	63642533064	25
60	63642539616	69957360057	63642533065	25
80	63642539617	63642539622	63642533066	25
120	63642533055	63642533056	63642533068	25



## NorZon

### MOUNTING

Use with a backing pad on an angle grinder and use a tightening nut to ensure correct fixing to the machine.



## NORTON METAL F100



- Tough, aluminium oxide grain and additional grinding additives make F100 ideal for steel and metal alloys
- The 0.8mm/0.6mm thick fibre backing provides good product life in metal removal applications

GRIT	115 x 22mm	125 x 22mm	180 x 22mm	PK QTY
36	66623385741	66623385768	66623385760	25
40	66623385745	66623385770	66623385752	25
50	66623385747	66623385773	66623385793	25
60	66623385748	66623385775	66623385749	25
80	66623385750	66623385776	66623385746	25
120	66623385757	66623385779	66623385739	25

### MOUNTING

Use with a backing pad on an angle grinder and use a tightening nut to ensure correct fixing to the machine.

## BACKING PADS


- Suitable for F827 & F100
- M14 nut - medium hardness




DIMENSIONS	DENSITY	ART NO.	PK QTY
115 x 22mm	Medium	69957382825	5
125 x 22mm	Medium	69957382826	5
180 x 22mm	Medium	69957382827	5

# DEBURRING & RUST/PAINT REMOVAL

To help reduce processing time and lower costs, Norton flap discs are engineered for applications from light stock removal to blending, providing a high quality finish every time.



## SUPER BLEUE 4 FLAP DISCS



- Blended SG ceramic and NorZon abrasive grains provides the ultimate sharp cutting performance, even with less pressure applied to the machine
- Cloth backing provides strength and durability for aggressive applications
- Fibreglass back pad supports longer product life and a consistent finish

GRIT	115 x 22mm	125 x 22mm	PK QTY
40	63642519005	63642519040	10
60	63642519006	63642519050	10
80	63642519025	63642519054	10



**SUPER BLEUE 4**

### MOUNTING

Fits directly on angle grinders which have a tightening nut.



### MOUNTING

Fits directly on angle grinders which have a tightening nut.

## VULCAN FLAP DISCS **++++**



- Self-sharpening zirconia grain provides aggressive stock removal when needed and with lighter pressure, deburrs, blends and removes old paint layers and corrosion, on the periphery or interior of doors and wheel arches
- Strong cotton cloth backing provides strength, flexibility and wear resistance
- Optimised flap configuration and increased abrasive density makes this range ideal for all low and medium pressure applications on all metal types
- MOUNTING. Fits directly on angle grinders which have a tightening nut.

GRIT	115 x 22mm	125 x 22mm	PK QTY
40	63642502311	63642502315	10
60	63642502312	63642502317	10
80	63642502313	63642502318	10
120	63642502314	63642502326	10



### MOUNTING

Fits directly on angle grinders which have a tightening nut.

## VORTEX RAPID BLEND DISCS **++++**

- Combination of high performance grain and unitised construction means finishing time is reduced and part quality is increased
- Thick nylon web resists loading, shedding and provides long product life
- 2-in-1 action; can cut like an 8 grit flap disc and finish like a finishing disc
- The undersized backing plate means the disc can be used for longer before being replaced, reducing total abrasive cost

DIMS	CAP CODE	MAX RPM	GRADE	ART. NO.	PK QTY
115 mm	U2305	12000	VORTEX 5AM	66254429268	10
125 mm	U2305	12000	VORTEX 5AM	66254496323	10

# CLEANING

Make light work of removing unwanted coatings and rust from metallic components with this range of products for stripping and cleaning.

This range of Rapid Strip discs have a strong open web structure that combines aggressive stock removal with a cool, conformable action that will not damage the workpiece.




**BLAZE**  
RAPID STRIP

- Nylon fibre composition, impregnated with high performance ceramic abrasive grain provides flexibility, so the discs do not gouge the work surface, instead shaping to its contours.
- The open structure between the fibers prevents clogging and reduces heat build up for a great finish, first time
- Cut costs by replacing some processes, multiple applications can be carried out with only one disc
- Leaves the surface thoroughly cleaned to ensure excellent adhesion for the next stage of the process



## BLAZE RAPID STRIP WHEELS



- For use on flexible shaft grinders, straight grinders and drills
- Ideal for corners and tight spaces
- Cut costs by replacing some processes, multiple applications can be carried out with only one disc
- Leaves the surface thoroughly cleaned to ensure excellent adhesion for the next stage of the process

DIMENSIONS (mm)	GRADE	MAX RPM	ART. NO.	PK QTY
100 x 13 x 12	Extra coarse	8000	66623304856	25
150 x 13 x 12	Extra coarse	8000	66261099378	15





## BLAZE RAPID STRIP SPEEDLOK DISCS **+++++**



- For use on flexible grinders, straight grinders and drills
- Ideal for rust removal from small intricate areas

DIMENSIONS (mm)	GRADE	MAX RPM	ART. NO.	PK QTY
100	Extra coarse	8000	66623303921	5

### MOUNTING

Use with TR+ holder, order separately



## BLAZE RAPID STRIP DISCS **+++++**

- Depressed centre disc for use on an angle grinder to work on large surfaces

DIMENSIONS (mm)	CAP CODE	GRADE	MAX RPM	ART. NO.	PK QTY
115 x 22	R9101	Extra coarse	12000	66623303783	10
125 x 22	R9101	Extra coarse	11000	66623303916	10
178 x 22	R9101	Extra coarse	8000	66623303920	10



## BEARTEX HIGH STRENGTH DISCS **+++**

- Abrasive and nylon formulation won't tear when used on burrs and sharp edges
- Smear-proof resin binders help to produce a great finish every time without the need for rework

DIMENSIONS (mm)	GRADE	ART. NO.	PK QTY
100 x 10 x 8	Medium	66254429562	10

*BearTex*

### WHEEL HOLDER

- Tool holders for Rapid Strip discs



DIMS (mm)	ART NO.	PK QTY
100 x 13 x 12	07660707022	10
150 x 13 x 22	07660707023	12

### TR+ HOLDER

- Suitable for Rapid Strip discs
- TR+ ATTACHMENT: TR+
- For 100mm Speedlock TR+ discs



ART. NO.	PK QTY
63642586196	1

# Rapid STRIP™

- Nylon fibre composition of the wheel, impregnated with abrasive, gives Rapid Strip wheels flexibility so they do not gouge the work surface, instead shaping to its contours
- The open structure between the fibers prevents clogging and reduces heat build up for a great finish, first time
- Good material removal for applications where less pressure is required



## RAPID STRIP SPEEDLOK DISCS



- For use on flexible shaft grinders, straight grinders and drills
- Ideal for corners and tight spaces
- Good material removal for applications where less pressure is required

DIMENSIONS (mm)	GRADE	ART. NO.	PK QTY
100	Coarse	63642585751*	5

\* Made-to-order



## RAPID STRIP WHEELS RSF +++

- Depressed centre disc for use on an angle grinder to work on large surfaces

DIMENSIONS (mm)	GRADE	MAX RPM	ART. NO.	PK QTY
115 x 22	Coarse	11000	63642585732	5
115 x 22	Coarse	12000	66261009649	10
125 x 22	Coarse	8500	63642585749	5
125 x 22	Coarse	12000	66261030655	10



## RAPID STRIP WHEELS RST +++



- For use on flexible shaft grinders, straight grinders and drills
- Ideal for corners and tight spaces
- Good material removal for applications where less pressure is required

DIMENSIONS (mm)	GRADE	ART. NO.	PK QTY
100 x 13 x 6	Coarse	63642557742	10
100 x 25 x 6	Coarse	63642557745	5
150 x 13 x 8	Coarse	63642557743	10



### MOUNTING

Use with TR+ holder, order separately

# QUICK CHANGE DISCS FOR SMALL AREAS

Known as 'Quick Change Discs' for their convenience and speed during disc changeover, these mini discs have a special fastening system which enables discs to be changed quickly so no time is wasted during the application process. Designed for blending, breaking edges and removing parting lines and machine marks the discs are small in diameter, ideal for hard to reach areas and mild contours as well as small, flat surfaces.




**MACHINES**

For use on pneumatic tools and pencil grinders.

**MOUNTING**

TR: Roll-on/roll-off system using a nylon threaded male button on a pad (TR) with spindle.

## BLAZE X-TREME LIFE DISCS R980



- Premium ceramic grain delivers powerful cutting performance on stainless steel, inconels, chromium cobalt and titanium, even at medium pressure
- Premium ceramic alumina abrasive grain provides a cool, fast cut and a long product life
- Supersize layer contains active filler which promotes cool cutting and longer product life
- MACHINE. For use on pneumatic tools, pencil grinders.

DIA (mm)	GRIT	ART. NO.	PK QTY
50 mm	36	63642597039	50
	50	63642597045	50
	60	63642597050	50
	80	63642597052	50
75 mm	36	63642597053	50
	50	63642597057	50
	60	63642597060	50
	80	63642597062	50

## BLAZE F980 **+++++**



- Patented ceramic grain delivers an outstanding cut rate, which significantly outperforms similar competitor products
- The self-lubricating, advanced supersized treatment reduces heat build up, loading and glazing on a stainless steel, titanium and super alloys High performance resins offer superior grain retention, which extends the product life and keeps the disc effective for longer

DIA (mm)	GRIT	ART. NO.	PK QTY
50 mm	36	66261058704	25
	50	66261058705	25
	60	63642597050	50
75 mm	36	66261058708	25
	50	66261058709	25
	60	66261058711	25



**BLAZE**

### MACHINES

For use on pneumatic tools and mini angle grinders.

### MOUNTING

TR: Roll-on/roll-off system using a nylon threaded male button on a pad (TR) with spindle.

## NORZON DISCS R884 **++++**



- Premium self-sharpening NorZon grain delivers fast cutting capability and high stock removal rates
- The SpeedLok fixing system makes changing the discs quick and easy, reducing process time
- Grinding, blending and finishing are all possible using the same tool, as NorZon discs are available in a wide range of grit sizes
- Grinding, blending and finishing are all possible using the same tool, as NorZon discs are available in a wide range of grit sizes

DIA (mm)	GRADE	ART. NO.	PK QTY
50 mm	36	63642560882	50
	50	69957389455	50
	60	63642556396	50
	80	63642560884	50
	120	63642560885	50
75 mm	36	63642560886	50
	50	69957389465	50
	60	63642560887	50
	80	63642560888	50
	120	66261137003	50



**NorZon**

### MACHINES

For use on pneumatic tools and mini angle grinders.



**MACHINES**

For use on pneumatic tools and mini angle grinders.

## BLAZE MINI FLAP DISCS R980



- A mini version of the flap disc, ideal for cleaning and removing metal from flanges, panels, and finishing prior to applying primer
- Extra heavy duty plastic backing supports aggressive applications where more pressure is required
- Ceramic SG abrasive provides longer life than any other flap disc
- Supersize layer contains active filler for cool cutting and long product life

GRIT	50mm	RECOMMENDED BACK UP PAD	PK QTY
40	66261120104		10
60	66261120109	63642556629	10
80	66261120110		10



**MACHINES**

For use on pneumatic tools and mini angle grinders.

## X-TREME MINI FLAP DISCS R828



- Ideal for cleaning, removing metal and finishing welds before applying primer
- NorZon grain provides high stock removal rates with medium to high pressure
- The backing system allows flexibility in blending and finishing operations and the small size can access hard to reach areas

GRIT	75 mm	50 mm	RECOMMENDED BACK UP PAD	PK QTY
40	63642527476	66261180892		10
60	66261180904	66261180893	63642556629	10
80	63642527482	66261180894		10

## X-TREME MINI-FLEXI FLAP DISCS R828 **++++**



- Blend and finish small curved surfaces and contours with the flexible flap construction making light work of small welds, rust and metal
- NorZon grain provides high stock removal rates with medium to high pressure
- The backing system allows flexibility in blending and finishing operations and the small size can access hard to reach areas

GRIT	50 mm	PK QTY
40	66261180889	10
60	66261180890	10
80	66261180891	10



### MACHINES

For use on pneumatic tools and mini angle grinders.

## BLAZE RAPID STRIP **+++++**



- Heavily coated with super-sharp ceramic alumina grains, which ensures this disc will last twice as long as competitor products
- Use for multiple operations including stripping, cleaning and finishing, provides a comparable finish to a medium surface conditioning disc
- The open structure will not shed on rusted surfaces or load on soft metals

Grit	GRADE	ART. NO.	PK QTY
50	Extra coarse	66623303912	25
75	Extra coarse	66261096557	25
100	Extra coarse	66623303921	5



**BLAZE**  
RAPID STRIP

### MOUNTING

Roll-on/roll-off system using a nylon threaded male button on a pad

## RAPID STRIP **++++**



- Nylon fibre composition of the wheel, impregnated with abrasive, gives
- Rapid Strip wheels flexibility so they do not gouge the work surface, instead shaping to its contours
- The open structure between the fibres prevents clogging and reduces heat build-up for a great finish, first time
- Good material removal for applications where less pressure is required

DIMENSIONS (mm)	GRADE	ART. NO.	PK QTY
50 mm	Extra coarse	63642588173	10
75 mm	Extra coarse	63642588175	10



**Rapid**  
STRIP

**MOUNTING:** TR: Roll-on/roll-off system using a nylon threaded male button on a pad



**VORTEX**  
RAPID BLEND

## VORTEX RAPID BLEND OPEN



- An advanced grain technology delivers a controlled cut rate, consistent finish to the workpiece, and a long product life that results in fewer disc changes
- The open web structure allows the operator to blend in 3 dimensions; using the face, edge and back of the disc
- Open web structure avoids loading, even on soft metals

GRIT	50 mm	75 mm	PK QTY
Medium	66254497067	66254497068	25

**MOUNTING:** TR: Roll-on/roll-off system using a nylon threaded male button on a pad



**VORTEX**  
RAPID PREP

## VORTEX RAPID PREP SCM



- Features a thick layer of specialised Vortex grain, which extends product life and eliminates grit sequences by combining the cutting speed of a coarse grit and the finishing qualities of a fine grit
- The advanced resin system and specialised Vortex grain imparts a superior smear-free finish and will not load on aluminium and other similar soft metals
- Resistant to edge wear, disc lasts up to four times longer than competitor products

DIA (mm)	CAP CODE	GRADE	TR	TS	PK QTY
50 mm	S2103	Extra coarse	66623378336		50
	S2203	Coarse	66623378340		50
	S2303	Medium	66623378342		50
	2403	Fine	66623378345		50
	S2503	Very fine	66623378347		50
75 mm	S2103	Extra coarse	66623378337		25
	S2203	Coarse	66623378341	66623378350	25
	S2303	Medium	66623378343		25
	2403	Fine	66623378346		25
	S2503	Very fine	66623378348		25

### MACHINES

For use on pneumatic tools and mini angle grinders.

### MOUNTING

TS: Turn-on/turn-off system using a metal to metal fixing on pad (TS) with spindle. TR: Roll-on/roll-off system using a nylon threaded male button on a pad (TR) with spindle.

## RAPID PREP AO SCM **++++**



- The open structure resists loading on softer metals so the disc can be used for longer before being changed, reducing down time and overall abrasive cost
- A high content of abrasive throughout the disc means the cut rate is consistently high throughout its life
- A flexible disc which conforms to contours of the part



**Rapid**  
**PREP**

DIA	CAP CODE	GRADE	TR	TS	PK QTY
50 mm	S2108	Extra coarse	66623378355		50
	S2208	Coarse	66623378359	66623378374	50
	S2308	Medium	66623378363		50
	S2408	Fine	66623378366		50
	S2508	Very fine	66623378372	66623378378	50
75 mm	S2108	Extra coarse	66623378356		50
	S2208	Coarse	66623378360		50
	S2308	Medium	66623378364		50
	S2508	Very fine	66623378373		50
	S2408	Fine	66623378382		50

### MACHINES

For use on pneumatic tools and mini angle grinders.

## MINI ANGLE GRINDER

- Model: Norton Mini Angle grinder 50mm (2")
- 22.000 MAX RPM (0,45 HP)
- Designed for use with the quick-change back-up pad, SpeedLok and mini flap discs
- Use with 38mm and 50mm quick change sanding discs and spindle mounted sanding specialties only. The accessories must have a rated speed greater than the speed marked on the tool



DESCRIPTION	ART NO.	EXHAUST DIRECTION	THROTTLE TYPE	AIR CONSUMPTION	COLLECT CHNK	WEIGHT OF TOOL
50mm (2") 22.000 MAX RPM (0,45 HP) mini angle grinder	66261177765	Rear	Level	85 l/min	6mm	0,742 kg

### APPLICATION TIPS:



- Air tools require regular lubrication throughout the life of the tool. The air motor and bearing use compressed air to power the tool. As moisture in compressed air will rust the air motor, it must be lubricated daily. An inline oiling device is recommended.



- This is an UNGUARDED tool and should NEVER be used with cut-off discs or other bonded abrasive grinding wheels. Never use any product that has a MAX RPM rating less than the RPM marked on the tool.



## MINI ANGLE GRINDER KIT

- Ideal for metal car body work, the kit contains an assortment of abrasive SpeedLok discs of the most popular grades for stripping, deburring and surface blending, and the Norton mini right angle grinder
- The Norton mini grinder inside the kit is compact, light weight and ideal for use on small or awkward areas.
- The SpeedLok quick change system means discs can be changed quickly, reducing down time and speeding up the job

DESCRIPTION	QTY IN KIT	ART. NO.
50mm Quick Change Holder TR	1	69957300298
50mm Vortex Rapid Prep SCM medium discs	10	
50mm Blaze F980 P36 discs	25	
50mm Blaze Rapid Strip extra coarse discs	10	
Tool bag	1	
Norton mini right angle grinder	1	



## MINI ANGLE GRINDER KIT

### STRIPPING TO BLENDING METAL

INCLUDES MACHINE & ABRASIVES (50mm)

- The kit contains an assortment of abrasive SpeedLok discs of the most popular grades for stripping, deburring and surface blending, and the Norton mini right angle grinder
- The Norton mini grinder inside the kit is compact, light weight and ideal for use on small or awkward areas
- The SpeedLok quick change system means discs can be changed quickly, reducing downtime and speeding up the job
- All products come in a handy Norton tool bag, which can be reused



DESCRIPTION	QTY IN KIT	ART. NO.
Mini angle grinder Ø 50mm (2") 22.000 MAX RPM (0.45 HP)	1	78072707340
Speedlok Blaze Ø 50mm R980 P36	5	
Speedlok Blaze Ø 50mm R980 P50	5	
Speedlok Blaze Ø 50mm R980 P60	5	
Speedlok Blaze Ø 50mm R980 P80	5	
Speedlok Blaze Ø 50mm F980 P36	5	
Speedlok Blaze Ø 50mm F980 P50	5	
Speedlok Blaze Ø 50mm F980 P60	5	
Speedlok Blaze Ø 50mm F980 P80	5	
Vortex Rapid Blend Ø 50mm	5	
Rapid Strip Blaze Ø 50mm TR	5	
High strength medium disc Ø 50mm	5	
Pad for mini angle grinder Ø25 x 6mm - medium	1	
Pad for mini angle grinder Ø50 x 6mm - hard	1	
Safety glasses – standard	1	
Norton bag	1	

## QUICK CHANGE DISC HOLDER TR

- TR ATTACHMENT: Roll-on/roll-off system using a nylon threaded male button on a pad (TR) with spindle
- QUICK CHANGE HOLDER TR

TR/TS	DIMS	Medium	Hard	PK QTY
TR	50 mm	07660717817	63642586931	1
	38 mm	63642556629		1
TR	75 mm	63642556631	66254401460	1



## QUICK CHANGE DISC HOLDER TR+

- Suitable for Rapid Strip discs
- ATTACHMENT: TR+
- For 100mm Speedlock TR+ discs

DIMS	DENSITY	ART. NO	PK QTY
6 mm	Hard	63642586196	1



## FILE BELTS

Narrow width multi-purpose belts for sanding hard to reach areas. Designed with ceramic grain to offer the best productivity and efficiency. Can be used for paint removal, cleaning, removing rust, sanding welding points and much more.



## PNEUMATIC FILE BELT SANDER

- The Norton pneumatic file belt sander makes life easier when used in hard to reach and awkward applications and areas
- Use with Norton file belts for stock removal, deburring or surface preparation and defect removal on corners, contours and tight areas
- Small but powerful file belt sander with 0,5 hp motor, for a mighty output
- Ergonomic soft grip improves manoeuvrability and reduces operator fatigue



DESCRIPTION	ART NO.	BELT SIZE	HORSEPOWER	FREE SPEED	RECOMMENDED OPERATING PRESSURE	TOOL WEIGHT
Pneumatic file belt sander	77696091766	10x330mm	0,5	18.000rpm	6,2 bar	0,82 kg

## PNEUMATIC FILE BELT KIT

- The kit contains a wide assortment of premium ceramic and non-woven file belts, complete with pneumatic file belt sander
- The ultimate solution for all applications from removal of rust and corrosion, deburring, blending and finishing panels
- Machine is 10x330mm. All belts are 10x300mm to fit the machine



DESCRIPTION	QTY IN KIT	ART. NO.
File belt machine	1	
File belt R929 P60	20	
File belt R929 P80	20	
File belt 10x330mm BearTex: Coarse	10	78072707299
File belt 10x330mm BearTex: Medium	10	
File belt 10x330mm BearTex: Fine	10	
Norton tool bag	1	

## FILE BELTS R929 **+++++**

- Combined SG and aluminium oxide abrasive grain provides an outstanding cut rate even at low to medium pressure and imparts an excellent surface finish
- Featuring a strong polyester cloth backing and phenolic bond with active fillers for a cool and fast cut



Grit	20mm x 520mm	10mm x 330mm	PK QTY
40	66623303272	66623303110	10
60	66261029755	66261144369	10
80	66623303275	66623303270	10
120	66623303276	66623303271	10

## RAPIDPREP SURFACE **+++++** CONDITIONING FILE BELTS

- Strong synthetic mesh and aluminium oxide abrasive bonded together with a smear resistant adhesive
- Open construction of non-woven material for tough cutting action without clogging or loading
- Ideal for removing paint, rust, adhesives, coatings and sealant corrosion in hard to access areas



GRADE	10mm x 300mm	PK QTY
Coarse	69957360172	10
Medium	63642578004	10
Very Fine	69957360176	10

# HANDY ROLLS

Great for manual sanding operations especially on curved surfaces thanks to the flexibility of the cloth backing. Available in grades from stripping to finishing.



## HANDY ROLLS R222

- Aluminium oxide abrasive is sharp enough to remove material with manual pressure
- Cloth backing provides flexibility for sanding round pipes, contours and curves, can also be torn easily to size
- Resin bond system promotes excellent grain adhesion for applications from deburring to blending and finishing

Grit	38mm x 25m	PK QTY
40	63642531828	1
50	63642531826	1
60	63642531824	1
80	63642531821	1
100	63642531817	1
120	63642531812	1
150	63642531809	1
180	63642531806	1
220	63642531803	1
240	63642531800	1
280	63642536425	1
320	63642531797	1
400	63642531794	1
600	63642539150	1


# STEP DRILLS, CARBIDE BURRS, WIRE BRUSHES

Drilling, cleaning and removing rust, paint, corrosion and weld spatters.



## NEW STEP DRILLS HSSM2-TIN **++++**

- Ideal for drilling repetitive holes in metal sheets or tubes
- Fast penetration, centre and drill in one operation
- Works optimally on steel, cast iron, brass and plastics
- Also can be used on stainless steel and bronze
- Covers most common materials and hole dimensions



$L_1 \times D_1 \times D_2 \times D_3$ (mm)	STEPS	HOLE DIAMETERS (mm)	MAX HOLE DEPTH (mm)	PK QTY	ITEM ART NO.	ART NO.
65x4x12x6	9	4-5-6-7-8-9-10-11-12	3	1	78072765476	
75x4x20x8	9	4-6-8-10-12-14-16-18-20	4	1	5539553840	5539553847
100x4x30x10	14	4-6-8-10-12-14-16-18-20-22-24-26-28-30	4	1	5539553845	



## **NEW** X-TREM CUT 5 **++++** CARBIDE BURR KIT

- Longer life, faster stock removal and better finish than double cut carbide burrs
- For use on steel, stainless steel, cast iron, nickel alloys, cobalt alloys and titanium
- Ideal for fast weld removal and cleaning

SHAPE	D <sub>1</sub> xL <sub>1</sub> xD <sub>2</sub> xL <sub>2</sub> (mm)	ART NO.	PK QTY	ART NO.
A	12x25x6x70	78072753479	1	
C	12x25x6x70	78072753481	1	
D	12,7x10,8x6x,56	78072756783	1	78072756854
F	12x25x6x70	78072753486	1	
L	12x30 6x75	78072756853	1	

## **NEW** BRUSHES **+++** WITH PLASTIC HANDLE

- Hand brush for cleaning works in hard to reach areas
- Ergonomic plastic grip for better comfort in use



L1xL2xL (mm)	NUMBER OF ROWS	PK QTY	ART NO.
<b>PLASTIC HAND NORMAL STEEL STRAIGHT WIRE 0,30 mm</b>			
265x140x25	1R	12	66254405470
<b>PLASTIC HAND STAINLESS STEEL STRAIGHT WIRE 0,30 mm</b>			
265x140x25	1R	12	66254405471
<b>PLASTIC HAND BRASS CRIMPED WIRE 0,30 mm NON SPARK</b>			
265x140x25	1R	12	66254405473

## **NEW** NON SPARK **++++** HAND BRUSH

- For precision cleaning operations in environments where 'traditional' wire brushes may create sparks



L1xL2xL (mm)	WIRE	ROWS	PK QTY	ART NO.
<b>SPB</b>				
200x18x45	0,20	3x6R	12	66254405474



# MANUAL SANDING

<b>PRE-CUT ROLLS</b>	<b>42</b>
Cyclonic Multi-Air pre-cut rolls	
<b>CUT SHEETS &amp; SHEETS</b>	<b>43</b>
Cut sheets	
Sheets	
<b>ROLLS</b>	<b>47</b>
Self-grip rolls	
Paper rolls	
<b>SANDING BLOCKS, KITS &amp; HOSES</b>	<b>49</b>
Sanding blocks	
Hoses	
Sanding block kits	

# MANUAL SANDING

## PRE-CUT ROLLS

Norton Cyclonic pre-cut rolls are made using the latest technology to ensure that each stage of sanding provides the best finish for the next stage of the process, minimising sanding time, increasing productivity and providing the perfect surface finish prior to painting.



As part of the Norton Cyclonic Sanding System, these rolls provide the best solution for panel preparation, from filler levelling to primer sanding.



FOR MORE INFORMATION ABOUT CYCLONIC, SEE PAGE 06.



## CYCLONIC MULTI-AIR PRE-CUT ROLLS **+++++**




- As part of Cyclonic sanding system the colour coded backing represents each application step for fast and easy product selection in panel preparation, from filler levelling to primer sanding, speeding up the process
- Self sharpening ceramic grain delivers superior cutting performance and longer life than other abrasive grains. Ceramic grains also cut cooler, and wear more evenly, providing consistent sanding results and a distinctly uniform scratch pattern
- The No-Fil® formula prevents premature clogging of the abrasive, extending sanding time
- The self-grip backing is available in two dimensions that fit all sanding blocks for a fast and easy process from start to finish



STEP	COLOUR	APPLICATION	72mm x 12m	115mm x 12m	PK QTY	BOX QTY
Optional	Blue	Stripping & levelling (Heavy Duty)	66261151791	69957305936	1	4
1	Green	Stripping & filler levelling	66261151792	69957305937	1	4
2	Red	Filler finishing	66261151793	69957305939	1	4
3	Salmon	Primer sanding	66261151794	69957305940	1	4


# CUT SHEETS & SHEETS

Manufactured to the most exacting standards, Norton's range of sanding sheets are second to none. Each product within the portfolio is designed to deliver a high quality, consistent finish at every stage of your process. Whether you are dry sanding primer, deburring, or removing scratches, Norton has a sanding sheet for your application.



## MULTI-AIR

Norton Multi-Air cut sheets are specially designed for dry sanding operations, to cut faster, run cooler, resist loading and last longer than conventional sandpaper.



## MULTI-AIR WITH NORZON TECHNOLOGY H835 +++++







- Aggressive cutting performance for heavy applications including paint stripping and removal of body filler when sanding and flattening sharp edges, whilst imparting a consistent and uniform scratch pattern
- Heavy E weight paper backing adds resistance to help this range withstand tough removal of filler on bare metal



## MULTI-AIR

WITH NORZON TECHNOLOGY

Grit	 70 x 125 mm	 70 x 198 mm	 70 x 420 mm	 115 x 230 mm	PK QTY	BOX QTY
40	69957394449*	69957394363	69957394450	69957394452	50	200
60	69957394350*	69957394367	69957394358	69957394453	50	200
80	69957394355*	69957394369	69957394360	69957394454	50	200
120	69957394357*	69957394451	69957394361	69957394455	50	200

\* Made-to-order

# MANUAL SANDING







## MULTI-AIR PLUS A975 **+++++**



- The advanced No-Fil® coating both prevents build-up of dust and avoids premature clogging. In very fine grits, it can be used for final dry sanding before spraying, without the risk of developing runs
- Patented Norton ceramic grain is blended with premium heat-treated aluminium oxide to deliver a very high cut rate that lasts up to twice as long as conventional abrasives and imparts a consistent, uniform scratch pattern
- A unique fibre-reinforced latex paper backing adds to the flexibility and makes the cut sheets tear resistant in all the applications
- Specifically designed for paint sanding from levelling filler to finishing primer




Grit	 70 x 125 mm	 70 x 198 mm	 70 x 420 mm	 115 x 230 mm	PK QTY	BOX QTY
80	69957394456	69957394470	69957394463	69957394479	50	200
120	69957394457	69957394472	69957394464	69957394481	50	200
150	69957394458*	69957394473	69957394465	69957394482	50	200
180	69957394459	69957394474	69957394466	69957394483	50	200
220	69957396408*	69957396410	69957396406	69957396414	50	200
240	69957394460	69957394475	69957394467	69957394484	50	200
280		69957396411*	69957396407*	69957396415*	50	200
320	69957394461	69957394477	69957394468	69957394485	50	200
400	69957394462	69957394478	69957394469	69957394486	50	200

\* Made-to-order



# MESH-POWER™


Experience powerful dust extraction with Norton MeshPower. A significant upgrade on traditional perforated discs, this solution is truly multi-functional. Designed with thousands of holes that are created by a unique mesh matrix, the MeshPower structure provides excellent dust extraction in any application. A reduction in clean up time is also a welcome benefit for any busy sander!



MANUAL  
SANDING





FOR MORE INFORMATION ON MESHPOWER SEE PAGE 08

## MESH POWER CERAMIC M920



- Ceramic grain provides the highest performance thanks to its micro-fracturing properties which means the abrasive stays sharper and lasts longer than the aluminium oxide version
- No-Fil® technology is applied to the abrasive grain for longer product life and a consistent cut for the entire life of the product
- Abrasive can be used wet or dry for the perfect results
- No defined hole pattern, saves time and effort aligning holes, just apply, and go





Grit	 70 x 125 mm	 70 x 198 mm	 70 x 420 mm	 115 x 230 mm	PK QTY	BOX QTY
80	69957325770	69957325962	69957325986	69957326057	50	200
120	69957325772	69957325963	69957325987	69957326062	50	200
180	69957325773	69957325964	69957325988	69957326063	50	200
240	69957325774	69957325965	69957325990	69957326065	50	200
320	69957325775	69957325966	69957325991	69957326068	50	200

## MESH POWER ALUMINIUM OXIDE M220



- Good performance on primer, filler, paint, lacquer, fibreglass, aluminium, gel coat and plastic in panel repair, spot repair and bumper repair on used or new panels. Use by hand or with a machine.
- No-Fil® technology is applied to the abrasive grain for longer product life and a consistent cut for the entire life of the product.
- Abrasive can be used wet or dry for the perfect results.
- No defined hole pattern, saves time and effort aligning holes, just apply, and go.



Grit	 70 x 198 mm	 70 x 420 mm	PK QTY	BOX QTY
80	69957326280*	69957326288*	50	200
120	69957326281*	69957326289*	50	200
180	69957326283*	69957326291*	50	200
240	69957326285*	69957326292*	50	200
320	69957326286*	69957326294*	50	200

\* Made-to-order



## NORTON MULTI-AIR PAD SAVER



DIMENSIONS	TYPE/GRADE	ART. NO.	PK QTY
70 x 198mm	Multi-Air	69957328431	1
70 x 400mm	Multi-Air	69957328432	1



## NORTON PRO A275

- Aluminium oxide abrasive grain for manual sanding of all paint layers and lacquer, until smoothing clear coat
- No-Fil® layer helps to prevent loading, meaning sheets can be used for longer
- Sheets can be used for manual sanding at size (230x280mm) or folded/ cut and used with an orbital machine or manual sanding block, pre-cut sheets (115x280mm) are also for use by hand or with an orbital sander

Grit	DIMENSION	ART. NO	PK QTY
80	115 x 280mm	63642588214*	50
120		63642588217*	50
150		63642588218*	50
180		63642588221*	50
240		63642588223	50
280		63642588224	50
320		63642588225*	50
400		63642588226	50

Grit	DIMENSION	ART. NO	PK QTY
80	230 x 280mm	63642558015	50
100		63642585256	50
120		63642558016	100
150		63642586145	100
180		63642558017	100
220		63642586139	100
240		63642558018	100
280		63642585742	100
320		63642586132	100
360		63642586133	100
400		63642586134	100
500		63642586136	100
600		63642586137	100
800		63642586138	100


\* Made-to-order

# ROLLS

A range of high performance abrasive rolls for fairing, shaping, sanding and finishing pannels, boats, plugs and moulds. They are easy to use and compatible with any sanding block, file and fairing board.



## MESH POWER ROLLS CERAMIC M920



- Ceramic grain provides the highest performance thanks to its micro-fracturing properties which mean the abrasive stays sharper and lasts longer than other rolls
- Ideal for a wide range of surfaces and applications including primer, filler, paint, lacquer, fibreglass, aluminium, gel coat and plastic in panel repair, spot repair and bumper repair on used or new panels
- The abrasive grain is impregnated with No-Fil® coating, which resists clogging and extends the product life
- Works perfectly wet or dry, by hand or with a machine



**MESH-POWER**

Grit	70mm x 10m	115mm x 10m	PK QTY	BOX QTY
<b>NEW</b> 60	78072712625	78072712624	1	4
80	69957326171	69957326269	1	4
120	69957326176	69957326270	1	4
180	69957326178	69957326271	1	4
240	69957326179	69957326272	1	4
320	69957326182	69957326273	1	4

# MANUAL SANDING

MANUAL  
SANDING



**PRO**

## NORTON PRO PAPER ROLLS A275



- Aluminium oxide abrasive with No-Fil® layer cuts fast and helps prevent loading, meaning the sanding rolls can be used for longer
- Ideal for sanding filler, primer, gel-coat, aluminium, wood and composite materials

Grit	100mm x 50m	115mm x 50m	PK QTY
80	63642591122	69957380739	2
120	63642591123	69957380761	2
150	69957391073	69957380765	2
180	63642591124*	69957380767	2
220	63642590924	69957380769	2
240	63642590927	69957380777	2
280		69957380778	2
320	63642591649*	69957380779	2
400	69957391077*	69957380781	2
500		69957396696	2

\* Made-to-order



## SELF-GRIP ROLLS H231



- Thanks to the E-weight paper backing combined with a premium resin bond, this aluminium oxide roll is designed for heavy duty sanding on metal, filler, primer, wood and solid surfaces
- Anti-static No-Fil® treatment applied to the abrasive prevents clogging when in use

Grit	115mm x 25m	PK QTY
40	69957391121	2
60	69957391123	2
80	69957391133	2



**PRO**

## NORTON PRO SELF-GRIP ROLLS A275




- Aluminium oxide abrasive with No-Fil® layer cuts fast and helps prevent loading, meaning the sanding rolls can be used for longer
- Ideal for sanding filler, wood, fiberglass and composites

Grit	115mm x 25m	PK QTY
120	69957391218	2
150	69957391219	2
180	69957391220	2
220	69957391221	2
240	69957391222	2
320	69957391224	2
400	69957391225	2

# SANDING BLOCKS, KITS & HOSES

Multi-Air sanding blocks are ergonomic, resistant and built for the best dust extraction. The special rubber grip provides good handling.

All the Multi-Air blocks are provided with a regulating valve to regulate suction power and optimize air/dust flow.



## MULTI-AIR SANDING BLOCKS

- The perfect partner for Norton abrasives for high dust extraction, including Norton Cyclonic, Multi-Air or MeshPower, for cut sheets or rolls, available in a range of sizes for any product dimension
- An in-built air chamber keeps sanding dust-free and the workplace clean
- Robust, impact resistant plastic body that has been built to last and stand up to the rigours of day-to-day use
- Comfortable rubber grip helps the user maintain control over the process



**MULTI-AIR**



70 x 125 mm

69957396645



70 x 198 mm

69957396646



70 x 400 mm

69957396648



115 x 230 mm

69957396644

PK QTY

1

## ATTACHABLE HOSE

- A 4 m long flexible tube
- Supplied together with a conical universal adapter

DESCRIPTION	ART NO.	PK QTY
25/30mm x 4m	07660767979	1





## SANDING BLOCK STARTER KIT



- Contains one sanding block in the following dimensions:
  - 70 x 125mm
  - 70 x 198mm
  - 70 x 400mm
  - 115 x 230mm
- Also contains valve and adaptor for fixing to the machine

DESCRIPTION	QTY IN KIT	ART. NO.
Starter kit	1	69957396649



The Multi-Air sanding blocks use Norton Multi-Air discs

## MULTI-AIR SANDING BLOCK KIT



- Manual sanding block with a set of 3 self-gripping interchangeable plates: straight, concave and convex
- For use with 150mm Multi-Air discs, in self-grip or Soft-Touch
- Kit contains an air valve

DESCRIPTION	QTY IN KIT	ART. NO.
Multi-Air sanding block kit	1	77696024493



# MACHINE SANDING

## SANDING DISCS

Cyclonic Multi-Air discs & starter kit

Multi-Air discs

Mesh power discs

Multi-Air back-up pads & interfaces

Blue Fire discs

Norton Pro & Pro Plus discs

Norton Pro & Pro Plus smart repair discs

Norton Pro film discs

Gold Reserve discs

Self-grip back-up pads & interfaces

## MACHINES & ACCESSORIES

DASP Machine

Vacuum System

Accessories

## CUT SHEETS

Multi-Air cut sheets

Multi-air plus cut sheets

**52****68****72**

# MACHINE SANDING

## SANDING DISCS


Norton has a sanding disc for every automotive refinish application. From cost effective aluminium oxide and aggressive Norzon grain to the highest performance ceramic sheets and discs, including Norton Cyclonic, the ultimate solution for the whole repair process. With standard, self-gripping, perforated and mesh backed discs, paint stripping, smoothing body filler, flattening sharp edges and sanding door panels has never been easier.



**CYCLONIC**  
MULTI-AIR


Norton Cyclonic is the ultimate all-in-one sanding system for car repair, colour-coded by application for quick and easy product selection. The next generation in sanding technology. The range includes: discs, rolls, dispenser and accessories.

NORTON CYCLONIC SANDING SYSTEM. SEE PAGE 06 FOR MORE INFORMATION




**CYCLONIC**  
MULTI-AIR

### CYCLONIC MULTI-AIR A975




- Made with super sharp ceramic A975 grain and No-Fil® technology for the ultimate cutting performance and a longer product life than conventional grain types. Ceramic grains also cut cooler, and wear more evenly for a consistent finish.
- For finishing applications, finer grade discs have a thin foam backing which adapts to surface contours for a smooth, consistent finish. Use with a Multi-Air back-up pad for the best performance
- Ultra precise laser cutting technology produces a flatter disc, increasing the abrasive surface area and optimising dust extraction
- Self-grip backing and easy to align hole configuration reduces downtime wasted between disc changes

STEP	COLOUR	APPLICATION	BACKING	 150 mm	PK QTY	BOX QTY
Optional	Blue	Stripping & levelling (heavy duty)	Self-Grip	66261151661	100	400
1	Green	Stripping & filler levelling	Self-Grip	66261151676	100	400
2	Red	Filler finishing	Self-Grip	66261151683	100	400
3	Salmon	Primer sanding	Micro Soft-Touch	66261151796	50	400
4	Fuchsia	Primer finishing	Micro Soft-Touch	66261151672	50	400
Optional	Turquoise	Fadeout & blending	Micro Soft-Touch	66261151684	50	400

**MOUNTING:** To be used on 150mm Multi-Air back-up pads on orbital sander.

## CYCLONIC MULTI-AIR STARTER KIT



- This unique starter kit contains 30 Cyclonic Multi-Air sanding discs, 5 of each step and 1 back-up pad, providing all your customers need to trial the new sanding system

ART. NO.	PK QTY
66261151852	1



MACHINE  
SANDING

## NORTON CYCLONIC DISPENSER

- A handy storage unit for organising and dispensing the full range of Norton Cyclonic discs and rolls
- One dispenser fits two discs and two multiple units can be fixed together to store the whole range


ART. NO.	PK QTY
66261151832	1



# REFINISHING REINVENTED

**THE COMPLETE PROCESS SOLUTION**

FOR MORE INFORMATION SEE PAGE 06



# MACHINE SANDING


**MULTI-AIR**  
20<sup>TH</sup> ANNIVERSARY 2003-2023



YouTube

Made with premium abrasive grain, Multi-Air discs provide substantially longer life thanks to excellent dust extraction which reduces clogging, and faster cut than conventional abrasives. Available with a Soft-Touch backing.

## MULTI-AIR WITH NORZON TECHNOLOGY H835 **+++++**



**MULTI-AIR**  
WITH NORZON TECHNOLOGY


- Sharp NorZon grains cuts through old paint layers, body filler and smooth sharp edges with ease and the open coating helps to prevent clogging
- High strength E-weight paper backing is tear resistant and significantly reduces common issues such as curling and edge chipping
- A full resin bond system maintains grain adhesion, ensuring the grain stays intact for longer for maximum productivity for the life of the disc
- Self-grip backing facilitates quick and easy disc changing



Grit	150 mm	PK QTY	BOX QTY
40	66261086898	50	200
60	66261086903	50	200
80	66254434876	50	200
120	66261086905	100	400

### MOUNTING

For use with a Multi-Air back-up pad on an orbital sander.



**BLAZE**

## **NEW** MULTI-AIR BLAZE A995 **+++++**



- Ultra-premium ceramic aluminium oxide grain boosts performance with extremely sharp edges and removes over 30% more material with considerably less dust
- An all-new exclusive backing design provides extraordinary strength with tear resistance well beyond any flexible paper in the market
- Unique Norton Multi-Air® hole configuration provides a consistent cut throughout the product's life and maximum dust extraction for a cleaner work environment and less potential for contamination in the shop
- Norton No-Fil® water-based stearate coating ensures you get the superior finish you need without user fatigue, rework and endless consumption of discs through changeovers

### MOUNTING

For the best performance of Multi-Air Blaze, it's to be used with Multi-Air back-up pad HARD version (07660719198) see page 59




Grit	150 mm	PK QTY	BOX QTY
40*	78072756399	50	200
60*	78072756400	50	200
80	78072756402	50	200
120	78072756403	50	200
150	78072756404	50	200

Grit	150 mm	PK QTY	BOX QTY
180	78072756405	50	200
220	78072756406	50	200
320	78072756407	50	200
400	78072756408	50	200

\* Discs P40 and P60 have 33 holes

## MULTI-AIR PLUS A975

- SG ceramic blended with heat treated aluminium oxide grains provides a high, fast cut rate on primer, paint, composites, marine gel coat and non-ferrous metals
- The blend of grain provides a consistent and uniform scratch pattern, maintaining the desired surface finish and excellent wear resistance
- In P80 - P120 discs, the backing is thicker for more aggressive use, P150 - P80 is thinner, for better flexibility in finer applications
- The unique hole configuration and No-Fil® coating resists loading to extend disc life by up to two times longer than conventional discs when sanding dry or wet. Disc colour will not transfer to the surface of the working area



GRIT	125 mm	150 mm	PK QTY	BOX QTY
80	63642563535	63642565916	100	400
120	63642563536	63642523429	100	400
150	63642563537	63642523430	100	400
180	63642563538	63642565920	100	400
220		63642523434	100	400
240	63642563540	63642523435	100	400
280		63642523436	100	400
320	63642563542	63642523437	100	400
400	63642563543	63642565925	100	400
500	66254477930	66254477924	100	400
600		63642532657	100	400
800	66254477934	66254477926	100	400


### MOUNTING

MOUNTING For use with a 125mm and 150mm medium or hard Multi-Air back-up pad on an orbital sander.



## MULTI-AIR PLUS SOFT-TOUCH A975

- Premium, SG ceramic grain blended with heat-treated aluminium oxide grains provide excellent cutting action for a very high level finish
- The foam backing is colour coded to aid quick product identification for each stage of sanding
- Fibre-reinforced latex paper creates a flexible and tear resistant backing
- Unique hole configuration and No-Fil® coating significantly improves load resistance with no risk of colour transfer thanks to the pigment free layer




COLOUR	GRIT	APPLICATION	150 mm	PK QTY	BOX QTY
Red	220	Sanding filler before primer	66261110863	20	120
Salmon	320	Sanding cataphoretic coats and primer	63642595575	20	120
Yellow	400	Sanding polyurethane primer	63642595577	20	120
Blue dark	500	Sanding polyurethane primer	66254477927	20	120
Blue	800	Cutting back lacquer before a flush joint	66254477932	20	120
White	1000	Blending on clear coat	63642536301	20	120
Green	1500	Before polishing and buffing	66261110864	20	120

**MOUNTING** For use with a Multi-Air back-up pad on an orbital sander.

# MACHINE SANDING

## MULTI-AIR PLUS STARTER KIT A975



- Contains a Multi-Air back-up pad and variety of discs with the Multi-Air hole configuration, providing all you need to trial the Multi-Air Process system

GRIT	DESCRIPTION	QTY IN KIT	ART. NO.	PK QTY
	Medium Multi-Air Pad	1		
P80	Multi-Air Plus	5		
P120	Multi-Air Plus	5		
P240	Multi-Air Plus	5		
P320	Multi-Air Plus	5	69957395370	1
P400	Multi-Air Plus	5		
P400	Multi-Air Plus Soft-Touch	5		
P500	Multi-Air Plus Soft-Touch	5		
P800	Multi-Air Plus Soft-Touch	5		



## MULTI-AIR A275 **++++**




- Premium, heat-treated aluminium oxide grains provide a fast cut rate in the final sanding stages
- Fibre-reinforced latex paper creates a flexible and tear resistant backing
- Unique hole configuration and No-Fil® coating significantly improves load resistance and eliminates the risk of colour transfer thanks to the pigment free layer



GRIT	150 mm	PK QTY	BOX QTY
P80	63642560561*	100	400
P120	63642560562*	100	400
P150	63642560563*	100	400
P180	63642560564*	100	400
P220	63642560565*	100	400
P240	63642560566*	100	400
P280	63642560567*	100	400
P320	63642560568*	100	400
P360	63642560569*	100	400
P400	63642560570*	100	400
P500	63642560571*	100	400
P600	63642560572*	100	400
P800	63642560573*	100	400

\* Made-to-order




**MULTI-AIR<sup>+</sup>**

## MULTI-AIR SOFT TOUCH A275



- Premium, heat-treated aluminium oxide grains provide excellent cutting action for a very high level finish
- The foam backing is colour coded to aid quick product identification for each stage of sanding
- Fibre-reinforced latex paper creates a flexible and tear resistant backing
- No-Fil® coating is both water based and pigment-free to significantly improve load resistance and eliminate the risk of colour transfer



**MULTI-AIR<sup>+</sup>**  
SOFT TOUCH



COLOUR	GRIT	APPLICATION	150 mm	PK QTY	BOX QTY
Red	220	Sanding filler before primer	66261032770*	20	120
Salmon	320	Sanding cataphoretic coats and primer	66261032772*	20	120
Yellow	400	Sanding polyurethane primer	66261032773*	20	120
Blue dark	500	Sanding polyurethane primer	66261032774*	20	120
Blue	800	Cutting back lacquer before a flush joint	66261032775*	20	120
White	1000	Blending on clear coat	66261034247*	20	120
Green	1500	Before polishing and buffing	66261034248*	20	120

**MOUNTING:** To be used on Ø125mm and Ø150mm Multi-Air back-up pads on orbital sanders.

\* Made-to-order

# MACHINE SANDING

## MESH-POWER™

Experience powerful dust extraction with Norton MeshPower. A significant upgrade on traditional perforated discs, this solution is truly multi-functional.




FOR MORE INFORMATION ON MULTI-AIR SEE PAGE 08


## APPLICATION GUIDE

GRIT	APPLICATION	BACK-UP PAD	DA SANDER	RPM
P80	Heavy stripping, reinforced filler leveling	Multi-Air HARD	Orbit 5mm	
P120	Paint stripping, filler leveling			
P180	Filler sanding, plastic sanding (bumpers)	Multi-Air MEDIUM	Orbit 2,5mm	
P240	Filler sanding, plastic finishing (bumpers)			
P320	Panel sanding, primer sanding			
P400	Primer finishing			

## MESHPOWER CERAMIC M920



- Ceramic grain provides the highest cutting performance thanks to its microfracturing properties, meaning the abrasive stays sharper and lasts longer than the aluminium oxide version
- For use on primer, filler, paint, lacquer, fibreglass, aluminium, gel coat and plastic in panel repair, spot repair and bumper repair on used or new panels
- No-Fil® technology is applied to the abrasive grain for longer product life and a consistent cut for the entire life of the disc
- Abrasive can be used wet or dry for the perfect result



**CERAMIC ADVANTAGE**

Ceramic grain provides the ultimate material removal, best productivity, longest life and finest finish.

GRIT	150 mm	203 mm	PK QTY	BOX QTY
<b>NEW 60</b>	78072712627	78072712626*	50	400
80	69957325723	69957326072	50	400
120	69957325730	69957326073	50	400
180	69957325731	69957326075	50	400
240	69957325732	69957326076	50	400
320	69957325733	69957326077	50	400
400	69957325736	69957326078	50	400

\* Made-to-order


### MOUNTING

For best performance, use with Multi-Air back-up pad, and for longer pad life, use with the pad saver

# MESHPower ALUMINIUM OXIDE M220



- A good choice for sanding primer, filler, paint, lacquer, fibreglass, aluminium, gel coat and plastic in panel repair
- No-Fil® coating resists loading and provides consistent sanding for the entire life of the disc
- Ideal for wet or dry processes
- The self-gripping mesh backing not only provides unbeatable dust extraction, but saves time when changing over; just apply, and carry on



**MESH-POWER**


### MOUNTING

For best performance, use with Multi-Air back-up pad, and for longer pad life, use with the pad saver

GRIT	150 mm	PK QTY	BOX QTY
80	69957326274	50	400
120	69957326275	50	400
180	69957326276	50	400
240	69957326277	50	400
320	69957326278	50	400
400	69957326279	50	400

## MULTI-AIR BACK-UP PADS

- The Multi-Air back-up pad draws dust into a collection chamber for optimal airflow and powerful dust extraction
- The innovative design delivers high performance and a smoother, unblemished work surface. This is alongside the additional benefit of a clean working environment.
- Multi-Air back-up pad 150mm is available in 3 densities (125mm in medium and soft).
- Packed in individual boxes with Festool and Rupes adapters, M8 and 5/16" bolts, 1 metal and 3 fibre ring spacers to fit all the most common sanders in the market



**MULTI-AIR**

\* Made-to-order

\*\* High Temperature

DENSITY	APPLICATIONS
Hard	Heavy duty sanding, best for flat surfaces or dimensions
Medium	Scuffing, shaping, sanding and finishing, for use on filler, primer, paint, clear coat, wood, plaster, composites, metal
Soft	Final sanding, to obtain the best finishes


SIZES	TYPE	ART NO.	PK QTY
	Soft	63642563534	1
125mm	Medium (Suitable for Festool)	63642563533	1
	Medium HT** (Compatible with most common brands such as Dynabrade, Rupes, except Festool)	66261067436	1
	Soft	63642560605	1
150mm	Medium HT** (Suitable for Festool and Rupes)	63642585872	1
	Medium HT** - Fixed screw (Compatible with most common brands such as Dynabrade, Rupes, except Festool. No Adapters & spacers)	63642582245	1
	Hard	07660719198	1
	Adapter for Rupes SK2	66261131280	1

# MACHINE SANDING



## MULTI-AIR INTERFACE PADS

DIAMETER	ART NO.	PK QTY
125 mm	63642585864	16
150 mm	07660719359	12



## PAD SAVER

DIAMETER	TYPE / GRADE	ART NO.	PK QTY
150 mm	Multi-Air	69957328425	1
150 mm	14+1 holes	69957328430	1



## BLUE FIRE H835 **+++++**



- Sharp Norzon grains cut through old paint layers, body filler and smooth sharp edges with ease and the open coating helps to prevent clogging
- High strength E-weight paper backing is tear resistant and significantly reduces common issues such as curling and edge chipping
- A full resin bond system maintains grain adhesion, ensuring the grain stays intact for longer for maximum productivity for the life of the disc
- Self-grip backing facilitates quick and easy disc changing



Grit	NO HOLES 150 mm	7 HOLES 150 mm	15 HOLES 150 mm	8 HOLES 203 mm	PK QTY
40	69957390933	69957391250		69957391263	25
40			66254444904		50
60	69957390940	69957391255		69957391268	25
60			66254444905		50
80	69957391248	69957391256	66254444908	69957391269	50
120	69957391249	69957391257		69957391272	50
120			66254444909		100

\* Made-to-order

# NORTON PRO PLUS A975 **+++++**





- Using a combination of SG and premium heat-treated aluminium oxide grains, Norton Pro Plus provides excellent cutting with a uniform scratch pattern on primer, paint, composites, marine gel coat, non-ferrous metals and ceramic coatings
- Thanks to the combination of premium grain, Pro Plus has the most aggressive yet cool cut with excellent wear resistance, lasting up to twice as long as conventional discs
- In P80 - P120 discs, the backing is thicker for more aggressive use, P150 - P80 has a thinner paper backing for better flexibility in finer applications
- The No-Fil® coating resists loading to extend disc life when sanding dry or wet. Disc colour will not transfer to the surface of the working area



**PRO+**

MACHINE  
SANDING


Grit	 <b>7 HOLES</b> 150 mm	 <b>15 HOLES</b> 150 mm	PK QTY	BOX QTY
80	63642527655	66254477881	100	400
120	63642527659	66254477879	100	400
150	63642527657	66254477882	100	400
180	63642527661	66254477883	100	400
220	63642527662*	66254477884	100	400
240	63642527666*	66254477885	100	400
280		66254477886	100	400
320	63642527669	66254477887	100	400
400	63642527670*	66254477888	100	400
500	66254476604	66254476601	100	400
600		63642532659	100	400
800		66254479091	100	400

\* Made-to-order


## MOUNTING

For use with a 150mm Norton back-up pad on an orbital sander.

# MACHINE SANDING



## NORTON PRO PLUS SOFT TOUCH A975



- Premium, SG ceramic grain blended with heat-treated aluminium oxide grains provide excellent cutting action for a very high level finish
- The foam backing is colour coded to aid quick product identification for each stage of sanding and increasing the quality of surface finish by conforming to curves, edges and contours
- Fibre-reinforced latex paper creates a flexible and tear resistant backing
- No-Fil® coating is both water based and pigment-free to significantly improve load resistance and eliminate the risk of colour transfer


**MOUNTING:** For use with a medium 150mm Norton self-grip back-up pad on an orbital sander



COLOUR	GRIT	APPLICATION	15 HOLES 150 x 14 mm	PK QTY	BOX QTY
Salmon	320	Sanding polyurethane primer	66261108763	20	80
Yellow	400	Sanding polyurethane primer	66261108817	20	80
Blue dark	500	Sanding polyurethane primer	66261108819	20	80
Blue	800	Cutting back lacquer before a flush joint	66261108820	20	80
White	1000	Retouching clear coat	66261108822	20	80
Green	1500	Before polishing and buffing	66261110861	20	80



## NORTON PRO PLUS SMART REPAIR A975



- When an operation calls for more precision or is in a small area, the Norton Smart repair system offers a premium sanding solution in small disc size
- Using a combination of SG and premium heat-treated aluminium oxide grains, Norton Pro Plus provides excellent cutting performance
- The self-grip fixing system allows quick, easy disc changing, reducing down time and increasing productivity
- Reinforced B-weight latex paper provides better tear resistance & flexibility

### MOUNTING

To be used on 76mm pad.  
Use interface pad with finer grits.  
See page 66.

Grit	NO HOLES 76 mm			Grit	NO HOLES 76 mm		
	PK QTY	BOX QTY	PK QTY		BOX QTY		
80	63642575308	50	200	320	63642575531	50	200
120	63642575521	50	200	400	63642575532	50	200
150	63642575526	50	200	500	63642575533	50	200
180	63642575527	50	200	800	63642575534	50	200
220	63642575528	50	200	1000	63642575535	50	200
240	63642575529	50	200				

# NORTON PRO A275 **++++**








- Heat-treated high performance aluminium oxide grain provides Norton Pro with a fast cut rate and a consistent, uniform scratch pattern
- Discs are flexible and tear resistant due to their fibre-reinforced latex paper backing which is heavier in grits P80 to P120 for more aggressive applications and lighter weight in finer grits for more flexibility
- The No-Fit® layer is added to resist loading and is pigment-free, which eliminates the risk of colour transfer to the surface
- MOUNTING: Norton Pro discs are for use on orbital sanders with 150mm and 203mm back-up pads. For detailed information see page 66-67



**PRO**

MACHINE  
SANDING


GRIT	 NO HOLES 76 mm	 NO HOLES 150 mm	 7 HOLES 150 mm	 15 HOLES 150 mm	 8 HOLES 203 mm
80	63642585133*	63642585184	63642557950	66254405540	63642585236
100		63642585186	63642586135	66254405542	
120	63642585145	63642569701	63642557954	66254405528	63642585243
150	63642585148*	63642569702	63642586141	66254405530	63642585244
180	63642585150*	63642585190	63642586142	66254405546	63642585245
220	63642585153*	63642585194	63642586143	66254405548	
240	636425851568	63642585197	63642557955	66254405549	63642585248
280		63642585199	63642586144	66254405550	
320	63642569699*	63642569704	63642557959	66254405539	63642585250
360		63642585205*	63642586148	66254405551	
400	63642585169*	63642585214	63642557962	66254405552	63642585252
500	69957391303*	63642585217	63642586150	66254405553	
600		63642585220	63642557964	66254405554	
800	63642585172*	63642585223	63642584990	66254405555	
1000	63642585180*				
PK QTY	50	100	100	100	100
BOX QTY	100	100	400	400	100 * Made-to-order

## MOUNTING

For use with 150mm and 203mm Norton back-up pad on an orbital machine



# MACHINE SANDING



**PRO**  
SOFT TOUCH

## NORTON PRO SOFT TOUCH A275



- Soft-Touch discs have a colour coded foam backing designed to make sanding curves and contours easy and product identification instant
- Premium, heat-treated aluminium oxide grain delivers a rapid cut rate and outstanding performance with a fluid and linear sanding result without cutting through to the paint layer
- The No-Fil® layer resists dust build-up on the disc, maintaining excellent cutting action throughout the disc life
- Fibre-reinforced latex paper backing makes discs tear resistant and flexible, supporting applications from sanding to finishing



COLOUR	GRIT	APPLICATION	15 HOLES 150 x 14 mm	PK QTY	BOX QTY
Salmon	320	Sanding polyurethane primer	66623382800	20	80
Yellow	400		66623382802	20	80
Blue dark	500		66623382803	20	80
Turquoise	800	Cutting back lacquer before a flush joint	66623382805	20	80
White	1000	Retouching clear coat	66623382806	20	80

### MOUNTING

For use with a medium 150mm Norton self-grip back-up pad on an orbital sander

## NORTON PRO FILM Q275 **+++**



- Flexible film backing is resistant to tearing and provides a consistent scratch pattern which reduces rework
- No-Fil® layer on the abrasive prevents dust build-up during sanding for significantly longer disc life
- Heat-treated aluminium oxide grain for fast material removal and excellent performance on paint, varnish and fillers



**PRO**  
FILM

GRIT	15 HOLES 150 mm	PK QTY	BOX QTY
80	77696085879	100	400
120	77696088028	100	400
150	77696088145	100	400
180	77696088146	100	400
220	77696088147	100	400
240	77696088149	100	400
320	77696088150	100	400

GRIT	15 HOLES 150 mm	PK QTY	BOX QTY
400	77696088151	100	400
500	77696088152	100	400
600	77696088153	100	400
800	77696088154	100	400
1000	77696088155	100	400
1200	77696088156	100	400
1500	77696088388	100	400

### MOUNTING

For use with a 150mm Norton self-grip back-up pad on an orbital sander

## GOLD RESERVE A296 **+++**



- With sharp aluminium oxide grains, Gold Reserve is ideal for feather edging, stripping old paint and dry sanding of filler
- Durable latex paper backing supports tougher applications whilst maintaining flexibility and is resistant to tearing
- The No-Fil® water based stearate layer prevents dust build-up on the disc meaning it can be used for longer until being changed




**GOLD RESERVE**

GRIT	15 HOLES 150 mm	PK QTY	BOX QTY
80	66261097523	100	400
120	66261097529	100	400
150	66261097531	100	400
180	66261097532	100	400
220	66261097533	100	400
240	66261097534	100	400

GRIT	15 HOLES 150 mm	PK QTY	BOX QTY
280	66261097537	100	400
320	66261097538	100	400
400	66261097539	100	400
500	66261097540	100	400
600	66261097542	100	400
800	66261097543	100	400

# MACHINE SANDING



## NORTON A293 **+++**



- No-Fit® stearate treatment on top of high performance aluminium oxide abrasive reduces clogging and dust build-up in all sanding applications for a smooth finish.
- Light and flexible paper backing provides a consistent scratch pattern, with a smooth surface finish in fine applications.
- Durable and performing disc for sanding applications on paint and solid surfaces



15 HOLES  
150 mm

Grit	15 HOLES 150 mm	PK QTY	BOX QTY
80	78072710209	100	400
120	78072710197	100	400
150	78072710210	100	400
180	78072710211	100	400
220	78072710212	100	400
240	78072710216	100	400



15 HOLES  
150 mm

Grit	15 HOLES 150 mm	PK QTY	BOX QTY
280	78072710219	100	400
320	78072710221	100	400
400	78072710222	100	400
500	78072710224	100	400
600	78072710226	100	400
800	78072710227	100	400



## SELF-GRIP BACK-UP PAD




- Spindle mounted back-up pad
- Ideal for all self-grip discs

DIAMETER	PERFORATIONS	TYPE	Soft	Medium	Hard	PK QTY
150 mm	No perforations	5/16" & M8		66623338436		1
	6+1 holes	5/16" & M8	66623338441*	66623338445	66623338446	1
	8+1 holes	5/16" & M8	66623338447*	66623338448*		1
	15 holes	5/16" & M8	66623338452	66623338450	66623338451	1
203 mm	8 holes	M5		69957371442		3
					* Made-to-order	
TYPE			PK QTY			
150mm	Adapter for Rupes SK2	66261131280	1			

## NORTON PRO SELF-GRIP FOAM INTERFACES

- Super soft interfaces with 10mm foam thickness for the best finish even on curved surfaces.

DIAMETER	PERFORATIONS	ART NO.	PK QTY
76 mm	No perforations	69957394589	10
150 mm	6+1 holes	07660707383	10
	15 holes	07660719360	10



## NORTON SELF-GRIP DUO FOAM INTERFACES

- Soft flat interfaces for finishing operations to reduce the risk of scratches thanks to the natural rubber and the gripping system, which features the 'flat-top mushroom' shape

DIAMETER	PERFORATIONS	ART NO.	PK QTY
76 mm	No perforations	63642567831	12
	No perforations	63642567836*	6
150 mm	6 holes	63642567837	6
	14+1 holes	63642567840	6

\* Made-to-order



## DUAL ACTION SANDER PNEUMATIC DASP

- Compact, lightweight and ergonomic sander designed to reduce vibration and hand/arm fatigue when used over long periods, for better sanding control.
- Available in two rotational orbit sizes; 5mm for faster sanding and 2.5mm for an excellent finish.
- Includes a 360° adjustable muffler-cap to reduce sharp noise and a metal-muffler inside to reduce oil accumulation, designed to ensure smooth running and extend machine life.
- 12.000 rpm, adjustable speed, best sanding results were achieved when used with the Multi-Air back-up pad, that is included inside the box



MODEL	PAD SIZE	DIA. ORBIT	VACUUM	WEIGHT	ART NO.
150/5.0	6" / 152mm	5 mm	Central vacuum	750g	78072723478
150/2.5	6" / 152mm	2.5 mm	Central vacuum	710g	78072723484



# MACHINE SANDING

MACHINE SANDING



## NORTON VACUUM SYSTEM CV4E

- A reliable, mobile and effective vacuum, that can be used with or without power tools
- Powerful vacuum technology with automatic filter cleaning system ideal for moderate dust levels in body shops and work shops
- User friendly control panel and NONSTOPVAC! system ensures constant vacuuming significantly reducing downtime and maintaining high suction performance
- Very practical accessory organization directly on the vacuum thanks to holder, supports and compartments

DESCRIPTION	VOLUME	FILTER CLASS	DIMENSIONS	WEIGHT	ART NO.
CV4E 40:L	40 L	L ( low hazard)	625 x 385 x 545mm	21 kg	78072754265
CV4E 40:M	40 L	M ( medium hazard)	625 x 385 x 545mm	21 kg	78072754268

## PNEUMATIC MODULE KIT

- Allows the connection of pneumatic tools to the vacuum
- Easy to install directly under the control panel
- Use a co-axial pneumatic hose to complete the system



DESCRIPTION	QTY IN KIT	ART. NO.
Pneumatic module kit	1	78072755387



## ANTISTATIC CLEANER KIT

- Kit includes a floor brush, handle, crevice tool and a metal extension kit 0.50 cm (2 pieces)
- The antistatic accessories are designed to protect against any electric shock that may occur during use

DESCRIPTION	QTY IN KIT	ART. NO.
Chrome extension tubes 0.5m	2	78072756753
Transport handle	1	
Dry floor tool	1	
Vacuum crevice tool	1	

## VACUUM SYSTEM ACCESSORIES

- Accessories for Norton Vacuum System CV4
- Suitable for electric & pneumatic option
- All hoses are suitable for most common vacuums
- Antistatic accessories protect against any electric shocks that may occur during use



DESCRIPTION	APPLICATION	TYPE/DIMENSIONS	PK QTY	ART NO.
Flat filter	For vacuum CV4E/P	Class L/M	1	78072756714
Fleece filter bags	For vacuum CV4E/P		10	78072756715
PE bag	For vacuum CV4E/P		1	78072756716
Transport handle kit	For vacuum CV4E/P		1	78072756754
Box adaptor kit	For vacuum CV4E/P	Suitable for most common systems	2	78072756755
Remote control kit	For vacuum CV4E/P		1	78072756756
Aspiration hose	For vacuum, antistatic	Lenght: 5m, Dia: 29mm	1	78072757323
Aspiration hose	For vacuum, antistatic	Lenght: 7m, Dia: 29mm	1	78072757449
Aspiration hose	For vacuum, antistatic	Lenght: 10m, Dia: 29mm	1	78072757450
Co-axial pneumatic hose	For vacuum	Lenght: 5m, Dia: 29mm	1	78072757452
Co-axial pneumatic hose	For vacuum	Lenght: 7m, Dia: 29mm	1	78072757454
Co-axial pneumatic hose	For vacuum	Lenght: 10m, Dia: 29mm	1	78072757455
"Y" Connector	For connecting 2 Tools to a vacuum	Suitable for hoses Dia 29mm	1	78072757457

## DEFECT GUIDE COAT

- Quickly identifies pinholes and deep scratches in primer to ensure the total primed area is sanded prior to top coating
- Does not require masking and takes no time to dry
- Does not contain solvents and can be used for both wet and dry sanding

VOLUME	ART NO.	PK QTY
100g	77696072696	6



## ORGANISE YOUR WORKSPACE EFFECTIVELY



### INCLUDES:

- 1x trolley
- 2x machine holder
- 1x phone holder

Other accessories are sold separately

**THE CYCLONIC DISPENSER IS SOLD SEPARATELY.**

PLEASE REFER TO PAGE 53.

## **NEW** NORTON WORKING STATION

- Portable, two-sided work station for use in a body shop to store products close to the repair area
- Large storage shelves and drawers
- Durable metal construction
- Swivel front wheels
- Compact dimensions and effortless assembly and disassembly
- Customizable from top to bottom
- Compatible with all Norton tools and abrasives, including Norton Vacuum System CV4E
- Can be used by two at the same time

ART NO.	PK QTY
---------	--------

66254427951	1
-------------	---



## **NEW** NORTON SMART STATION

- Compatible with Norton Vacuum System CV4E for less dust and a cleaner working environment
- Portable, compact and durable construction
- Increases operator mobility and reduces time spent searching for tools and supplies
- Customisable thanks to the range of matching accessories
- Comes with the exclusive Cyclonic Dispenser for a complete sanding solution

ART NO.	PK QTY
---------	--------

66254427986	1
-------------	---


### INCLUDES:

- 1 machine and 1 hose holder
- Fixing corners for Vacuum System CV4E
- Set of shelves
- Cyclonic Dispenser

Other accessories are sold separately

## WORKING STATION & SMART STATION ACCESSORIES

DESCRIPTION	ART NO.	WORKING STATION	SMART STATION
1 Vertical panel	66254427953	✓	
2 Paper roller	66254427966	✓	
3 Machine holder	66254427968	✓	
4 Sanding block holder	66254427971	✓	✓
5 Tape holder (3 units)	66254427972	✓	✓
6 Spray holder	66254427973	✓	
7 Mobile phone holder	66254427977	✓	✓
8 Waste bag holders	66254427978	✓	
9 Set of 4 fixing holders to VAC CV4E	66254434791		✓
10 Set machine holder & hose holder	66254435609		✓
11 Set of shelves	63642598433	✓	✓



MACHINE  
SANDING

## BODY SHOP TROLLEY

- A practical work station for use in a body shop to store products close to the repair area
- Metal trolley is portable for moving to different areas
- Three shelves are included for maximum product storage

ART NO.	PK QTY
66254425276	1

THE CYCLONIC DISPENSER IS SOLD SEPARATELY.  
PLEASE REFER TO PAGE 53.



# MACHINE SANDING


## CUT SHEETS

A full range of cut sheets that are ideal for machine sanding. Encompassing multiple dimensions, grits and features that make this versatile collection suitable for a wide variety of commonly encountered applications. Each product offers the same great Norton quality and the highest standards of efficiency and usability.



**MULTI-AIR**

Norton Multi-Air cut sheets are specially designed for maximum dust extraction in dry sanding operations, to cut faster, run cooler, resist loading and last longer than conventional sandpaper.





## MULTI-AIR WITH NORZON TECHNOLOGY H835 **+++++**



**MULTI-AIR**  
WITH NORZON TECHNOLOGY



- Aggressive cutting performance for heavy applications including paint stripping and removal of body filler when sanding and flattening sharp edges, whilst imparting a consistent and uniform scratch pattern
- Heavy E weight paper backing adds resistance to help this range withstand tough removal of filler on bare metal

Grit	 70 x 420 mm	 115 x 230 mm	PK QTY	BOX QTY
40	69957394450	69957394452	50	200
60	69957394358	69957394453	50	200
80	69957394360	69957394454	50	200
120	69957394361	69957394455	50	200

## MULTI-AIR PLUS A975 **+++++**

- The advanced No-Fil® coating both prevents build-up of dust and avoids premature clogging. In very fine grits, it can be used for final dry sanding before spraying, without the risk of developing runs
- Patented Norton ceramic grain is blended with premium heat-treated aluminium oxide to deliver a very high cut rate that lasts up to twice as long as conventional abrasives and imparts a consistent, uniform scratch pattern
- A unique fibre-reinforced latex paper backing adds to the flexibility and makes the cut sheets tear resistant in all the applications
- Specifically designed for paint sanding from levelling filler to finishing primer



Grit			PK QTY	BOX QTY
	70 x 420 mm	115 x 230 mm		
80	69957394463	69957394479	50	200
120	69957394464	69957394481	50	200
150	69957394465	69957394482	50	200
180	69957394466	69957394483	50	200
220	69957396406	69957396414	50	200
240	69957394467	69957394484	50	200
280	69957396407*	69957396415*	50	200
320	69957394468	69957394485	50	200
400	69957394469	69957394486	50	200

\* Made-to-order








# FINISHING

<b>ROTOLO FOAM</b>	<b>76</b>
Norton Pro Plus	
Norton MAX	
Norton Pro	
Gold Reserve	
<b>BEARTEX NON-WOVEN</b>	<b>79</b>
Rotolo rolls	
BearTex hand pads	
BearTex discs	
Scuff Gel	
Back-up pads	
<b>WATERPROOF SHEETS</b>	<b>82</b>
Waterproof sheets	
Sanding block for waterproof paper	
Rosette discs & blocks	
<b>SANDING SPONGES</b>	<b>84</b>
Soft touch sanding sponges	

# FINISHING

## ROTOLO FOAM

Rotolo Foam pre-cut sheets are ideal for fine sanding on round edges, contours and curves, providing a smooth finish on primers and top coats. The secret of Rotolo Foam lies in the combination of premium abrasive sanding paper and special foam backing. Rotolo is pre-cut to guarantee a straight edge when a piece is torn and prevents scratches from an unevenly torn edge.



FINISHING



## NORTON PRO PLUS A975 **+++++**

- The best of the best Norton SG ceramic grain combined with heat-treated aluminium oxide gives an outstanding cut rate
- Fibre reinforced paper combined with flexible foam backing is ideal for use on round edges, contours and curves without breaking through the paint
- No-Fil® treatment prevents clogging, increasing performance and lifetime
- Units are packed in a handy dispenser box and have colour coded labels that show the grit size for quick product selection and easy storage

LABEL	GRIT	APPLICATION	115mm x 25m	PK QTY	BOX QTY
Apple Green	120	Sanding of body filler	66261108905	1	2
Orange	150		66261108906	1	2
Purple	180		66261108984	1	2
Red	220	Sanding of finishing filler	66261108986	1	2
Electric Blue	240	Sanding cataphoretic coats and primer	66261108989	1	2
Grey	280		66261108990	1	2
Salmon	320		66261108991	1	2
Yellow	400		66261108993	1	2
Blue dark	500	Sanding polyurethane primer	66261108994	1	2
Fuchsia	600	Cutting back lacquer before a flush joint	66261108995	1	2
Turquoise	800		66261108996	1	2
White	1000		Retouching clear coat	66261108997	1
Green	1500	Before polishing & buffing	66261108998	1	2

## NORTON MAX A295 **+++++**

- White aluminium oxide grain is specially selected for finer sanding and finishing applications due to the quality of surface finish and the No-Fil® layer reduces clogging and improves product life
- Light flexible paper backing gives a smooth and consistent finish throughout the whole process
- The flexible foam is ideal for use on round edges, contours and curves without breaking through the paint
- Units are packed in a handy dispenser box and have colour coded labels that show the grit size for quick product selection and easy storage



LABEL	GRIT	APPLICATION	115mm x 25m	PK QTY	BOX QTY
Purple	180	Sanding of body filler	66261032478	1	2
Red	220	Sanding of finishing filler	66261032479	1	2
Electric Blue	240	Sanding of finishing filler	63642533809	1	2
Grey	280	Sanding cataphoretic coats and primer	63642533808	1	2
Salmon	320	Sanding cataphoretic coats and primer	63642533807	1	2
Yellow	400	Sanding polyurethane primer	63642533806	1	2
Blue dark	500	Sanding polyurethane primer	63642533805	1	2
Fuchsia	600	Sanding polyurethane primer	63642534524	1	2
Turquoise	800	Cutting back lacquer before a flush joint	63642533848	1	2
White	1000	Retouching clear coat	63642557616	1	2





**PRO**

## NORTON PRO A275 **++++**

- Norton Pro A275 is a premium abrasive available in the full grit range for all common sanding and finishing applications
- Flexible foam backing is ideal for use on round edges, contours and curves without breaking through the paint
- Rolls are washable, meaning dust is removed and each section can be reused
- Rolls are packed in a handy dispenser box and have colour coded labels that show the grit size for quick product selection and easy storage

LABEL	GRIT	APPLICATION	115mm x 25m	PK QTY	BOX QTY
Apple Green	120		63642535316	1	2
Orange	150	Sanding of body filler	63642557584	1	2
Purple	180		63642557599	1	2
Red	220	Sanding of finishing filler	63642557600	1	2
Electric Blue	240		63642557602	1	2
Grey	280	Sanding cataphoretic coats and primer	63642557604	1	2
Salmon	320		63642557606	1	2
Pink	360		63642557607	1	2
Yellow	400	Sanding polyurethane primer	63642557608	1	2
Blue dark	500		63642557611	1	2
Fuchsia	600		63642557612	1	2
Turquoise	800	Cutting back lacquer before a flush joint	63642557613	1	2
White	1000	Retouching clear coat	63642557616	1	2
Green	1500	Before polishing & buffing	63642557617	1	2



**GOLD RESERVE**

## GOLD RESERVE A296 **+++**

- With sharp aluminium oxide grains, Gold Reserve is available in coarser grades, ideal for feather edging, stripping old paint and dry sanding of filler by hand
- Durable B-weight latex paper backing supports tougher applications whilst maintaining flexibility and is resistant to tearing
- The No-Fil® water based stearate layer prevents dust build-up on the disc meaning it can be used for longer until being changed

GRIT	APPLICATION	115mm x 25m	PK QTY	BOX QTY
240	Sanding or finishing filler	66261097596	1	2
320	Sanding cataphoretic coats and primer	66261097598	1	2
400		66261097599	1	2
500	Sanding polyurethane primer	66261097600	1	2
600		66261097601	1	2
800	Cutting back lacquer before a flush joint	66261097602	1	2

# BEARTEX NON-WOVEN

BearTex is made from abrasive grain bonded to synthetic nylon to provide a pliable, long lasting solution for cleaning, finishing and blending applications on curved or flat surfaces.

The open mesh construction does not load with dust and shapes itself to contours for a uniform finish.



FINISHING

## NON-WOVEN APPLICATION GUIDE

*BearTex*

- BearTex is made from silicon carbide and aluminium oxide grains bonded to synthetic resins to provide a cushioned, 3D material which is pliable, long lasting and provides an excellent finish without cutting through the undercoat/paint layer
- The open mesh construction is both flexible and waterproof, meaning that it will not load, shapes itself to the contours of any surface and is washable and reusable
- From cleaning to finishing, BearTex can be used in many body shop applications as it is available in pads, rolls, and discs in very fine to micro fine grades

COLOUR	GRADE	GRIT GENERATED	FEATURES	APPLICATIONS
RED	Very fine	P320/400	Quick and aggressive cut. Tear-resistant.	Cutting back surface inside a brand new part.
GREY	Ultra fine	P600/800	Quick cut, uniform finish. Incredibly flexible, yet tear-resistant.	Finishing a primer on sharp edges. Gentle cutting back before flush joint. Can be used with Scuff Gel.
GOLD	Micro fine	P1000	Ideal for pearls and metallics.	Cleaning of clear coat or lacquer. Can be used with Scuff Gel.
WHITE	Non-abrasive	-	Use on all surfaces.	For final cleaning.

## ROTOLO BEARTEX PRE-CUT ROLLS

- Flexible, durable and perfect for use on contoured surfaces or hard to reach areas. Comes in a roll dispenser for easy storage and access to the product
- Available in silicon carbide (S) or aluminium oxide (A)

COLOUR	GRADE	DIMENSION	ART. NO	PK QTY
<b>BEARTEX THIN FLEX</b>				
Red	Very fine A	115mm x 25m	77696042073	1
Grey	Ultra fine S	115mm x 25m	77696042075	1
<b>BEARTEX STANDARD</b>				
Red	Very fine A	115mm x 25m	77696009598	1
Grey	Ultra fine S	115mm x 25m	77696042071	1
Gold	Micro fine A	115mm x 25m	66261124481	1
White	Non-abrasive	115mm x 25m	66261124480	1





## STANDARD ROLLS BEARTEX



- For cleaning and blending applications

COLOUR	GRADE	100mm x 10m	115mm x 25m	PK QTY
Red	Very fine A	66261018301	63642587694	2
Grey	Ultra fine S	66254470984	66223301430	2



## PRE-CUT HAND PADS BEARTEX



- Excellent flexibility, easy to tear, for dry or wet use. Combine the grey and gold pads with Norton Scuff Gel to clean, degrease and abrade in one step.

COLOUR	GRADE	152 x 229mm	PK QTY
Red	Very fine A	66261058000	600 (20x3)
White	Non-abrasive	66261058001	60 (20x3)
Grey	Ultra fine S	66261058002	60 (20x3)
Gold	Micro fine A	66261058005	30 (10x3)



## THIN-FLEX HAND PADS BEARTEX



- Thinner than standard BearTex, when greater precision is needed. Flexible and durable, for use on contoured surfaces and hard to reach areas.

COLOUR	GRADE	APPLICATION	115 x 230mm	PK QTY
Red	Very fine A	For use before primer and on primer surfaces. Removes rust and cleans off metal.	63642506166	100 (25x4)
White	Ultra fine S	Ideal for blending applications. Final scuffing of primer. Flexible. Non loading.	63642506167	100 (25x4)
Gold	Micro fine A	Use for fine finishing and clear blend prep. Ideal for pearls and metallics.	66261113519	100 (10x10)

## PLAIN DISCS BEARTEX **+++**

- Three-dimensional discs that conform to panels and uneven surfaces thanks to the nylon fibre impregnated with abrasive



COLOUR	GRADE	150 mm	PK QTY
Red	Very fine A	63642557497	10
Grey	Ultra fine S	63642557498	10



## DISCS BEARTEX **+++**



- Three-dimensional discs that conform to panels and uneven surfaces thanks to the nylon fibre impregnated with abrasive
- Hole configuration designed to extract dust from the surface for a cleaner working environment and better surface finish



COLOUR	GRADE	7 HOLES 150 mm	PK QTY
Red	Very fine A	69957383151	10
Grey	Ultra fine S	69957383158	10
Gold	Micro fine A	69957383162	10



## SCUFF GEL

- Norton Scuff Gel is formulated to clean, degrease and abrade in one step
- Designed for use with grey and gold BearTex pads, using Scuff Gel gives better paint adhesion
- The water based formula with very low in V.O.C ( Volatile Organic Compounds) rinses easily and leaves no mess.

APPLICATIONS	ART NO.	WEIGHT	PK QTY
Use with grey and gold BearTex pads	63642574653	700 grams	6 bottles



## BACK-UP PADS

DIAMETER	DENSITY	ART NO.	PK QTY
150 mm	Medium	69957382843*	1

\* Made-to-order



# FINISHING

## WATERPROOF SHEETS

When hand sanding in wet applications, waterproof sandpaper is the product of choice. Offering flexibility, cleaner sanding and a consistent finish, chose from silicon carbide or aluminium oxide abrasive.



**BLACK  
ice**

### BLACK ICE T417 **+++++**

- Premium silicon carbide grain delivers a fast initial cut and imparts a consistent finish across the surface
- The synthetic bond gives flexibility to the sandpaper, without cracking or curling, ideal when used on vehicle contours
- Use with a sanding block on flat surfaces or by hand, the extended grit range into higher grades is ideal for finer finishing applications
- Use wet for sanding polyurethane primer and cutting back an old surface before spraying, can also be used for cutting back flush joints

GRIT	230 x 280mm	PK QTY	GRIT	230 x 280mm	PK QTY
80	66261021180*	50	500	66261021192*	50
120	66261021183*	50	600	66261021193*	50
180	66261021185*	50	800	66261021195*	50
220	66261021186*	50	1000	66261021196*	50
240	66261021187*	50	1200	66261021197*	50
280	66261021188*	50	1500	63642534713	50
320	66261021189*	50	2000	63642534719	50
360	66261021190*	50	2500	63642565497	50

\* Made-to-order

### SANDING BLOCK FOR WATERPROOF PAPER

70 x 120mm	PK QTY
07660717789	12



## NEW NORTON T419 **++++**

- Improved product design and premium silicon carbide grain delivers a fast initial cut and imparts a consistent finish across the surface
- The synthetic bond combined with blue latex paper adds extra flexibility to the sandpaper and prevents cracking or curling, making it an ideal choice for sanding contours
- Higher grits are ideal for finer finishing applications
- Use with a sanding block on flat surfaces or by hand
- Use wet for sanding polyurethane primer and cutting back an old surface before spraying, can also be used for cutting back flush joints



GRIT	230 x 280 mm	PK QTY	BOX QTY
80	78072771886	50	200
120	78072771890	50	200
180	78072771895	50	200
240	69957365874	50	200
320	69957365876	50	200
400	69957365878	50	200
500	69957365879	50	200
600	69957365880	50	200
800	69957365881	50	200
1000	69957365868	50	200
1200	69957365870	50	200

## NORTON T489 **++++**

- Sharp silicon carbide grain cuts through rust and corrosion fast
- Flexible backing conforms to curves and contours, making T489 ideal for use on panels, wings, wheel arches and bumpers
- Can be used on lacquer, paint, metal, glass and composites
- Can be used wet or dry



GRIT	230 x 280mm	PK QTY	GRIT	230 x 280mm	PK QTY
60	63642532956	25	320	63642532995	50
80	63642532988	50	360	63642532996	50
100	63642532989	50	400	63642532997	50
120	63642532990	50	500	63642532998	50
150	63642532991	50	600	63642532999	50
180	63642532957	50	800	63642533000	50
220	63642532992	50	1000	63642533001	50
240	63642532993	50	1200	63642533002	50
280	63642532994	50			

# FINISHING

## SANDING SPONGES

Depending on the application, different grades are needed to ensure a perfect end result.


FINISHING



## SOFT TOUCH SANDING SPONGES



- Thanks to the soft foam sponge backing, these sponges conform to the most complex shapes
- They generate a finer finish than conventional coated abrasives and when used wet, have a very long life



GRADE	GRIT	APPLICATION	140 x 115 x 6mm	PK QTY
Medium	60	Scuffing, shaping filler	63642550599	20
Fine	100	Feather edging, scuffing primer & new parts before painting	63642550601	20
Super fine	180	Preparing panel for base coat	63642550602	20
Ultra fine	220	Sanding base coat, removing clear coat defects	63642550603	20
Micro fine	280	Clear coat sanding, removing minor defects	63642550604	20



# MASKING SOLUTIONS

---

## MASKING TAPES

Gold tape

Challenger tape

Masking tape

Premium perforated tape

Foam tape

Fine line tape

Double-sided attachment foam tape

Rubber cleaning wheel

## MASKING FILM

Plastifilm

Accessories

## KRAFT PAPER

Premium kraft paper

86

91

93

# MASKING SOLUTIONS

## MASKING TAPES

Norton offers a range of masking tapes suitable for a number of bodyshop applications. All tapes readily conform to contours and adhere to most surfaces and irregular shapes. Our masking tapes are also resistant to a broad range of temperatures.



MASKING SOLUTIONS



### ORANGE TAPE **+++++**

- Professional masking tape, excellent for curves, contours and irregular surfaces
- Excellent adhesion to all surface types (paints, plastic films etc.) thanks to the solvent-based rubber adhesive, good stretchability
- Resists baking temperatures up to 120°C for 30 minutes or 90°C for 1 hour
- UV protection withstands indoor and outdoor use for 3 days without leaving any residue on the surface

DIMENSIONS	ART NO.	PK QTY
18mm x 55m	78072709627	48
24mm x 55m	78072709628	36
36mm x 55m	78072709629	24
48mm x 55m	78072709630	20




### GOLD TAPE **+++++**

- Gold tape is designed for fine line paint masking on many substrates
- Resists baking temperatures of up to 120°C for one hour without leaving residue on the surface
- Thin and resistant (rice) paper tape will not peel paint off when removed and provides excellent masking line sharpness

DIMENSIONS	ART NO.	PK QTY
19mm x 50m	66261067434	24
25mm x 50m	66254490982	36
38mm x 50m	66261067435	12
50mm x 50m	66254490986	18

## CHALLENGER TAPE **+++++**

- Excellent resistance to paint, solvents, lacquer thinners, Challenger Tape shows outstanding tape to tape adhesion
- Saturated semi-crepe paper based masking tape makes Challenger Tape particularly suited to oven baking painting operations up to 100°C and 30 minutes
- Optimised for most surfaces and well suited to both metallic and plastic alike



DIMENSIONS	ART NO.	PK QTY
18mm x 45m	66261133208	48
24mm x 45m	66261133211	36
36mm x 45m	66261133214	24
48mm x 45m	66261133216	18

## PREMIUM MASKING TAPE **+++++**

- For demanding applications, contours and irregular surfaces, Norton premium tape does not bleed through, seep or leave residue when removed
- Excellent adhesion on all surface types thanks to the rubber solvent based adhesive resists baking temperatures of up to 100°C for 30 minutes
- Compatible with most common paints and lacquers used in the body shop



DIMENSIONS	ART NO.	PK QTY	BOX/PALLET
19mm x 50m	69957394601	48	48
25mm x 50m	69957394602	36	48
30mm x 50m	66261193492	32	32
38mm x 50m	69957394603	24	48
50mm x 50m	69957394604	24	48

## NEW QUALITY TAPE **+++++**

- Resists temperatures up to 100°C for 30 minutes
- Excellent edge definition, natural rubber adhesive for immediate adhesion
- Leaves no residue upon removal
- Not UV resistant, not suitable for IR drying



DIMENSIONS	ART NO.	PK QTY	BOX/PALLET
18mm x 50m	78072760581	48	48
24mm x 50m	78072760587	36	50
30mm x 50m	78072760598	32	20
36mm x 50m	78072760600	24	48
48mm x 50m	78072760601	24	42



## MEDIUM MASKING TAPE **+++++**


- Ideal for use in oven dry cycles with resistance to temperatures up to 80°C
- Easy to remove without tearing and will not leave any residue on the surface
- Highly flexible with a good level of adhesion, which easily conforms to contours or irregular shapes and surfaces
- Can be used universally as the tape is compatible with the most common types of paints and lacquers

DIMENSIONS	ART NO.	PK QTY	BOX/PALLET
19mm x 50m	69957394605	48	48
25mm x 50m	69957394609	36	48
38mm x 50m	69957394611	24	48
50mm x 50m	69957394614	24	48



## PREMIUM PERFORATED TRIM TAPE **+++++**

- For protecting rubber trims and body side mouldings during spraying
- The tape is pre-perforated for easy tear off and is flexible to follow contours and tight curves
- Only one size and thickness, plastic strip fits all types of rubber trim
- High quality adhesive with no residue upon removal



DIMENSIONS	ART NO.	PK QTY
50mm x 10m	66261194743	10



## PREMIUM FOAM TAPE **+++++**

- With highly absorbent foam to avoid leaks or paint runs, this foam tape is one continuous length which fits all gaps without rolling and will not distort when torn
- Recessed adhesive reduces defects or rework after spraying
- Can be used on fixed or moving parts to ensure a smooth paint edge
- Use in all car door apertures before spraying

DIMENSIONS	ART NO.	PK QTY
20mm x 50m	66254470746	1




## STANDARD FOAM TAPE **+++++**

- Recessed adhesive causes no paint edge or rubbing down, provides reliable protection of painted edges quickly, and is easy to apply

DIMENSIONS	ART NO.	PK QTY
13mm x 50m	66254470735	1
19mm x 35m	66254470744	1

## POLYETHYLENE TAPE - 357




- Excellent adhesion to all surfaces for edge protection and wrapping
- Water and heat resistant

DIMENSIONS	ART NO.	PK QTY
50mm x 50m	07660717720	24



## FINE LINE TAPE




- Used for the demarcation of the most delicate paint work, Fine Line tape conforms easily to the tightest contours without wrinkling
- Vinyl backing does not leave adhesive residue when the tape is removed, even after baking at 150°C for 30 minutes
- 0.13mm thickness allows extremely precise demarcation of the area to be painted
- Elongation of 150% provides excellent flexibility

DIMENSIONS	ART NO.	PK QTY
3mm x 55m	66261194993	10
6mm x 55m	66261194994	10
9mm x 55m	66261194995	10
12mm x 55m	66261194996	10
19mm x 55m	66261194997	10



## DOUBLE-SIDED ATTACHMENT FOAM TAPE



- High-density foam tape is coated with high strength acrylic adhesive on both sides, with red polyethylene release liner, for bonding medium to large mouldings and accessories
- High strength acrylic adhesive provides superior adhesion to plastics, metal, glass, and painted vehicle surfaces
- Used for many applications including: attaching body side mouldings, cladding, door edges, emblems, fascia rub strips, garnish mouldings, interior trim panels, rocker panel mouldings and pillar covers

DIMENSIONS	ART NO.	PK QTY
6mm x 18m x 1.1mm	63642505620	12
12mm x 18m x 1.1mm	63642505621	12
22mm x 18m x 1.1mm	63642505622	12





## RUBBER CLEANING WHEEL

- For pinstripe and adhesive tape removal without surface damage
- Specially designed with a ventilated structure which helps to prevent melt down or marking of the paint coating

DESCRIPTION	DIMENSION	ART NO.	PK QTY
Cleaning Wheel	100 x 15 x 6mm	07660707987	8
Spindle	6mm	07660718162	8

# MASKING FILM

Norton Plastifilm provides the perfect solution for protecting car bodywork when spraying primer, paint or varnish. Available in three qualities: Standard, Premium and Ultra.



## PLASTIFILM ULTRA **+++++**

- Made from a tough, water resistant, and tear resistant high density polyethylene+ that prevents sweating and leaves no marks when used on damp cars
- Impregnated with an anti-paint-flaking treatment for excellent paint absorption and no bleed through of water/solvent based products
- Heat resistant up to 110°C, making it safe to use in the spray booth
- The material is also fully recyclable

DIMENSIONS	ART NO.	PK QTY
4m x 150m	63642504273	1
5m x 120m	63642504393	1
6m x 100m	63642504396	1



## PLASTIFILM PREMIUM **++++**

- High density polyethylene resistant to water and solvent based paint
- Heat resistant up to 110°C, making it safe to use in the spray booth and infra-red drying
- Static treatment applied to the film means it moulds instantly to the car for faster throughput with better precision and saving time
- Corona treatment prevents imprinting and marking on damp vehicles and eliminates humidity between the film and coating

DIMENSIONS	ART NO.	PK QTY
4m x 150m	66623341457	1
5m x 120m	66623341458	1



# MASKING SOLUTIONS



## PLASTIFILM STANDARD +++

- Made from transparent polyethylene, which can be easily trimmed to size and gives excellent visibility throughout the process
- Closed surface structure prevents paint leaking through and avoids the requirement for rework
- Can be compressed to minimum dimensions, making it easy to store and producing less waste overall

DIMENSIONS	ART NO.	PK QTY
4m x 150m	66623341451	1
4m x 300m	66623341454	1
5m x 120m	66623341455	1


## ACCESSORIES

DESCRIPTION	ART No.	PK QTY
Dispenser for Plastifilm	66623341459	1
Cutter for Plastifilm	07660708055	50



# KRAFT PAPER

Norton Kraft paper is ideal for masking panel sections and parts prior to painting. It's thickness (50g/m<sup>2</sup>) means no paint will leak through whilst still easy to cut to size.



## PREMIUM KRAFT PAPER **+++++**


- Thick paper prevents paint leaking through
- Can be used for water and solvent based paints
- Recycled paper for a more environmentally friendly solution

DIMENSIONS	ART NO.	PK QTY
200mm x 300m	66261133230	1
400mm x 300m	66261127558	1
450mm x 300m	66261133231	1
600mm x 300m	66261133232	1
800mm x 300m	66261133233	1
900mm x 300m	66261127561	1
1000mm x 300m	66261133304*	1
1200mm x 300m	66261127562	1
1500mm x 300m	66261133306	1

\* Made-to-order







# NORTON PAINT SYSTEM

## IMPROVED VERSION

Disposable kits

Refill kits

Reusable hard cup

Starter kit

Mixing cups

Paint strainer

Accessories

Dispensers

Adapters

95

# NORTON PAINT SYSTEM


## NORTON PAINT SYSTEM

The most effective and productive solution for preparing, mixing and spraying paints, the Norton Paint System provides a faster and cleaner solution and saves on cleaning time and solvent usage, allowing paint to be stored and reused.

The Norton Paint System also enables the operator to paint in all positions, without any risk of the paint leaking.

The easy to assemble system ensures a consistent spray pattern, convenient storage of paint as well as easy and clean disposal of the entire unit.

A complete range of products and accessories are also available.



NORTON PAINT SYSTEM



## DISPOSABLE KIT

- Two different kits are available with different mesh weights built in to the filter inside the lids: 190 $\mu$ , 125 $\mu$  and 80 $\mu$  mesh
- Refer to the paint manufacturer's recommendation for the correct filter mesh. Each kit comes complete with lids with membranes, liners, rings, plugs and a mixing bar

VOLUME (ml)	FILTER 80 $\mu$	FILTER 125 $\mu$	FILTER 190 $\mu$	PK QTY
250		63642504727	63642504734	48
750	63642504739	63642504742	63642504744	48

## REFILL KITS INCLUDES LIDS / CAPS

- A refill kit is available for when the paint cup needs to be refilled
- Each kit contains lids with membrane and plug

VOLUME (ml)	FILTER 80µ	FILTER 125µ	FILTER 190µ	PK QTY
250		66261103841*	66261103842*	24
750	66261112807*	63642504747	63642504748*	24

\* Made-to-order



## REUSABLE HARD CUP

- The reusable mixing cup has pre-printed mixing ratio scales for greater convenience

VOLUME (ml)	ART NO.	PK QTY
250	07660721650	8
750	07660721651	8



## STARTER KIT

- An ideal starter kit to introduce the use of Norton Paint System complete with 1 Hard Cup, 12 Lids, 12 Liners, 12 Rings, 12 Caps, 4 Paint Strainers and 1 Mixing bar (adapter not included)

VOLUME (ml)	FILTER 125µ	PK QTY
750	66261136686*	1

\* Made-to-order



## MIXING CUPS

- Disposable plastic mixing cups for paint preparation and storage
- Printed with seven different mixing ratios for accurate measuring, and base feet which protect against cold transfer during mixing

DESCRIPTION	SIZE (ml)	ART NO.	PK QTY	BOX QTY
Mixing cup	400	66261140644	25	200
Lid for 400ml mixing cup		66261140652	50	400
Mixing cup	650	66261140653	25	200
Lid for 650ml mixing cup		66261140655	50	400
Mixing cup	1300	66261140659	25	200
Lid for 1300ml mixing cup		66261140665	50	400
Mixing cup	2240	66261140668	25	100
Lid for 2240ml mixing cup		66261140670	50	200



# NORTON PAINT SYSTEM



## PAINT STRAINER

- Disposable paint-strainer, filters paint before spraying
- High quality paper and mesh, gives the highest purity in the preparation of waterborne, basecoat and clear-coat paints

DESCRIPTION	BLUE FILTER 125μ	WHITE FILTER 190μ	PK QTY
Paint Strainer	63642530324	63642530358	4 x 250 pcs



## ACCESSORIES

DESCRIPTION	SIZE	ART NO.	PK QTY
Cleaning brush for NPS adapters		63642506317*	6
Gun & adapter wash attachment		63642506281*	4
Mixing bar		66254405711	250
Painting Overall	M	66254428976	10
	L	66254428977	10
	XL	66254428978	10

\* Made-to-order



## DISPENSERS

- Suitable for storage of liners and rings
- Available in small and medium/large size

DESCRIPTION	SIZE	ART NO.	QTY PER DISPENSER	BOX QTY
Liner dispenser	Small	07660721654*	50 liners	1
Liner dispenser	Medium / Large	07660721655*	50 liners	1
Lid and ring dispenser	All Sizes	07660721656	Holds 25 M/L lids or rings or 50 small lids or rings	1

\* Made-to-order




## ADAPTER WITH ACTUATOR & MEMBRANE

The new actuator inside the adapter, has been specially designed to pierce the membrane inside the lid, allowing the paint to flow through when the cup is attached to the spray gun.

# ADAPTERS

- The new improved Norton Paint System can only be used with the new adapter serie A.1



BRAND	MODELS	ADAPTER	ART NO.	PK QTY
Accuspray	Issac	7A.1 3/8 Female, 18 Thread (BSP)	63642501581*	4
	10, 12s, 19, 19c	18A.1 3/8 Female, 18 Thread (NSP)	63642571614*	4
	PerfoMax 05-300 mini	21A.1 14mm Female, 1,0mm Thread	63642571639*	4
Airgunsa	AZ3, AZ5, AZ30 HTE, AZ40 HTE	6A.1 1/4 Male, 19 Thread (BSP)	63642501560	4
Asturo	OM Green	6A.1 1/4 Male, 19 Thread (BSP)	63642501560	4
	ECO/SSP	18A.1 3/8 Female, 18 Thread (NSP)	63642571614*	4
Binks	Mach 1, 1SL, 95, 95SL, 95SLV, M.Featherlite,	18A.1 3/8 Female, 18 Thread (NSP)	63642571614*	4
	2001, 2001SS, 2001V, Model 7, SV-100 Siphon	18A.1 3/8 Female, 18 Thread (NSP)	63642571614*	4
DeVilbiss	PRI, GTI, GTI Pro, GFG, GFV,GFHV 510, FLG4	15A.1 3/8 Male, 19 Thread (BSP)	63642501355	4
	SRI Minigun	14A.1 7/16 Male, 14 Thread (UNC)	63642501565*	4
	TGHV-635, JGX-501, 502, FUN Gravity	10A.1 Elbow Swive Nut 1/4 Fe19 Thread (BSP)	63642571593*	4
	506, 507, 510, EXL 520S, FLG 606, 626, 693, 694, VTX	18A.1 3/8 Female, 18 Thread (NSP)	63642571614*	4
	FUN Siphon	25A.1 1/4 Female, 19 Thread (BSP)	63642571649*	4
Eminent	E13	6A.1 1/4 Male, 19 Thread (BSP)	63642501560	4
Graco	600 Side Cup Mount	10A.1 Elbow Swive Nut 1/4 Fe19 Thread (BSP)	63642571593*	4
IWATA	W 400, WR 400, LPA 94, VXL Primer Gun, LPH 400, LPH 440	2A.1 16mm Female, 1,5mm Thread	63642501558	4
	W300, LPH300	6A.1 1/4 Male, 19 Thread (BSP)	63642501560	4
	Supernova WS400, LS400	43A.1 1/4 Male, 19 Thread	63642501564	4
	LPH-80 Mini Spray Gun	31A.1 1/8 Male 28 Thread (BSP)	63642501568*	4
	LPH-50 Mini, LPH-100, W-100G, RG3L, W-71	10A.1 Elbow Swive Nut 1/4, Fe19 Thread (BSP)	63642571593*	4
	Mini Siphon Feed Guns, Europe	17A.1 1/4 Female, 19Thread (BSP)	63642571606*	4
	W-200 Siphon, LPSI, W101 Siphon, W200 Siphon	19A.1 3/8 Female, 19 Thread	63642571629*	4
	W-100, Siphon	25A.1 1/4 Female, 19 Thread (BSP)	63642571649*	4
Kremlin	M 21 G	6A.1 1/4 Male, 19 Thread (BSP)	63642501560	4
Sagola	475 Mini-Gun	12A.1 10mm Male, 1,0mm Thread	63642501563*	4
	403 G, 433 G, 434 G, 444 G, 450 G, 4100 G, 4200 G, 4300	5A.1 12mm Male, 1,5mm Thread	63642501540*	4
	4400 Xtreme, 4500 Xtreme	32A.1 18mm x 1,5mm Female Thread	63642501567*	4
SATA	SATAjet 2000 HVLP w/o QCC, SATAjet RP w/o QCC, SATA LM 2000 HVLP/RRP, SATA KLC HVLP/RRP, KLC P, SATAjet 90	9A.1 16mm Male, 1,5mm Thread	63642501559*	4
	SATA Jet 3000/4000/5000	40A.1 12mm Male, 1,5mm Thread	63642501539	4
	SATAjet B NR 92,NR 95 HVLP	2A.1 16mm Female, 1,5mm Thread	63642501558	4
	SATA LM B 92	5A.1 12mm Male, 1,5mm Thread	63642501540*	4
	SATA Mini-Jet 1, 2, 3	12A.1 10mm Male, 1,0mm Thread	63642501563*	4
Sharpe	GT1,Platinum, Titanium, Cobalt, SGF 98	11A.1 Male 3/8 Net.18 (NPS)	63642501576*	4
	MFG, MPF Mini-Gun HVLP	20A.1 1/8 Male, 27 Thread	63642571632*	4
Snap-On	BF515 R-Angle Mini	24A.1 El Sw Nut, 1/4Fe, 18 Thread	63642571648*	4
Tekna	Tekna Cooper, Prolite, Quick Clean	15A.1 3/8 Male, 18 Thread (NSP)	63642501355	4
Walcom	FX GEO, FX HVLP	8A.1 12mm Male, 1,0mm Thread	63642501566*	4
	Touch-up STM	22A.1 8mm Male, 0,75mm Thread	63642501577*	4
	Suction gun	16A.1 3/8 Female, 19 Thread (BSP)	63642501583*	4





# MICRO FINISHING

---

<b>NORTON ICE RANGE</b>	<b>102</b>
Discs	
Foam interfaces	
Rosette discs & blocks	
Norton Ice starter kit	
<b>LIQUID ICE</b>	<b>107</b>
Liquid Ice Compounds	
<b>POLISHING HEADS</b>	<b>109</b>
Foam heads & lambswool	
Back-up pads	
<b>CLOTHS &amp; TACK RAGS</b>	<b>110</b>
Micro fibre cloths	
Tack rags	
<b>CLAY RANGE</b>	<b>111</b>
Clay discs	
Clay glove	
Clay starter kit	
<b>HEADLIGHT KIT</b>	<b>112</b>
Headlight repair kit	

# MICROFINISHING


## NORTON ICE RANGE

The Ice range is a complete solution of abrasive discs, compounds, polishing heads, cloths and accessories designed to provide the ultimate finish. Combine Liquid Ice polishing compounds with Pure Ice Q175 or Norton Ice discs to remove defects quicker, more effectively and thereby reduce polishing time.



**PUREice**

### PURE ICE FILM DISCS Q175



- The ultra-thin film backing provides multiple benefits including excellent flexibility, allowing conformity to contours in the car body and it helps the discs to remain flat and prevent curling
- Patented resin technology promotes excellent grain adhesion that keeps the disc effective for longer and imparts a consistent finish that's easier to buff out
- Water based No-Fil® stearate coating resists loading, eliminates pigtailed and further extends the life of the product
- Colour coded grits provide an at-a-glance identification of the correct product across all hole configurations including the dust reducing Multi-Air disc

COLOUR	GRIT	NO HOLES 76 mm	PK QTY	BOX QTY	7 HOLES 150 mm	15 HOLES 150 mm	MULTI-AIR 150 mm	PK QTY	BOX QTY
Black	800		50	300	66261110841*	66261110837		50	300
Red	1000	66261110859	50	100	66261110852*	66261110838	66261113819	50	300
Green	1200		50	300	66261110853*	66261110839		50	300
Blue	1500	66261110860	50	100	66261110854*	66261110840	66261113821	50	300

#### MOUNTING

For better results, use with the Norton Self-Grip Duo Foam Interfaces.

\* Made-to-order


## NEW NORTON SUPERFLEXIBLE Q775 FILM

- Durable and very flexible film backing conforms better to the surface
- Superior fine grit abrasive for an excellent finish
- Consistent scratch pattern and even finish, easy to blend



15 HOLES  
150 mm

COLOUR	GRIT	76mm	15 HOLES 150 mm	PK QTY	BOX QTY
Turquoise	600	77696083755	78072723111	25	100
Citrine	800	77696083757	78072723112	25	100
Amber	1200	77696083761	78072723115	25	100
Rose	1500	77696083762	78072723116	25	100
Jade	2000	77696083763	78072723117	25	100
Meteorite	3000	77696083764	78072723118	25	100



### MOUNTING

To be used with pad  
Page 66

## NEW NORTON SUPERFLEXIBLE Q775 FILM

- Durable and very flexible film backing conforms better to the surface
- Superior fine grit abrasive for an excellent finish
- Consistent scratch pattern and even finish, easy to blend



COLOUR	Grit	170 x 130mm	PK QTY	BOX QTY
Turquoise	600	66623390551	25	100
Citrine	800	66623390552	25	100
Amber	1200	66623390554	25	100
Rose	1500	66623390555	25	100
Jade	2000	78072723119	25	100
Meteorite	3000	78072723120	25	100



## SANDING BLOCK - SOFT

- Super soft foam sanding pad moulds to curves and contours of all surfaces
- Norgrip-Duo attaches to abrasive quickly and easily for quick product change over
- Helps to provide an even finish and prevent scratches in the surface



ART NO.	PK QTY
78072742353	8

# MICROFINISHING



## DUAL SANDING BLOCK - RIGID/SOFT

- Double sided block with soft and rigid foam to support abrasive during sanding
- Norgrip Duo fixing allows the abrasive to be changed quickly and easily and prevents surface scratches

ART NO.	PK QTY
78072742355	4



## FOAM INTERFACES

- Soft flat interfaces for finishing operations to reduce the risk of scratches thanks to the natural rubber and the gripping system, which features the 'flat-top mushroom' shape

DIAMETER (mm)	NO HOLES	6 HOLES	15 HOLES	PK QTY
76 mm	63642567831			12
150 mm	63642567836*	63642567837	63642567840	6

\* Made-to-order



## NORTON ICE DISCS Q255

- Polish in spot repair applications faster thanks to the uniform cut, smooth finish and lower scratch depth
- The open mesh foam backing moulds to the surface for even distribution of pressure for consistent finish
- The mesh foam is waterproof, making the disc washable and reusable, can also be used by hand
- Colour coded discs make grit identification possible at-a-glance

COLOUR	GRADE	DIA (mm)	ART NO.	PK QTY	BOX QTY
Blue	1500	80 mm	66623324958	12	24
Fuchsia	2000		66623324955	12	24
Green	3000		66623324956	12	24
Blue	1500	150 mm	66623324933	15	60
Fuchsia	2000		66623324952	15	60
Green	3000		66623324954	15	60

*ice*

## **NEW** NORAX U458 - MICROFINISHING DISC **+++++**

- Effectively removes nibs and defects, easy to polish out
- Long life thanks to the micro 3D structure
- Colour-coded for fast grit identification
- Use wet for better performance
- Use with a sanding block or suitable machine pad
- Self-adhesive waterproof film backing for quick and easy disc change



GRIT	GRIT GENERATED	COLOR CODE DISCS/LABEL	32 mm	PK QTY	BOX QTY
X3	3000-3500	OLIVE	66254431739	100	5 rolls x 100 pcs
X5	2500-3000	KHAKI	66254431740	100	5 rolls x 100 pcs
X7	2000-2500	PURPLE	66254431741	100	5 rolls x 100 pcs
X9	1500-2000	GREEN	66254431742	100	5 rolls x 100 pcs

### **MOUNTING**

To be used with a specific sanding block, or on the dedicated pad of the denibbing sanding machine

## **NEW** DOUBLE SIDE SANDING BLOCK - NORGRIP DUO

- Double sided block with hard and medium density to support abrasive during sanding
- Versatile manual sanding block
- Norgrip Duo for precise defect removal
- PSA/self-adhesive for easy and fast fixing



DESCRIPTION	ART. NO.	PK QTY
30mm sanding block - hard & medium density	66254431890	1



## NEW DEFECT REMOVAL KIT

- Spot repair system for all paint types

DESCRIPTION	ART. NO.	QTY IN KIT	ART. NO.
NORAX U458 discs 32mm - X5	66254431740	100	
NORAX U458 discs 32mm - X7	66254431741	100	
NORAX U458 discs 32mm - X9	66254431742	100	
Cordless denibber machine*	66254431892	1	66254431897
Sanding block 30mm- Hard & Medium	66254431890	1	
Blue Magnet microfiber cloth	63642504402	1	

\*The machine comes with two batteries, a charger, one hard and one medium pad.

DENIBBER MACHINE ACCESSORIES	ART. NO.	PK QTY
Battery	66254431893	1
Charger	66254431894	1
Hard density pad	66254431895	5
Medium density pad	66254431896	5



## NORTON ICE STARTER KIT

- An ideal introduction to the Norton Ice range; containing discs, polishing compounds, foams, pads and a finishing spray
- An taster of the technologically superior products that Norton has to offer in helping to achieve the perfect finish

DESCRIPTION	QTY IN KIT	ART. NO.
Liquid Ice Detailer Spray	1	
Blue Magnet microfiber cloth	2	
Liquid Ice OEM - 250ml	1	
Liquid Ice Quick Cut - 250ml	1	
Soft black foam 80mm	2	
Hard white foam 80mm	2	
One box Norton Ice Grit 3000 80mm	6	
One box Norton Ice Grit 2000 80mm	6	66254488515*
One box Norton Ice Grit 1500 80mm	6	
Foam interface 76mm	2	
Pad 76mm	2	
Norwool 76mm	2	
One box Pure Ice Q175- P1000 76mm	50	
Norton Ice Starter Kit	1	
1 process chart "how to use Liquid Ice"	1	

\* Made-to-order






# LIQUID ICE

When only the perfect finish is acceptable, use Liquid Ice polishing compounds and accessories. By reducing the number of polishing steps required, Liquid Ice XtraCut, Quickcut and OEM are a practical solution to improve productivity and quality of work.

Reduce polishing time and overall bodyshop costs with Liquid Ice which reduces the number of steps required to get that showroom shine. Compounds are 0% silicon and water based so are contamination-free for a more environmentally friendly solution.



A polished finish can be achieved on most common clear coats using only Liquid Ice Xtra Cut, single step process. Use the single step process for quick applications and good results. If holograms appear or if a higher gloss finish is required (on black, metallic or pearl coating), use Liquid Ice Quick Cut and OEM, dual step process. The dual step process gives accurate results and an exceptional finish.

SINGLE STEP PROCESS	POLISHING - STEP 1 REMOVE SCRATCHES AFTER 2000 OR FINER	PROTECTION REMOVE EXCESS COMPOUND RESIDUE & PAINT PROTECTION
	 LIQUID ICE XTRA CUT + OR  RED BACKED WHITE FLAT CUTTING FOAM OR LAMBSWOOL +  RED MICROFIBRE CLOTH	 DETAILER SPRAY +  BLACK MICROFIBRE CLOTH

## LIQUID ICE - XTRA CUT



- Remove scratches in a single step after grade 2 and finer
- For best results, use with hard foam or lambswool polishing heads
- Only one step is required for the most common clear coat applications, for high gloss finishing and fast application

VOLUME	ART NO.	PK QTY
1 Litre	66623339742	6 bottles




# MICROFINISHING

<b>DUAL STEP PROCESS</b>	<b>POLISHING - STEP 1</b> REMOVE SCRATCHES AFTER 1500		<b>POLISHING - STEP 2</b> REMOVE HOLOGRAMS & IMPROVE GLOSS (DEEPER COLOUR)		<b>PROTECTION</b> REMOVE EXCESS COMPOUND RESIDUE & PAINT PROTECTION
	 + <span style="margin: 0 10px;">OR</span> +  + 	 +  + 	 + 		
	LIQUID ICE QUICK CUT	WHITE BACKED WHITE WAFFLE CUTTING FOAM OR LAMBSWOOL	WHITE MICROFIBRE CLOTH	LIQUID ICE OEM	BLACK BACKED BLACK FINISHING FLAT FOAM



## LIQUID ICE - QUICK CUT




- Polish after grade 15, use with hard foam or lambswool for best results
- Follow with OEM and black backed finishing foam to achieve a perfect gloss finish

VOLUME	ART NO.	PK QTY
1 Litre	66254429419	6 bottles



## LIQUID ICE - OEM



- To remove holograms and clouds and improve gloss for a final finish

VOLUME	ART NO.	PK QTY
1 Litre	66261191537	6 bottles



## LIQUID ICE DETAILER SPRAY

- Liquid Ice Detailer Spray cleans up excess buffing residue and provides paint protection
- Simply spray on and wipe off with a Blue Magnet microfibre cloth for the perfect showroom shine

VOLUME	ART NO.	PK QTY
1 Litre	63642574651	4 bottles

## FOAM POLISHING HEADS

- An excellent combination of density and softness for polishing and creating shine
- The open cell design allows the compound to flow through and is held in the foam during use with little or no splattering



DESCRIPTION	BACKING COLOUR	DIMENSIONS (mm)	DENSITY / SHAPE	ART NO.	PK QTY
Cutting foam - white flat	Red	80 x 25	Hard / flat	63642537215	4 x 5 pcs
		150 x 30		63642537212	10 x 2 pcs
Cutting foam - white waffle	White	80 x 25	Hard / waffle	63642541544	4 x 5 pcs
		150 x 30		63642541644	10 x 2 pcs
Finishing foam - black flat	Black	80 x 25	Soft / flat	66254441987	4 x 5 pcs
		150 x 30		66254441985	10 x 2 pcs
General purpose foam - orange flat		80 x 25	Firm / flat	66623339749	4 x 5 pcs
		150 x 30		77696068719	10 x 2 pcs
		150 x 50		66623339748	10 x 50 pcs
Support pad - super comfort		125 - M14	Soft	63642541545	10 pcs

## NORWOOL LAMBSWOOL POLISHING HEADS

- Norwool polishing heads are made from lambswool natural fibres for cool cutting and immediate shine
- Available in small and large sizes for all polishing needs





DIAMETER	ART NO.	PK QTY
150 mm	63642567955	6
76 mm	63642567956	12

## BACK-UP PAD

- Made from neoprene rubber for optimal pressure dissipation
- Chamfered edges allow the pads to adhere to the contours of bodywork and reduce the risk of edge-cut
- Specially designed for microfinishing



DIMENSIONS			PK QTY
76mm - 5/16"	63642567810		6
33mm - 5/16"	63642567811*		6
150mm - M14		63642567812	3

\* Made-to-order



## MICROFIBRE CLOTHS

- High quality micro-fibres are lint-free for streak-free cleaning and won't scratch paint, or clear coat, leaving a high gloss shine
- To eliminate any possibility of scratching the surface, each cloth is laser cut and the care sticker is removable
- Each cloth absorbs eight times its weight in water and dries in half the time of a standard towel
- Perfect for polishing applications, washing, cleaning and detailing cars, trucks, boats, motorcycles and delicate surfaces and can be washed and reused, saving money

COLOUR	DIMENSIONS (mm)	ART NO.	PK QTY
Red		66261108196	20
White	400 x 400	66261108197	20
Black		66261108200	20



## BLUE MAGNET MICROFIBRE CLOTH

- Blue Magnet is the ultimate performance cleaning cloth for general purpose applications such as dusting, drying, polishing and waxing
- Absorbs eight times its weight in water, dries faster than chamois material and is ultra soft, reusable and machine washable
- Blue Magnet can be used dry or slightly damp to easily remove dirt, grease and dust from most surfaces including metal, paint, glass, plastic and leather

DIMENSIONS (mm)	ART NO.	PK QTY
400 x 400	63642504402	5



## COTTON TACK RAG

- The 100% bleached cotton (15 threads per sq inch) is coated with an adhesive resin, which picks up and retains particles effectively
- Solvent and silicon free so won't cause surface contamination

DIMENSIONS (mm)	ART NO.	PK QTY
420 x 750	07660708050	20 x 10pcs

## NON-WOVEN TACK RAG

- Polyester cloth impregnated with resin to absorb small particles and invisible dust between coats, preparing the surface prior to painting
- The non-woven construction gives strength and tear resistance

DIMENSIONS (mm)	ART NO.	PK QTY
320 x 400	07660708051	10 x 10pcs



## CLAY FINISHING SOLUTIONS

- For best results, use with the Norton Detailer Spray to give flawless showroom finish
- Clay Disc - for finishing large surface areas by machine. With a soft foam backing, the disc is ideal for curved and contoured surfaces during fine surface preparation
- Clay Glove - ideal for manual finishing of difficult to reach areas such as edge of panels

DESCRIPTION		GRADE	ART NO.	PK QTY
Ø150mm CLAY DISC	Surface Preparation	Fine	66261140440	1
CLAY GLOVE	Fine Surface Preparation	Fine	66261140439	1



## CLAY STARTER KIT

- The Norton Clay Starter Kit contains 1 clay disc, 1 clay glove, 1 Liquid Ice detailer spray and 1 Blue Magnet microfibre cloth

DESCRIPTION	QTY IN KIT	ART. NO.
Ø150mm CLAY DISC Fine Surface Preparation	1	
CLAY GLOVE Fine Surface Preparation	1	
Liquid ICE - Detailer Spray 1 litre	1	66261140442
Blue Magnet MicroFiber cloth (400x400mm)	1	
Instruction sheet	1	



# MICROFINISHING



## NEW HEADLIGHT REPAIR KIT

- Ideal for quick restoration of headlights that are discoloured or chipped

DESCRIPTION	QTY IN KIT	ART. NO.
Mini Orbital Sander 76mm (pneum)	1	
Mini Rotary Polisher 76mm (pneum)	1	
Orange Tape	1	
Foam interface 76mm	1	
Norton A975 discs 76mm P500	50	
Norton SuperFlexible discs 76mm Q775 P800	25	
Norton SuperFlexible discs 76mm Q775 P1500	25	
Norton SuperFlexible discs 76mm Q775 P3000	25	
Farécla G360 Super Fast Compound 500g	1	78072769407
Farécla G3 Wax Premium Liquid 500ml	1	
Farécla G Mop 3" Yellow Compounding Foam	2	
Farécla G Pro applicator waffle pads (1 white + 1 black)	1	
Norton Liquid Ice Detailer Spray - 1l	1	
Norton Blue microfiber cloths - 400x400mm	2	
Norton Polybag 600D 38x23x28cm	1	
Process chart	1	





# Farécla

# FARÉCLA SOLUTIONS

---

## G360 - SUPER FAST SYSTEM

# 114

---

G360 Process chart

---

G360 Super Fast Compound

---

G360 Super Fast Finish

---

G360 Kits

## POLISH RANGE

# 115

---

G3 Compounds

---

G3 Glaze Gloss Enhancer

---

G3 Wax Premium Liquid Protection

---

G3 Regular Grade Paste

---

G-Scuff Paint Preparation Paste

---

G3 PRO Range

## ACCESSORIES

# 122

---

Foam Applicators

---

Wool and Lambswool Pads

---

Backing Pads & Adaptors

---

Finishing Cloths

---

Spray Bottle

---

Spurring Brush

---

Degreasing & Polishing Wipes

## MACHINES

# 127

---

G Plus Rotary and Dual Action Polishing Machines

---

AC DELCO Mini Polisher

---

G Plus D.A. system kit

---

G Plus D.A. Polisher

---

G Plus cordless polishing machines - tool only

---

G plus cordless range - battery and charger

---

# FARÉCLA SOLUTIONS

## FARÉCLA

Farécla compounds use Engineered Abrasive Technology developed by scientists in a state-of-the-art R&D facility. Only the highest quality raw materials are used to ensure the engineered particles quickly, efficiently and permanently remove defects, such as scratches, sanding marks, swirls, holograms and oxidation.



### G360 SUPER FAST SYSTEM.

**!** For optimum results use correct machine speeds, minimal product, apply minimal pressure and clean the pads regularly, especially the G Mop Super High Cut Pad, with a G Plus Spurring Brush. \* P2000 is suggested for low energy clear coats (air dry).

<p><b>HIGH CUT</b></p> <p>To remove P1500 or finer* sanding marks</p> <p><b><del>P3000</del></b> <b>NO P3000 SANDING REQUIRED!</b></p> <p><b>ON ALL COLOURS</b></p> <ul style="list-style-type: none"> <li>Eliminates P1500 sanding marks from all conventional clear coats (low bake)</li> <li>Prepares for <b>MEDIUM CUT</b> polishing</li> </ul>		<p><b>G360 SUPER FAST COMPOUND</b> 1 kg <b>SFC101</b> (78072700162)</p> <p><b>G MOP SUPER HIGH CUT PAD</b> 6" / 150 mm <b>GMC650</b> (78072700153)</p>	   <p>Apply product, using a <b>small amount</b></p> <p>Using minimal pressure, start polishing at <b>1500rpm</b> at a slight angle, ending at <b>900rpm</b> keeping the pad flat</p>
<p><b>MEDIUM CUT</b></p> <p>To remove process marks and medium defects (such as swirls and light scuffs)</p> <p><b>ON LIGHT COLOURS</b></p> <ul style="list-style-type: none"> <li>Rapidly eliminates visible swirls and holograms</li> <li>Leaves an excellent gloss finish</li> </ul> <p><b>ON DARK COLOURS</b></p> <ul style="list-style-type: none"> <li>Rapidly eliminates heavy swirls and holograms</li> <li>Prepares for <b>FINE CUT</b> polishing</li> </ul>		<p><b>G360 SUPER FAST COMPOUND</b> 1 kg <b>SFC101</b> (78072700162)</p> <p><b>G MOP ANGLED YELLOW FOAM</b> 6" / 150 mm <b>GMC622</b> (78072769182)</p>	   <p>Apply product, using a <b>small amount</b></p> <p>Polish at <b>900 - 1300rpm</b>, keeping the pad flat</p> <p>Wipe clean with a G Plus Finishing Cloth</p>
<p><b>FINE CUT</b></p> <p>To remove fine defects (such as holograms and light swirls) and enhance gloss levels</p> <p><b>ON LIGHT COLOURS</b></p> <ul style="list-style-type: none"> <li>Further enhances gloss levels if desired</li> </ul> <p><b>ON DARK COLOURS</b></p> <ul style="list-style-type: none"> <li>Rapidly eliminates light swirls and holograms</li> <li>Leaves an enhanced deep gloss finish</li> </ul>		<p><b>G360 SUPER FAST FINISH</b> 1 L <b>SFF101</b> (78072700138)</p> <p><b>G MOP ANGLED BLACK FOAM</b> 6" / 150 mm <b>GMF622</b> (78072769185)</p>	   <p>Apply product, using a <b>small amount</b></p> <p>Polish at <b>800 - 1100rpm</b>, keeping the pad flat</p> <p>Wipe clean with a G Plus Finishing Cloth</p>
<p><b>FINAL CLEANING AND PROTECTION</b></p> <p>To remove residue and contaminants while adding shine and protection</p> <p><b>NO SILICONES, NO VOC</b></p> <ul style="list-style-type: none"> <li>Cleans away residue, dust, fingerprints and other contaminants</li> <li>Use on paint, glass, trims, rubber and many other surfaces</li> <li>Leaves a friction-free, high gloss finish</li> <li>Leaves a breathable, water-resistant film</li> </ul>		<p><b>CLEAN AND PROTECT</b> 1 L <b>CAP101</b> (78072766935)</p> <p><b>G PLUS FINISHING CLOTH</b> 400 mm x 400 mm 3 cloths <b>FC-3</b> (78072700136)</p>	   <p>Spray a light mist onto the surface</p> <p>Wipe clean with a G Plus Finishing Cloth</p> <p>Use a clean, dry G Plus Finishing Cloth to buff to a shine</p>

## G360 SUPER FAST COMPOUND

- No P3000 discs required - cut out a process and save money
- Super fast cutting action - permanently removes P1500 sanding marks
- Transparent in use - see the scratches being removed
- Easy glide technology - excellent handling for fast polishing

SIZE	FARÉCLA CODE	ART NO.	PK QTY
100 g	SFC106	78072748150	24 tubes
500 g	SFC501	78072723937	12 bottles
1 kg	SFC101	78072700162	6 bottles



## G360 SUPER FAST FINISH

- Ultra high gloss finish
- Eliminates swirl marks as the gloss level is enhanced
- Transparent in use - see the gloss being enhanced
- Minimal wiping - limited contact with the surface

SIZE	FARÉCLA CODE	ART NO.	PK QTY
100 ml	SFF106	78072760453	24 tubes
500 ml	SFF501	78072754240	12 bottles
1 L	SFF101	78072700138	6 bottles



## FARECLA CLEAN & PROTECT

- Non-hazardous, silicone- and VOC-free product
- Immense cleaning power and at the same time leaves a long lasting protective layer on the surface.
- Clean and Protect will add easy-clean and water repellency properties to the surface that will endure for a remarkably long time – up to 4 weeks.

SIZE	FARÉCLA CODE	ART NO.	PK QTY
1L	CAP101	78072766935	6 bottles



## G360 SYSTEM COMPLETE KIT WITH NEW FOAMS AND SPURRING BRUSH

KIT CONTENTS		QTY IN KIT	ART NO.	PK QTY
G360 Super Fast Compound (1 KG)	SFC101	78072700162	1	
G360 Super Fast Finish (1 L)	SFF101	78072700138	1	
Clean and Protect Spray (1 L)	CAP101	78072766935	1	
Super High Cut Pad (1 PK)	GMC650	78072700153	1	66254423797
<b>NEW</b> Angled Compounding Foam (single)	GMC622	78072769182	1	FARÉCLA CODE KT3018
<b>NEW</b> Angled Finishing Foam (single foam)	GMF622	78072769185	1	
<b>NEW</b> G Plus Spurring Brush	GPS001	78072773569	1	
Microfibre Finishing Cloth (Single)	FC-3	78072700136	3	





## G3 PRO D.A. CUTTING COMPOUND

- For use with a Dual Action Polisher from P1500 grit
- Removes minor defects such as scratches, scuffs, swirl marks and holograms
- Restores oxidised and dull paintwork
- Highly lubricated – glides and cuts evenly over the surface with little effort

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7500	78072729773	12 bottles
1 L	7506	78072729809	6 bottles



## G3 PRO D.A. FINE POLISH

- Enhances colour and gloss for a showroom finish
- Removes light defects such as swirl marks and holograms
- Especially designed for dual action application on dark colours
- Highly lubricated – glides and cuts evenly over the surface with little effort

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7501	78072729802	12 bottles



## G3 PREMIUM ABRASIVE COMPOUND

- Leaves a swirl free, high gloss finish with reduced product consumption
- Removes P1500 or finer sanding marks from all modern paint systems
- Stage 1: CUT (900 - 1300rpm), Stage 2: FINISH (800 - 1100rpm)
- Easy & safe to use - minimal dragging, staining, hazing, dusting or splatter

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 g	G3P506	78072700172	12 bottles
1 kg	G3P101	78072700146	6 bottles



## G3 ADVANCED LIQUID COMPOUND

- Versatile, can be used on both fresh and cured paintwork
- Removes P1500 abrasive paper marks without the use of fillers
- Improved cutting action speeds up the process
- Less water is required during use which reduces clean up time

SIZE	FARÉCLA CODE	ART NO.	PK QTY
1 L	AG3-1400	78072708715	6 bottles

## G3 REGULAR GRADE PASTE

- Reliable cut for P1500 or finer
- Permanent finish
- High gloss system, best results with water spray
- Silicone-free - 100% paintshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
250 g	G3-250	78072709133	24 tubes
400 g	G3-400	78072700140	12 tubes
3 kg	G3-3000	78072700139	4 pots



## G6 RAPID GRADE PASTE COMPOUND

- Permanent results fast - no fillers
- Excellent for air dried two pack paint systems
- Great for renovating OEM paint surfaces
- Ideal for harder paintwork - aggressive cut

SIZE	FARÉCLA CODE	ART NO.	PK QTY
400 g	G6-400	78072700173	12 tubes
3 kg	G6-3000	78072708711	4 pots



## G3 FINE FINISHING COMPOUND

- Quickly removes P3000 or finer sanding marks
- Swirls and holograms are eliminated permanently
- Restores lightly oxidised paintwork and dull surfaces
- Use by hand (G Plus Finishing Cloth) or by machine

SIZE	FARÉCLA CODE	ART NO.	PK QTY
1 kg	G3F101	78072700141	6 bottles



## G3 GLAZE GLOSS ENHANCER

- Rapidly enhances gloss
- Excellent filling capabilities
- Restores colour and protects paint properties

SIZE	FARÉCLA CODE	ART NO.	PK QTY
1 L	G3G101	78072700144	6 bottles





## G3 WAX PREMIUM LIQUID PROTECTION

- Provides a superior gloss finish on all types of fully cured paintwork
- Spreads easily providing a protective coating that won't dry out on the surface and buffs off quickly
- Use by machine or by hand
- Long lasting protection - up to 3 months

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	G3W501	78072700147	12 bottles
1 L	G3W106	78072708713	6 bottles



## G-SCUFF PAINT PREPARATION PASTE

- Gives an even matt finish for perfect blends and spot repairs
- Ensures perfect paint adhesion
- Contains detergents to remove wax, traffic film, tree sap

SIZE	FARÉCLA CODE	ART NO.	PK QTY
1 L	1161400	78072760429	6 bottles



## G3 PRO SNOW FOAM

- pH neutral snow foam for maintenance cleaning
- Soaks and softens dirt to prevent surface scratching
- Will not remove existing wax layers
- Silicone free - bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7205-EX	78072764781	6 bottles



## G3 PRO SHAMPOO

- Very concentrated formulation - highly dilutable
- Safe on all surfaces
- Does not remove existing wax layers
- Silicone free - bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7252-EX	78072764783	6 bottles

## G3 PRO WHEEL CLEANER

- Powerful pH neutral touchless cleaner for all wheel types
- Fallout remover with colour changing technology
- The colour changing technology activates as brake dust and other iron rich contaminants dissolve. Safe for use on paintwork
- Silicone free – bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7209-EX	78072764782	6 bottles



## G3 PRO TYRE SHINE GEL

- Provides an 'as new look' or a 'high shine' finish
- Eliminates the mess of sling, drips and streaks, prevents discolouration and premature cracking
- Safe on all tyre walls
- Contains no silicones or paint that can prevent the rubber breathing

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7213-EX	78072764790	6 bottles



## G3 PRO RAPID DETAILER

- Use on bodywork, rubber, plastic and chrome
- Removes light dirt, dust and fingerprints and leaves a 'just-waxed', high gloss finish
- Does not strip previously applied waxes from the surface
- Quick clean

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7193-EX	78072764773	6 bottles



## G3 PRO DEEP CLEAN CLAY MITT

- Easily removes ingrained dirt, bugs, tar spots and dulling pollutants from paintwork, windscreens and headlights
- Uses an advanced rubber polymer technology
- Keep mitt well lubricated with G3 Pro Rapid Detailer
- Lasts up to 5x longer than traditional clay bars

FARÉCLA CODE	ART NO.	PK QTY
7191	78072706632	12





## G3 PRO MULTICLEANER

- All purpose cleaner (APC), safe on all surfaces - no staining
- Breaks down oil and grease, powerful on stubborn marks
- Will not discolour rubber, plastics, vinyl or fabric
- Silicone free – bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7199-EX	78072764774	6 bottles



## G3 PRO ALL-IN-ONE POLISH

- All-in-one cutting polish, gloss enhancer and paint protector
- Easy one-step application
- Ideal for hand use or with a dual action polisher
- Silicone free – bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7251-EX	78072764796	6 bottles



## G3 PRO COLOUR RESTORER

- Improves paintwork by removing swirls, holograms and fading
- Restores colour and shine to faded or oxidised bodywork panels
- Uses high grade of light polishing abrasives
- Silicone free - bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7195-EX	78072764794	6 bottles



## G3 PRO SCRATCH REMOVER LIQUID

- Eliminates light scratches or diminishes the look of deeper defects
- Easy to spread liquid – ideal for larger areas
- Easy application by hand or machine
- Silicone free – bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7164-EX	78072764793	6 bottles

## G3 PRO SPRAY WAX

- Quick, easy and durable
- Enhances the surface gloss level and prolongs previously applied wax finish
- Does not stain rubber or plastic, contains UV inhibitors
- Silicone free - bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7211-EX	78072764789	6 bottles



## G3 PRO RESIN SUPERWAX

- Long-life, high gloss finish
- Easy glide wax
- Interlinked system of Carnauba, Montanic and Paraffin waxes
- Up to 4 months protection

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7166-EX	78072764784	6 bottles



## G3 PRO SUPERGLOSS PASTE WAX 2.0

- Super easy application and buff off even hours later
- Ultra high gloss finish
- Up to 6 months protection
- Includes Waffle Applicator Pad and microfibre cloth

SIZE	FARÉCLA CODE	ART NO.	PK QTY
150 g	7266	66254423795	4



## G3 PRO SUPER DRESSING

- Removes dirt, dust, grime, chocolate and many other stubborn contaminants
- Leaves a non-slippery surface
- Dries quickly to leave a subtle, 'new look' sheen
- Silicone free for a natural factory look – and bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7201-EX	78072764786	6 bottles





## G3 PRO LEATHER CLEANER

- Safe cleaner with non-slippery finish
- Foaming action which reaches deep into soiled areas and lifts dirt making it easy to wipe away
- Contains natural lanolin oils
- Silicone free – bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7200-EX	78072764797	6 bottles



## G3 PRO GLASS CLEANER

- Quick and easy application
- Provides excellent clarity
- Smear and streak free finish
- Silicone free – bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7202-EX	78072764788	6 bottles



## G PRO APPLICATOR WAFFLE PADS

- Two Waffle Pads - 1x Restore, 1x Finish
- Reduces effort
- Minimises wastage
- Easy to use

FARÉCLA CODE	ART NO.	PK QTY
7167	78072706635	2 pack x6



## G MOP SUPER HIGH CUT PAD

- Extremely rapid cut from P1500
- Recommended step 1 pad for use with G360 Compound
- Hybrid of foam and engineered fibres keeps panels cool and significantly reduces drag improving ease of use
- Superb handling and flexibility, glides easily over surface contours

SIZE	FARÉCLA CODE	ART NO.	PK QTY
6" / 150mm	GMC650	78072700153	1 pack x 12

## G MOP HIGH CUT FOAM

- High cut and rapid, superb gloss
- Open cell structure for 'dry use' compounds
- Highly Durable
- Excellent on aged paint and large areas

SIZE	FARÉCLA CODE	ART NO.	PK QTY
6" / 150mm	GMC628	78072756718	1 pack x 24



## G MOP YELLOW COMPOUNDING FOAM

- Excellent cut and gloss
- Can be used with wet or dry use compounds
- GMC622 - Superb handling, visibility, control and flexibility

SIZE	FARÉCLA CODE	ART NO.	PK QTY
3" / 75mm	GMC312	78072700149	5 pack x 6
<b>NEW</b> 6" / 150mm Pad - angular - Flexible	GMC622	78072769182	2 pack x 12
6" / 150mm	GMC612	78072700151	2 pack x 12
<b>NEW</b> 8" / 200mm	GMC822	78072769186	1 pack x12
8" / 200mm	GMC812	78072708718	1 pack x12



## G MOP BLACK FINISHING FOAM

- Soft, open cell structure
- Light cut, cool running, high gloss finish
- GMF622 - Superb handling, visibility, control and flexibility

SIZE	FARÉCLA CODE	ART NO.	PK QTY
3" / 75mm	GMF301	78072700154	5 pack x 6
<b>NEW</b> 6" / 150mm Pad - angular - Flexible	GMF622	78072769185	2 pack x 12
6" / 150mm	GMF601	78072700155	2 pack x 12
<b>NEW</b> 8" / 200mm	GMF822	78072769187	1 pack x 12



## **NEW** G MOP 3"/75mm PREMIUM ANGLED FOAMS

- Great visibility and handling
- Extreme durability
- GMC322 - Superb properties for both cut and gloss
- GMF322 - Enhances gloss performance of finishing compounds

DESCRIPTION	SIZE	FARÉCLA CODE	ART NO.	PK QTY
Compounding	3" / 75mm	GMC322	78072769178	3 pack x 6
Finishing	3" / 75mm	GMF322	78072769179	3 pack x 6





## G MOP TWISTED WOOL COMPOUNDING PADS

- 100% pure, 4 ply, twisted wool
- Highest cut of any polishing applicator
- Available as single & double sided

SIZE	FARÉCLA CODE	ART NO.	PK QTY
8" / 200mm (single sided)	GMW811	78072700175	1 pack x12
8" / 200mm (double sided)	GMW816	78072700174	1 pack x12



## G MOP LAMBSWOOL PADS

- For dry use compounds
- Good cut, finer finish than twisted wool pads

SIZE	FARÉCLA CODE	ART NO.	PK QTY
3" / 75mm	GML301	78072700157	5 pack x 6
6" / 150mm	GML601	78072700158	1 pack x12
8" / 200mm	GML801	78072700176	1 pack x12



## G MOP FLEXIBLE BACK PLATE

- Flexibility allows improved handling performance
- 2 diameters and thread sizes available

SIZE	FARÉCLA CODE	ART NO.	PK QTY
6" / 150mm / M14	GMB146	78072700148	1 pack x6
8" / 200mm / M14	GMB814	78072709129	1 pack x6
8" / 200mm / 5/8"	GMB858	78072708721	1 pack x6



## G MOP BOLT ADAPTOR

- For use with Farécla double sided pads
- Screw on and off design with M14 14mm thread

FARÉCLA CODE	ART NO.	PK QTY
GMA014	78072700181	1

## G3 PRO MICROFIBRE CUTTING PAD

- Optional step to eliminate surface contaminants and heavy defects from hard OE paints

FARÉCLA CODE	ART NO.	PK QTY
7502	78072729804	24



## G3 PRO FOAM CUTTING PAD

- Eliminates heavy defects from OE and refinish paints
- For use with G3 Pro D.A. Cutting Compound

FARÉCLA CODE	ART NO.	PK QTY
7503	78072729807	12



## G3 PRO FOAM POLISHING PAD

- For use with G3 Pro D.A. Fine Polish
- Use after G3 Pro Cutting Compound step to eliminate holograms and enhance gloss
- Can also be used as a single step to restore colour and gloss to faded paintwork whilst removing swirl marks, holograms and other minor defects
- Best use when you apply dabs of compound to the pad instead of on the car body


FARÉCLA CODE	ART NO.	PK QTY
7504	78072729808	12



## G PLUS FINISHING CLOTHS

- Edgeless to avoid scratching
- Low-lint, 400mm x 400mm microfibres cloth
- Very high absorbency
- Can be machine washed up to 100 times

SIZE	FARÉCLA CODE	ART NO.	PK QTY
400 x 400mm	FC-3	78072700136	3 pack x12
400 x 400mm	FC-100	78072709136	Single x 100





## G PLUS SPRAY BOTTLE

- Gives an even dispersal
- Ensures a supply of clean water to minimise contamination
- Can be used with all sprayable liquids

SIZE	FARÉCLA CODE	ART NO.	PK QTY
600 ml	WSB	78072700142	25 bottles



## G PLUS SPURRING BRUSH

- For quick and easy cleaning of pads when spun on a polishing machine
- Avoids residue, dried compound and other contaminants impairing your next job and prolongs pad life
- Unclogs foam cells to ensure no drop in cut or gloss

SIZE	FARÉCLA CODE	ART NO.	PK QTY
For all pads	GPS001	78072773569	1 pack x 12 brushes



## G PLUS DEGREASING WIPES

- Removes all debris before painting, without scratching the surface
- Non-snagging and low-linting
- Strong and highly absorbent
- Easily dispensable

SIZE	FARÉCLA CODE	ART NO.	PK QTY
580mm x 530mm	1050200	78072710927	Box x 100 wipes









## G PLUS POLISHING WIPES

- Multi-purpose wipes
- For use without scratching the surface
- Highly absorbent and solvent resistant

SIZE	FARÉCLA CODE	ART NO.	PK QTY
580mm x 530mm	1050100	78072710926	Box x 100 wipes



		
LIGHTWEIGHT (2,2kg)	POWERFUL / HIGH TORQUE	SPEED RANGE 700 - 2500rpm
		
ROTARY	220 - 240V~ (50/60Hz)	VERSATILE, 5M POWER CORD

## G PLUS ELECTRIC ROTARY POLISHING MACHINE

- Lightweight yet powerful
- Very wide speed range
- Low vibration
- Long power cord

SIZE	FARÉCLA CODE	ART NO.	PK QTY
150mm pad	GPT002	78072700159	1

## AC DELCO MINI POLISHER

- Long battery life. Charger and spare battery supplied
- Supplied with spare carbon brushes
- Lithium-Ion batteries
- Ideal for polishing small areas

SIZE	FARÉCLA CODE	ART NO.	PK QTY
3" / 75mm pads	FG-MINIPOL-ADV	78072700137	1



## G PLUS ELECTRIC DUAL ACTION POLISHER

- Lightweight at 2.6kg, reducing muscle fatigue when used for long periods of time
- The 15mm throw, balances the speed of paint correction with machine vibration
- Speed indicator, enabling increase or decrease of polishing speed for optimal results
- Precision engineered counterweight, that minimises vibration and the associated user fatigue

FARÉCLA CODE	ART NO.	PK QTY
GPT202	78072729810	1



## G PLUS D.A. SYSTEM KIT

- Kit contains the G Plus D.A. Polisher, a very well-balanced machine, with low vibrations, for faster paint correction and polishing jobs
- Also includes G3 Pro D.A. Cutting Compound, to eliminate P1500 sanding marks, remove minor defects such as scratches, scuffs, swirl marks and holograms, restore oxidised and dull paintwork
- The G3 Pro D.A. Fine Polish is also included, to enhance colour and gloss for a showroom finish, to remove final light defects such as swirl marks and holograms, especially designed for final applications on dark colours
- 3 different pads, for each step of the polishing process

FARÉCLA CODE	ART NO.	PK QTY
7505	78072741472	1



## G PLUS CORDLESS POLISHING MACHINES – TOOL ONLY

- Lightweight yet powerful
- Well balanced
- Low vibration
- Supplied with free back plate (Rotary) or 3 free pads (Dual Action)

DESCRIPTION	SIZE	FARÉCLA CODE	ART NO.	PK QTY
Rotary	150mm pad	GPT050	78072773698	1
Dual Action	150mm pad	GPT250	78072773707	1



## G PLUS CORDLESS RANGE – BATTERY AND CHARGER

- Fits to both rotary and DA polishing machines
- Twin bay charger assures charging capacity per site
- Transverse mounting of battery for good panel clearance
- Approx. 1 hour run time and 45min charge time

DESCRIPTION	SIZE	FARÉCLA CODE	ART NO.	PK QTY
Battery	18V 5.0Ah	GPT150	78072773702	1
Charging unit	Twin bay	GPT151	78072773704	1



## G PLUS PEN LIGHT

- High Powered, 90 m beam
- Three Brightness Options – Up to 350 Lumens
- 1.5 to 20 hour run time
- 3.7V 750mAh Rechargeable Li-Ion Battery
- USB C Chargeable (50cm Cable Included)
- IP66 (Water Resistant)

SIZE	FARÉCLA CODE	ART NO.	PK QTY
3.7V 750mAh	GPL001	66254423799	1



## G PLUS CHECK LIGHT

- 3.7V 2600mAh Rechargeable Li-Ion Battery
- Two Brightness Options – Up to 500 Lumens
- 95+ CRI (Colour Rendering Index)
- 3-4 hour run time with Battery Life Indicator
- USB Chargeable (1M Cable Included + Wall Mountable Magnetic Charging Station)
- IP65 (Weather-Proof)

SIZE	FARÉCLA CODE	ART NO.	PK QTY
3.7V 2600mAh	GPL006	66254423800	1



# ONEBOND SOLUTIONS

## ADHESIVES FOR WINDSCREEN REPLACEMENT

- ONEBOND PU EXPRESS 30
- ONEBOND PU FAST 120
- ONEBOND PU POWER 180
- ONEBOND MS RAPID 60
- ONEBOND PU PRIMER
- ONEBOND PU DAUBER

**134**

## ADHESIVES & SEALANTS FOR BODY REPAIR

- ONEBOND PU SEAL 50
- ONEBOND MS SEAL 50
- ONEBOND MS SEAL 45 SPRAY
- ONEBOND EP POWER METAL 60MIN
- ONEBOND PU PLASTIC EXPRESS 30SEC
- ONEBOND PU PLASTIC FAST 90SEC
- ONEBOND PU PLASTIC EXPRESS 5MIN
- MIX 8.7/24PP2K-200ML BLK
- MIXER TQ 2K-50ML GREEN
- ONEBOND PU PLASTIC TAPE
- ONEBOND PLASTIC PRIMER PE PP

**138**

## APPLICATOR GUNS

- ONEBOND PNEUMATIC GUNS
- ONEBOND MANUAL GUNS

**145**

## ONEBOND CHEMICALS, WIPES, TAPES, SAFETY AND CARE

- DEGREASER & PROTECTIVE SPRAY
- PROTECTIVE OILS & CUTTING OILS
- CARE & SAFETY
- TECHNICAL WIPES & TACK WIPES

**149**

## MIXERS & NOZZLES

**157**

## ACCESSORIES

**159**

# THE COMPLETE AUTOMOTIVE AFTERMARKET SOLUTION



## OneBond PU Fast 120

Polyurethane adhesive for  
windscreen bonding. 120 min.



## OneBond PU Power 180

Polyurethane adhesive for  
windscreen bonding. 180 min.



## OneBond MS 60 Rapid

Hybrid windscreen  
adhesive. 60 min.



## OneBond PU Primer

Adhesion promoter for  
windscreen bonding.



## OneBond PU Plastic

Two-component polyurethane adhesive  
for plastic repair. Available in 3 versions:  
30 sec, 90 sec, 5 min.





### OneBond PU Express 30

Polyurethane adhesive  
for windscreen quick. 30 min.



### OneBond EP Power Metal

Two-component structural epoxy  
adhesive for bonding metal parts.



### OneBond MS Seal 50

Hybrid adhesive sealant  
for repairing body parts.



### OneBond PU Seal 50

Polyurethane sealing adhesive  
for repairing car body parts.



### OneBond MS Spray

Sprayable Hybrid  
Sealant Adhesive.

# ONEBOND SOLUTIONS

## ADHESIVES FOR WINDSCREEN REPLACEMENT














Glass bonding adhesives are widely used in the installation and replacement of automotive windscreens, back-lights, quarter glass and other automotive glass, including sun and panoramic roofs. They are usually one-part polyurethane-based and one-part MS hybrid adhesives.

They can also be used to bond other parts of the vehicle body, such as trims, spoilers and plastic profiles, as well as plastic brackets and sensors to glass.



## ADHESIVES FOR WINDSCREEN REPLACEMENT EASY SELECTION

					
<b>PRODUCT</b>		OneBond PU Express 30	OneBond PU Fast 120	OneBond PU Power 180	OneBond MS Rapid 60
<b>KEY FEATURE</b>		FAST CURING	HIGH FLEXIBILITY	LONG OPEN TIME	PRIMERLESS
 <b>NON HAZARDOUS</b>		Yes	Yes	Yes	Yes
 <b>HIGH MODULUS</b>		Premium	Yes	Yes	Yes
 <b>SKIN-TIME</b>		15 minutes	25 minutes	35 minutes	15 minutes
 <b>DRIVE AWAY TIME</b>		30 minutes	2 hours	3 hour	1 hour
 <b>CRASH TEST FMVSS 212</b>		Certified	Compliant	Compliant	Certified
 <b>CONDUCTIVITY</b>		Non conductive	Very low	Very low	Non conductive
 <b>REQUIRE GLASS PRIMER</b>		Yes	Yes	Yes	No

## ONEBOND PU EXPRESS 30

OneBond PU Express 30 is the fastest curing polyurethane adhesive in the portfolio. It is non-conductive and has the highest modulus strength of all the glass-bonding products in the OneBond range. OneBond PU Express is recommended for windscreen replacement in high-end cars. Certified by TÜV.



BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
310ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	12	78072765568
310ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	12	66254427420
400ml	EN, FR, NL, IT	20	69210492911

## ONEBOND PU FAST 120

OneBond PU Fast 120 has a two-hour drive-away time and a skin time of 25 minutes. It is recommended for car windscreen replacement and to structurally bond thin metal panels in commercial vehicles due to its high elasticity. Available in black in 310ml aluminium cartridges.



BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
310ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	12	78072765565
310ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	12	66254427419

## ONEBOND PU POWER 180

OneBond PU Power 180 has a three-hour drive-away time and an open time of 35 minutes, making it ideal for applications that require long cycle times (stationary windscreen replacement is common for buses, trucks and vans).



BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
310ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	12	78072765564
310ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	12	66254427416
400ml	EN FR NL IT	20	66254427434
600ml	FR NL EN PL	20	66254427439
600ml	IT, ES, PT, TK	20	66254427418

## ONEBOND MS RAPID 60

OneBond MS Rapid 60, has a one-hour drive-away time and does not require the use of a primer. It has an open time of 15 minutes, making it ideal for small, quick applications. Certified by TÜV.

BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
290ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	12	78072765570
290ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	12	66254427421
400ml	EN, FR, NL, IT	20	66254427435



## ONEBOND PU PRIMER

OneBond PU Primer can be used to improve the adhesion of painted plastics and metals, GFR plastics and metals. If the body is damaged during the glass removal step, and the epoxy layer or even the bare metal is exposed, the application of a layer of primer will be required to prevent the metal from rusting and also to prevent compatibility issues between the original glass bonding adhesive and the new layer.

BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
30ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	12	78072765569
30ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	12	66254427422
10ml	EN, FR, NL	12	66254427440
10ml	SP, IT, PT	12	5539549297



## ONEBOND PU DAUBER

OneBond Daubers are designed for the application of OneBond Primer and does not leave fibers on the glass surface.

SIZE	BOX QUANTITY	ART NO.
20mm x 125mm	10 per bag	78072767002



# ONEBOND SOLUTIONS

## ADHESIVES & SEALANTS FOR BODY REPAIR














The main difference between adhesives and sealants is that sealants exhibit higher elasticity and lower tear resistance than adhesives. Higher elasticity is required for sealing applications in cars and commercial vehicles for a better distribution of stress and to reduce noise. Sealants can join dissimilar materials with different thermal expansion coefficients and with different galvanic potential, protecting the metal from corrosion.

OneBond sealants exhibit an outstanding UV resistance for exterior applications and can be sanded and painted when cured.
















## ADHESIVES & SEALANTS FOR BODY REPAIR EASY SELECTION

			
<b>PRODUCT</b>	OneBond PU Seal 50	OneBond MS Seal 50	OneBond MS Seal 45 Spray
<b>KEY FEATURE</b>	HIGH MECHANICAL STRENGTH	FAST REPAIR NON-HAZARDOUS	SPRAYABLE NON-HAZARDOUS
 <b>SKIN TIME</b> 10°C / 30% RH	90 minutes	40 minutes	90 minutes
 <b>SKIN TIME</b> 23°C / 50% RH	20 minutes	20 minutes	30 minutes
 <b>SKIN TIME</b> 40°C / 80% RH	10 minutes	5 minutes	20 minutes
 <b>TOOLED, BRUSHED WITHIN THE OPEN TIME</b>	Yes	Yes	Yes, when is applied as a bead
 <b>PAINTING TIME (min / max)</b>	From 2 hours to 24 hours	Wet-to-wet to 24 hours	Wet-to-wet to 24 hours
 <b>SANDING TIME</b>	24 hours	24 hours	24 hours
 <b>UV RESISTANT</b>	Yes	Yes	Yes
 <b>CONDUCTIVITY</b>	Very low	Very low	Very low

# ONEBOND SOLUTIONS

## ADHESIVES & SEALANTS FOR BODY REPAIR EASY SELECTION

## PLASTIC REPAIR ADHESIVES SELECTION GUIDE

				
<b>PRODUCT</b>	OneBond EP Power Metal 60 minutes	OneBond PU Plastic Express 30 seconds	OneBond PU Plastic Fast 90 seconds	OneBond PU Plastic Fast 5 minutes
<b>KEY FEATURE</b>	METAL PANEL BONDER	ULTRA-RAPID REPAIR	QUICK REPAIR	REPAIR AND ASSEMBLY
 <b>STRUCTURAL</b>	Yes	No	No	No
 <b>CRASH RESISTANT</b>	No	-	-	-
 <b>OPEN TIME</b>	60 minutes	30 seconds	90 seconds	5 minutes
 <b>TOOLED, BRUSHED WITHIN THE OPEN TIME</b>	Yes	-	-	-
 <b>FIXTURE TIME</b>	4 hours	2 minutes	10 minutes	15 minutes
 <b>CURING ACCELERATED BY HEAT</b>	Yes	-	-	-
 <b>SANDING TIME</b>	-	5 minutes	10 minutes	30 minutes
 <b>MAX SERVICE TEMPERATURE RESISTANCE</b>	180°C	100°C	100°C	100°C
 <b>SHELF LIFE</b>	24 months	-	-	-

## ONEBOND PU SEAL 50

OneBond PU Seal 50 is a moisture-cured, UV stable solvent-free polyurethane-based sealant and medium strength adhesive, suitable for interior and exterior applications. It has excellent adhesion to Glass Fiber Reinforced Plastics, thermoplastics (ABS, PC, PVC), metals, coated metals, concrete, wood and glass, even without primer. OneBond PU Seal 50 has outstanding mechanical properties and durability, is non-conductive and provides corrosion protection. Available in black, white and grey.

BOTTLE SIZE	BOX QUANTITY	COLOUR	ART NO.
310ml	12	Black	78072768750
310ml	12	White	78072765586
310ml	12	Grey	78072765574



## ONEBOND MS SEAL 50

OneBond MS Seal 50 is a moisture-cured, UV-stable, hybrid sealant suitable for horizontal and vertical applications. It is a multi-purpose product that can also be used for medium-strength bonding of internal panel areas in trucks and buses, and fixing and sealing caravans door and window frames. OneBond MS Seal 50 has excellent adhesion to Glass Fiber Reinforced Plastics, thermoplastics (ABS, PC, PVC), metals, coated metals, concrete, wood and glass, even without primer. It is non-conductive and provides corrosion protection.

BOTTLE SIZE	BOX QUANTITY	COLOUR	ART NO.
290ml	12	Grey	78072765575
290ml	12	White	66254427408



## ONEBOND MS SEAL 45 SPRAY

OneBond MS Seal 45 is a moisture-cured, UV-stable, hybrid sealant suitable for replacing OEM spray seams. It can be applied as a bead or as a coating by adjusting the air pressure, the product dosage, the distance from the substrate and the nozzle design. OneBond MS Seal 45 Spray has excellent adhesion to Glass Fiber Reinforced Plastics, thermoplastics (ABS, PC, PVC), metals, coated metals, concrete, wood and glass, even without primer. It is non-conductive and provides corrosion protection. Available in grey and ochre.

BOTTLE SIZE	BOX QUANTITY	COLOUR	ART NO.
290ml	12	Grey	78072765578
290ml	12	Ochre	78072768763



# ONEBOND SOLUTIONS



## ONEBOND EP POWER METAL 60min

OneBond EP Power Metal 60 is a two-part toughened structural epoxy adhesive for use on metal. It offers higher rigidity, strength, environmental and temperature resistance than OneBond PU Flex 12 for bonding and weld-bonding fenders, rear body panels, roofs, door reinforcements, door skins, bonnet skins and floor pans. It is also suitable to bond the bed panels and metal and composite side panels of vans, trucks and buses. It is non-conductive and provides corrosion protection. OEM approved and certified by TÜV.

BOTTLE SIZE	LANGUAGES	BOX QUANTITY	COLOUR	ART NO.
195ml	EN, PL, FI, DK, SE, NO, GR, IT, ES, PT, TK NL, FR, PL, DE	12	Black	78072765579
220ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	12	Black	66623341007
220ml	EN, IT, ES, PT, TK NL, FR, PL, DE	12	Black	66254427415



## ONEBOND PU PLASTIC EXPRESS 30sec

OneBond PU Plastic Express 30 sec. is a polyurethane adhesive 2-component, EC1 low-emission certified, suitable for repairing cracks, scratches and holes in the exterior plastic parts of cars, including bumpers, spoilers, tailgates and side mirrors. It is suitable for metals, coated metals and plastics (except polyethylene polypropylene and Teflon). It can be sanded and painted quickly, has good impact resistance. It can also be used for small assemblies, for gluing window brackets, trim parts and for mounting brackets on headlights and taillights.

BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
50ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	20	66623341009
50ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	20	66254427413



## ONEBOND PU PLASTIC FAST 90sec

OneBond PU Plastic Fast 90 sec. is a polyurethane adhesive 2-component, EC1 low-emission certified, suitable for repairing cracks, scratches and holes in the exterior plastic parts of cars, including bumpers, spoilers, tailgates and side mirrors. It is suitable for metals, coated metals and plastics (except polyethylene polypropylene and Teflon). It can be sanded and painted quickly, has good impact resistance. It can also be used for small assemblies, for gluing window brackets, trim parts and for mounting brackets on headlights and taillights.

BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
50ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	20	66254426446
50ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	20	66254427412

## ONEBOND PU PLASTIC EXPRESS 5min


OneBond PU plastic Rapid 5 min. is a polyurethane adhesive 2-component, EC1 low-emission certified, suitable for repairing cracks, scratches and holes in exterior plastic parts of cars, including bumpers, spoilers, tailgates and side mirrors. It is suitable for metals, coated metals and plastics (except polyethylene polypropylene and Teflon). It can be sanded and painted quickly, has good impact resistance. OneBond PU Plastic Rapid 5 min. can be also used for small bonding of window brackets, decorative parts and mounting brackets on front and rear lights.



BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
50ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	20	66254426449
50ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	20	66254427411

## MIX 8.7/24PP2K-200ml BLK


Mixers to be used as recharge for additional applications of 2K products from 200 ml up to 400 ml as PU FLEX 12 (280 ml) and EP Power metal (195 ml), EP POWER METAL 60.



COLOUR	BOX QUANTITY	ART NO.
Black	10 per bag	78072767766

## MIXER TQ 2K-50ml GREEN


Mixers to be used as recharge for additional applications of products 2K PU Plastic Express 1 minute and PU Plastic Fast 5 minutes.



COLOUR	BOX QUANTITY	ART NO.
Light Green	10 per bag	77696083788

## ONEBOND PU PLASTIC TAPE

OneBond PU Plastic Tape is a glass fiber reinforced with PVC film that provides better impact resistance to the repaired area. It is applied in the outer side and helps to repair broad areas. Available also in the reinforced version to be applied in the inner side.



SIZE	TYPE	BOX QUANTITY	ART NO.
13cm x 150cm	Plastic	12	78072765590
10cm x 150cm	Reinforced Plastic	12	78072765591

## ONEBOND PLASTIC PRIMER PE PP

OneBond PU Plastic Primer is a solvent-based adhesion promoter used to improve adhesion in plastic repair applications such as PMMA, ABS, PP, PA, TPU, rigid PVC. Compatible with Onebond PU Plastic, low emission 30sec, 90sec and 5 min.



BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
200ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	6	78072767700
200ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	6	66254427410

# APPLICATOR GUNS



OneBond applicators range specially designed to achieve the best performance of OneBond adhesives.

## ONEBOND PNEUMATIC GUNS

### AS01-PNEUM GUN CART&BAG 1K OP34A

A pneumatic gun without a piston for or 300/310 ml cartridges and 300/400 ml soft pack

- Use with: PU Seal 50, MS Seal 50, EP Power Metal 12, PU Flex 12
- Pneumatic gun without piston
- Recommended for applying medium viscosity sealants
- Connection: ¼ male gas
- Weight: 1.072 g
- Working pressure: 4-8 bar



FOR USE WITH	COLOUR	BOX QUANTITY	ART NO.
PU Seal 50, MS Seal 50, EP Power Metal 12, PU Flex 12	Black	1	6364259995



## AS01-PNEUM GUN CART&BAG 1K OP34PI

Pneumatic gun with piston for for 300/310 ml cartridges and 300/400 ml soft pack(ideal for glass bonding).

- Use with: PU Power 180, PU Fast 120, PU Express 30, MS Rapid 60
- Recommended for applying medium viscosity sealants and high viscosity glass-bonding adhesives
- Also suitable for dispensing two-part epoxy and polyurethane-based structural adhesives packed in coaxial cartridges by changing the ring nut (the static mixer is not centred)
- Connection: ¼ male gas
- Working pressure: 4-8 bar
- Weight: 1.416 g

FOR USE WITH	COLOUR	BOX QUANTITY	ART NO.
PU Power 180, PU Fast 120, PU Express 30, MS Rapid 60,	Black	1	63642599990



## AS01-PNEUM SPRAY GUN CART 1K OSP310

Pneumatic gun for sprayable sealant 310 ml cartridge.

- Use with: MS Seal 45 Spray
- Sealants can be extruded and sprayed
- Includes a kit of nozzles to achieve the desired bead shape (Ø 1,6 – 2,5 mm)
- Includes an anti-clogging nozzle (metal pin)
- The spraying cap is made of anti-adherent material (POM)
- Includes an anti-clogging nozzle (metal pin)
- Working pressure 3-5 bar (maximum pressure of 8 bar)
- Nozzle: Ø 1,6 or 2,5 mm
- Connection: ¼ male gas
- Weight: 1330 g

FOR USE WITH	COLOUR	BOX QUANTITY	ART NO.
MS Seal 45 Spray	Black	1	77696097057

## SPARE PART KIT FOR OSP310 ONEBOND SPRAY GUN

- Plastic nozzle flat shape female thread 15 x 1.5
- Plastic nozzle round shape female 15 x 1.5
- Plastic nozzle half-round shape female thread 15 x 1.5 with adjustable tongues.
- Cap for plastic nozzle
- Brush for OSP310 cleaning
- O-ring 15,00 x 4,00
- NOZZLE - in PE type ARM with blade cut, M15 x 1.5

FOR USE WITH	BOX QUANTITY	ART NO.
Pneum Spray Gun Cart 1K OSP310	1 KIT	66254427383

## ONEBOND MANUAL GUNS

### AS01-MAN GUN CART&BAG 1K OM340-18 ONB

Manual gun for use with 300ml cartridges and with 400 ml soft bags.

- Ring nut made of aluminium
- Suitable for 290/310 ml cartridges and 400 ml sachets
- Recommended for applying medium viscosity sealants and high viscosity glass-bonding adhesives
- Maximum force: 450 Kgf - 4.412 N
- Progress/Stroke: 4,5 mm
- Weight: 840 g



FOR USE WITH	COLOUR	BOX QUANTITY	ART NO.
PU Power 180, PU Fast 120, PU Express 30, MS Rapid 60, EP Power Metal 60, PU Flex 12	Black & Brushed steel	1	77696097769

### AS01-MAN GUN 2K METAL (1:1&2:1) OM21

Manual gun for 2K PU adhesives (50ml) for Plastic Repair – Metal body.

- Use with: PU Plastic Express 1 Min, PU Plastic Fast 5 Min
- High power for easy application of adhesives
- Durable product because of the complete metal frame
- Designed to guarantee accurate and sustainable application
- Ergonomic moulded grip



FOR USE WITH	MIXING RATIO	BOX QUANTITY	ART NO.
PU Plastic Express 1 Min, PU Plastic Fast 5 Min	1:1 & 2:1	1	77696097231



## AS01-MAN GUN CART&BAG 1K OM346JL-20 ONB

Manual gun specially designed for the extrusion of one component sealants and adhesives from low to medium viscosity. To be used with products contained in 300ml / 400ml / 600ml soft bags and in standard 300ml / 310ml cartridges.

- Thrust ratio: 20:1
- Weight 690 g.
- Material-holding tube: Aluminum to control the extrusion of the product.
- Clutch: Forged steel
- Push rod: Galvanized Carbon steel
- Leve: Stamped steel.

FOR USE WITH	COLOUR	BOX QUANTITY	ART NO.
PU Power 180, PU Fast 120, PU Express 30, MS Rapid 60, EP Power Metal 60, PU Flex 12 and many other	Black & Brushed steel	1	78072773587



## MAN GUN 2K (1:1&2&4&10) O4IN1JL

4 IN 1 APPLICATOR

- Two plunges & one body enable to operate most two part 50 ml epoxy and resin cartridges with ratios of; 1:1, 2:1, 4:1 and 10:1.
- Lightweight portability and durable construction for many assembly operations.
- Easy to dispenser the adhesive with a very controlled flow.

FOR USE WITH	MIXING RATIO	BOX QUANTITY	ART NO.
PU Plastic Express1 Min, PU Plastic Fast 5 Min and many others.	1:1 , 2:1 , 4:1 , 10:1	1	78072774869



## MAN GUN 2K (1-1-1-2) OM220

Applicator gun for 220 ml side to side cartridges

- High power so easy pressing out the adhesive
- Durable product because of the complete metal frame
- Designed to guarantee accurate and sustainable application
- Ergonomic molded grip
- Completely black dispenser so doesn't show grease and dirt.

FOR USE WITH	COLOUR	BOX QUANTITY	ART NO.
OB EP Power Metal 60 min 220ml	Black	1	66254422401

# ONEBOND CHEMICALS, WIPES, TAPES, SAFETY AND CARE



Welcome to the exciting world of OneBond from Saint-Gobain Surface Solutions. As a world-leading supplier to maintenance, repair and assembly customers, it's our mission to deliver performance based sustainable solutions to effectively help build and restore your equipment, whilst saving you time, effort and cost.

OneBond products are specifically designed to be safe, efficient, application-focussed and easy-to-use in the wide range of repair and maintenance challenges you face every day. And this is just the start; our ongoing commitment to innovation means we are continually developing new results-based products to make your life easier.



# ONEBOND SOLUTIONS



## DEGREASER & PROTECTIVE SPRAY

Clean, degrease and protect all types of surfaces quickly and easily with OneBond cleaning products.



### ONEBOND DG 500

#### BIODEGRADABLE NEUTRAL DEGREASER

OneBond DG 500 degreaser is free of caustic soda and solvents. It is non-alkaline and biodegradable. Ideal for removing grease from all surfaces including steel, stainless steel, aluminium, cast iron, wood, PVC, glass, ceramic and painted surfaces.

- Removes even encrusted grease and dirt without the need for more aggressive cleaners.
- Ideal for cleaning surfaces before and after gluing, stripping, grinding and cutting operations.
- Compatible with aluminium.
- Recommended use within 24 months of opening.

DENSITY (Min/Max)	SIZE (liters)	PK QTY	COLOUR	ART NO.
0,99/1,03	0,75	12	Yellow	78072763665



### ONEBOND PS 500

#### PROTECTIVE SPRAY

OneBond PS 500 is a cleaner, rinse aid and protective spray which provides an invisible coating over the surface to clean and preserve it. Can be used on stainless steel, glass, tiles, chrome and vinyl. Can also be used as a rinse aid for stainless steel after polishing and finishing. Using PS 500 can reduce cleaning and maintenance costs.

- Odourless
- Kind to treated surfaces.
- Helps to repel dust and dirt.
- Anti-static when used on electrically charged surfaces.
- Recommended use within 24 months of opening.

DENSITY (Min/Max)	SIZE (liters)	PK QTY	COLOUR	ART NO.
0,99/1,03	0,75	12	Transparent	78072763666

## ONEBOND TP 500 PROFESSIONAL THERMAL PROTECTOR

Product specially formulated for the protection of surfaces close to welding or grinding areas. It dissipates heat, avoiding burns, deformations and other undesirable effects of a high heat point. It absorbs heat by evaporating it.

- Its special molecular structure means that the product can be sprayable and gel at the same time. Adheres well to vertical surfaces.
- Should be used pure, without dilutions.
- Ideal product for plumbing, heating and cooling, air conditioning and for industry in general. For soft, hard, autogenous, argon welding processes, etc.
- Protects sensitive materials such as wood, tiles, aluminium, glass, synthetic materials, rubbers, seat gaskets, etc

DENSITY (Min/Max)	SIZE (liters)	PK QTY	COLOUR	ART NO.
1,008/1,029	0,75	12	Transparent	78072767573



## ONEBOND RT 500 RUST TRANSFORMER; ACID-BASED FORMULATION

OneBond RT 500 is a highly effective rust converter with high covering power that can be used as a primer before painting.

HOW TO USE:

- Remove any grease, oil and soot
- Remove calamine scale, chipped paint and unadhered rust
- Apply RT 500 with a stiff brush for good penetration
- RT 500 can be applied even on wet surfaces
- If it's applied with on spray or roller, it's important to apply a second coat in ½ hour.
- RT 500 will dry in 20 minutes, but full reaction will take 12 hours.
- After 12 hours surface will be ready to be painted. If surface is leaved unpainted more than 48 hours, we'll need to apply again RT 500 before paint.

DENSITY (Min/Max)	SIZE (liters)	PK QTY	COLOUR	ART NO.
1,008/1,029	1	6	White	66254423518





## ONEBOND DG 550 NEUTRAL BIODEGRADABLE DEGREASER

Professional/industrial users only. Apply to the surface to be cleaned and rub with an OneBond SA 200 or XP 200 wipes. Rinse with water if needed.

- 5 Litres carafe-> Best value packaging.
- Remove grease and dirty in all kind of surfaces; Steel, Stainless steel, Aluminium, Cast-iron, Wood, PVC, Glass, Ceramic, Painted surfaces...
- Due his neutral pH doesn't attack paint, glass, plastic, Aluminium, etc...
- It can be use on water jet cleaner machines (10% dilution)

DENSITY (Min/Max)	SIZE (liters)	PK QTY	COLOUR	ART NO.
1,03	5	4	Yellowish	78072768733



## ONEBOND ONE CLEANER

The surface must be free of dust and contaminants as these can lead to partial or complete adhesion loss. OneBond One Cleaner is a multi-purpose solution for removing all contaminants from glass, plastic and metal. A water-based spray, it shows and removes marks, hand prints and particles for a clean, shiny finish.

The active formula is aggressive on contaminants

- Foaming action identifies contaminant areas
- Spray-on/wipe-off foam
- Does not run, fast drying and residue-free action
- Efficient as a glass cut out lubricant
- Can be used as a dry cleaner for external parts and internal upholstery and cockpit

BOTTLE SIZE	LANGUAGES	BOX QUANTITY	ART NO.
400ml	EN, IT, ES, PT, TK, NL, FR, PL, DE	12	78072765571
400ml	EN, PL, FI, DK, SE, NO, HU, CZ, RO & CRO/SRB/BiH	12	66254427423

## PROTECTIVE OILS & CUTTING OILS

High performance oils for lubricating and cutting and for protecting metal from rust and corrosion.



### ONEBOND PO 500 ANTICORROSIVE PROTECTIVE OIL

OneBond PO 500 is an anti-corrosive protective oil spray for use on metallic elements when they are stored or in transit. Ideal for use when paint and rust has been removed, to prevent corrosion. It can be easily removed with OneBond DG 500 degreaser and a OneBond SA 200 wipe.

- Low toxicity, can be used in ambient temperatures.
- Penetrates elements well due to its fluidity.
- Maximum efficiency for medium exposure periods.
- Recommended use within 24 months of opening.

DENSITY (Min/Max)	SIZE (liters)	PK QTY	COLOUR	ART NO.
0,87/0,91	1	12	Rubin Red	78072763667



### ONEBOND CO 500 SYNTHETIC CUTTING OIL

OneBond CO 500 is a powerful, synthetic lubricant and cutting oil. For professional use on ferrous and non-ferrous materials, it is also highly effective on carbon steel, stainless steel and aluminium.

- Non-irritant, safe to use.
- Specifically designed for drilling with a high degree of lubricity
- Specially developed for use with Norton HSSM2 and HSS-E (cobalt) core drill.
- Transparent oil for full surface visibility.
- Recommended use within 24 months of opening.

DENSITY (Min/Max)	SIZE (liters)	PK QTY	COLOUR	ART NO.
0,87/0,91	1	12	Rubin Red	78072763659





## CARE & SAFETY

Range focus on care and safety for professionals as dermatologically tested, neutral pH hand washer.



## ONEBOND HC 150 HAND WASHER DEGREASER WITH DISPENSER

Professional hand washer degreaser. Neutral pH, dermatologically tested. Cosmetic preparation.

- Fast and easy remove of grease, oils and extreme dirt. HC150 contains friction agents that facilitate degreasing.
- Apply a little HC 150 on dry hands. Rub and add a little water. Once the dirt is dissolved, rinse with water.

DENSITY (Min/Max)	SIZE (liters)	PK QTY	COLOUR	ART NO.
0,89	5	4	Light yellow	78072767827

## TECHNICAL WIPES & TACK WIPES

High resistant and reinforced technical wipes with fast absorption and extra cleaning power. Tack wipes are the perfect solution



### ONEBOND SA 200 SUPER FAST ABSORPTION

OneBond SA 200 super absorbent wipes are ideal for maintenance and cleaning. The polyester backing provides structure and resistance and the front is made from lint-free pulp for excellent absorption of all types of particles.

- Extremely hard-wearing, resistant to tearing and compatible with the most aggressive solvents.
- Highly absorbent, ensures the surface dries fast with no lint.
- Can be used on plastic, metal and composite parts.
- Washable and re-usable.




PK QTY	PACK QTY	ART NO.
1 Roll	Pre-cut wipes 400 Wipes (32x40mm)	7660782170

### ONEBOND XP 200 EXTRA CLEANING POWER

OneBond XP 200 are extra powerful, robust non-woven wipes which combine high absorption, cleaning efficiency and abrasion resistance, whether used wet or dry. They are an excellent alternative to all classic rags.

- Specially created for maintenance cleaning of oil, grime and solvents.
- High absorption and resistance for cleaning contaminated tools, machines and absorbing oil, grease & heavy liquids.
- The 'beehive' pattern provides extra scrubbing power.



PK QTY	PACK QTY	ART NO.
1 Box	200 Wipes (32x40mm)	7660782171



## ONEBOND GP 200

### GENERAL PURPOSE

OneBond GP 200 has a specific waffled structure to ensure a unique particles capture and a High tackiness to match your capture and no transfer expectation.

- 100% Cotton with 13 yarn gauze.
- Special formulation retains tackiness for long periods.
- Ideal for dusty environments (wood, composite, primer, windmill maintenance)
- Larger cloths (90x95cm) are ideal for catching more dust.

PK QTY	PACK QTY	ART NO.
1 Box	25 Wipes (90x95cm)	7660782173



## ONEBOND XP 250

### EXTRA POWERFUL

OneBond XP 250 extra powerful wipes are made from polyester and viscose with a medium non-woven aperture. They have a unique formulation designed to catch medium to small sanding dust and particles.

- Better tear and abrasion resistance with no fibre loss due the acrylic binder.
- Removes twice as much dust as a traditional cotton tack rag.
- Black colour wipes makes dust particles easily visible.
- Provides a perfect finish before applying paint or clear coat.
- Larger cloths (90x95cm) are ideal for catching more dust.

PK QTY	PACK QTY	ART NO.
1 Box	10 Wipes (32X40cm)	7660700766


# MIXERS & NOZZLES



## AS01-MIXER TQ 2K-50ML GREEN 10 PCS.

Mixers to be used with PU PLASTIC FAST and PU PLASTIC EXPRESS

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
1 bag	10 pcs./Bag	77696083788



## AS01-MIX 8.7/24PP2K-200ML BLK 10 PCS.

Mixers to be used with PU FLEX 12

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
1 bag	10 pcs./Bag	78072767766



## AS01-ST MIXER 77MM-R10:1 FOR 7790

Mixers to be used with 7790

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
1 bag	10 pcs./Bag	78072773549



# ONEBOND SOLUTIONS

## AS01-ST MIXER 103mm NO PEDESTAL-8422

Mixers to be used with 8422

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
1 bag	10 pcs./Bag	78072773554



## AS01-ST MIXER 112mm-R1:1 FOR 8740

Mixers to be used with 8740

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
1 bag	10 pcs./Bag	78072773553



## AS01-50GNOZZLE-160-116-042-070&074


Nozzle to be used as recharge for additional applications of anaerobic ONEBOND range; 160-116-042-070&074

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
1 bag	10 pcs./Bag	78072772776




## NOZZLES FOR CATRIDGES AND SOFT PACK

PRODUCT	PACK Q.TY (pcs)	ART NO.
Soft pack nozzle	48pcs/bag	66623390640
Cartridge nozzle	48pcs/bag	66623390642
Kit (2 cartridge nozzle+2 cap+3 spatula+ 1 silicone scraper)	48pcs/bag	66623390643



# ACCESSORIES



## AS02- PLASTIC FILM 13 x 150 cm

To be applied on the outer side of the repaired part

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
12 Bags	1 pc/Bag	78072765590



## AS02: REINFORCED FILM 13 x 150 cm

To be applied on the inner side of the repaired part

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
12 Bags	1 pc/Bag	78072765591



## AS03- WOOL DAUBERS-125 x 20x1,6 - 10 PCS

Designed for the application of OneBond Primer

BOX Q.TY (pcs)	PACK Q.TY (pcs)	ART NO.
12 Bags	1 pc/Bag	78072767002

# ONE BOND

SAINT-GOBAIN





# PERSONAL PROTECTION EQUIPMENT

---

## MASKS

Dual cartridge respirator mask

Particulate filter pad replacement

161

---

## SAFETY GLASSES

Safety glasses

Glasses safety information

164

---

## GLOVES

Non-sterile nitrile gloves

Non-sterile latex gloves

166

---

## OVERALLS

Painting overall

Body shop overall

167

# PERSONAL PROTECTION EQUIPMENT

## MASKS

The Norton range of personal protection equipment is designed to provide the highest standard of protection in the workplace. All products adhere to the most stringent European directives and regulations. Our approach to safety in the workplace is taken very seriously and products are designed to the most rigorous standards to guarantee optimum personal safety and user comfort.



### DUAL CARTRIDGE RESPIRATOR MASK EN405:2001+A1:2009 CE 2834



- Soft, non-allergenic material is smooth and comfortable to wear on the face
- Patented hygienic form guard maintains the shape of the mask and its cleanliness after use
- Low profile cartridge provides unimpeded vision to the user
- Cradle suspension and adjustable head straps give the user a secure and comfortable fit
- Filter replacement pads are low maintenance and can be frequently replaced to prevent replacing the mask itself

MODEL	PRODUCT DESCRIPTION	PROTECTION LEVEL	ART NO.	PK QTY
2016	Dual cartridge respirator mask	FFA A2P2	66254482016	1
2017	Particulate filter pad replacement	P2	66254482017	12




Hygienic form guard to maintain shape and cleanliness



Low profile cartridge for improved vision

## USAGE ADVICE



Place the respirator over the mouth and nose, then pull the head harness over the crown of the head.



Attach the bottom straps behind the neck.



Tighten top strap by pulling on ends to obtain a secure and comfortable fit. Tighten bottom straps by pulling on ends or loosen by pushing out on buckle tab.



Check respirators each time you enter a contaminated area.

## NORTON UPHOLDS THE FOLLOWING EUROPEAN DIRECTIVES FOR RESPIRATORY MASKS:

- Directive 89/656/CEE of 30 November 1989: on the use of PPE by workers. It stipulates the employers' obligations
- The PPE required for work must be provided free of charge
- PPE must comply with the legal provisions in force
- The employer must have, at its disposal, the information needed for proper use of the product. The rules and conditions of use must be defined
- The user must be informed, and training provided
- Directive 89/686/CEE of 21 December 1989: on the design, market entry, free circulation of PPE within the European Union. This Directive has evolved and been modified by 95/58/CEE
- The essential requirements to be met by PPE in order to be put on the European market
- The specific texts provide a classification with regard to hazards



# PERSONAL PROTECTION EQUIPMENT

## SAFETY GLASSES

Providing eye protection for metal, welding, cutting, grinding and sanding applications.



## SAFETY GLASSES STANDARD EN 166



- Ideal for general purpose applications protects from dust and paint particles
- Markings on the frame and lens indicate conformity to quality and safety standards


MODEL	PRODUCT DESCRIPTION	ART NO.	PK QTY	BOX QTY
2025	Standard glasses	66254482025	1	10

## STANDARDS AND LEGISLATION FOR GLASSES

Directive 89/686/EEC (Design) describes the essential requirements to be met in order to sell protective glasses on the European market.

PPE from the European Union must bear a marking testifying to its compliance with Directive 89/686/EEC. All our glasses complies with Directive 89/686/EEC and EN 166 which describes "Technical Performance standards". Our premium glasses complies with the EN 175 which describes "equipment for eye and face protection during welding and allied process".

The "CE" marking appears on the smallest packaging unit.



## UNDERSTANDING LENS MARKING

2	1.2	U	1	F	N
<b>FILTER TYPE</b>	<b>SHADE NUMBER</b>	<b>MANUFACTURER</b>	<b>OPTICAL CLASS</b>	<b>MECHANICAL RESISTANCE</b>	<b>ADDITIONAL REQUIREMENTS</b>
2 - Code No: indicates the type of filter. 2 & 3 = UV  C - Enhanced colour recognition for lenses category 2 or 4	1.2 - Indicates the shade of the lens (between 1.2 & 8 for spectacles & goggles)	U - Manufacturers identification	1 - Optical class 1 = permanent wear 3 = occasional wear	F - Symbol for mechanical strength (F for low impact)  T - Symbol for resistance to high speed particles at extremes of temperature (-5°C & +55°C) follows impact grade	K - K Symbol for resistance to surface damage by fine particles  N - Symbol for resistance to fogging of lenses

## UNDERSTANDING FRAME MARKING

U	EN 166	F
<b>MANUFACTURER</b>	<b>OPTICAL CLASS</b>	<b>MECHANICAL RESISTANCE</b>
U - Identification of the manufacturer	EN 166 - Optical class (1 = permanent wear, 3 = occasional wear)	F - Symbol for mechanical strength (F for high speed particles, low energy)  T - Symbol for resistance to high speed particles at extremes of temperature (-5°C & +55°C) follows impact grade



# PERSONAL PROTECTION EQUIPMENT

## GLOVES

Nitrile & latex gloves are designed for handling chemical and non-chemical compounds in the automotive market.



### NON-STERILE NITRILE GLOVES

- Disposable gloves are designed for handling chemical compounds
- The gloves are powder-free and resistant to disinfectants
- Made from 100% synthetic nitrile rubber and latex-free to prevent skin irritation
- One size fits all

MODEL	PRODUCT DESCRIPTION	MEDIUM	LARGE	EXTRA LARGE	PK QTY
2022	Nitrile gloves for chemical compounds	66623398849	66254482022	66623398850	100

### CERTIFICATIONS:

- Certification ISO 9001:2000 + ISO 13485:2003
- Conformity to technical standards EN 455-1 (pinholes detection) + EN 455-2 (physical properties) + EN 455-3 (biological evaluation) + Pr EN 455-4 (shelf life determination)
- Mark according to European Directive 93/42/EEC



# OVERALLS

Protect clothes from paint, dust and damage with Norton overalls. Overalls are washable and reusable and available in medium, large and extra large sizes.



## PAINTING OVERALL

- The light polyester fabric makes the painting overall breathable, anti-static and washable and reusable.
- Available in sizes medium, large and extra large.

MODEL	SIZE	ART NO.	PK QTY
8976	Medium	66254428976	10
8977	Large	66254428977	10
8978	Extra-large	66254428978	10



## BODY SHOP OVERALL

- Made from polycotton, the bodyshop overall is breathable, washable and reusable
- Can be worn for all applications, protecting clothes from marks, tears, spills and splashes
- Available in sizes medium, large and extra large

MODEL	SIZE	ART NO.	BOX QTY
8314	Medium	07660718314	5
8315	Large	07660718315	5
8316	Extra-large	07660718316	5



**SAINT-GOBAIN ABRASIVES NV/SA**

INDUSTRIELAAN 129  
1070 ANDERLECHT  
BRUSSELS  
BELGIUM  
TEL: +32 2 267 21 00  
FAX: +32 2 267 84 24

**SAINT-GOBAIN  
CONSTRUCTION PRODUCTS CZ A.S  
DIVIZE ABRASIVES**

SMRČKOVA 2485/4  
180 00 PRAHA 8  
CZECH REPUBLIC  
TEL: +420 255 719 326  
FAX: +420 255 719 321

**SAINT-GOBAIN ABRASIVES A/S**

DYBENDALSVÆNGET 2  
DK-2630 TAASTRUP  
DENMARK  
TEL: +45 4675 5244

**PO BOX 643706**

FORTUNE TOWER OFFICE 2106  
JLT BLOCK C  
(NEXT TO METRO STATION)  
JUMEIRA LAKE TOWER, DUBAI  
UNITED ARAB EMIRATES  
TEL: +971 4 431 5154  
FAX: +971 4 431 5434

**SAINT-GOBAIN ABRASIFS**

251 RUE DE L'AMBASSADEUR  
78700 CONFLANS  
FRANCE  
TEL: +33 (0)1 34 90 40 00  
FAX: +33 (0)1 34 90 43 97

**SAINT-GOBAIN ABRASIVES GMBH**

BIRKENSTRASSE 45-49  
D-50389 WESSELING  
GERMANY  
TEL: +49 (0) 2236 703-1  
+49 (0) 2236 8996-0  
+49 (0) 2236 8911-0  
FAX: +49 (0) 2236 703-367  
+49 (0) 2236 8996-10  
+49 (0) 2236 8911-30  
FÜR DEN FACHHANDEL ÖSTERREICH  
TEL: +43 (00) 662 430 076

**SAINT-GOBAIN ABRASIVES KFT.**

1225 BUDAPEST  
BÁNYALÉG U. 60/B.  
HUNGARY  
TEL: +36 1 371 22 50  
FAX: +36 1 371 22 55

**SAINT-GOBAIN ABRASIVI S.P.A**

VIA PER CESANO BOSCONI 4  
I-20094 CORSICO MILANO  
ITALY  
TEL: +39 02 44 851  
FAX: +39 02 44 78 266

**SAINT-GOBAIN ABRASIVES S.A.**

190 RUE J.F. KENNEDY  
L-4930 BASCHARAGE  
GRAND DUCHE DE LUXEMBOURG  
TEL: +352 50 401 1  
FAX: +352 50 16 33  
NO. VERT (FRANCE) 0800 906 903

**SAINT-GOBAIN ABRASIFS, S.A.**

2 ALLÉE DES FIGUIERS  
AIN SEBAË - CASABLANCA  
MOROCCO  
TEL: +212 5 22 66 57 31  
FAX: +212 5 22 35 09 65

**SAINT-GOBAIN ABRASIVES BV**

GROENLOSEWEG 28  
7151 HW EIBERGEN  
P.O. BOX 10  
7150 AA EIBERGEN  
THE NETHERLANDS  
TEL: +31 545 466466  
FAX: +31 545 474605

**SAINT-GOBAIN ABRASIVES AS**

KARIHAUGVEIEN 89  
1086 OSLO  
NORWAY  
TEL: +47 63 87 06 00  
FAX: +47 63 87 06 01

**SAINT-GOBAIN HPM POLSKA SP. Z O.O.**

UL. NORTON 1  
62-600 KOŁO  
POLAND  
TEL: +48 63 26 17 100  
FAX: +48 63 27 20 401

**SAINT-GOBAIN ABRASIVOS, L. DA**

ZONA INDUSTRIAL DA MAIA  
I-SECTOR VIII, NO. 122  
APARTADO 6050  
4476 - 908 MAIA  
PORTUGAL  
TEL: +351 229 437 940  
FAX: +351 229 437 949

**SAINT-GOBAIN GLASS,  
BUSINESS UNIT ABRASIVI  
PUNCT DE LUCRU:**

LOC.VETIS, JUD. SATU MARE  
447355, STR. CAREIULUI 11,  
PARC INDUSTRIAL RENOVATIO  
ROMANIA  
TEL: +40 261 839 709  
FAX: +40 261 839 710

**SAINT-GOBAIN AFRICA**

300 JANADEL AVE  
HALFWAY GARDENS  
MIDRAND, 1686  
SOUTH AFRICA  
TEL: +27 (0) 12 657 2800  
FAX: +27 (0) 11 388 1605

**SAINT-GOBAIN ABRASIVOS, S.A.**

CTRA. DE GUIPÚZCOA, KM. 7,5  
E-31195 BERRIOPLANO (NAVARRA)  
SPAIN  
TEL: +34 948 306 000  
FAX: +34 948 306 042

**SAINT-GOBAIN ABRASIVES AB**

GÅRDSFÖGDEVÄGEN 18A  
SE-168 66 BROMMA  
SWEDEN  
TEL: +46 8 580 881 00  
FAX: +46 8 580 881 30

**SAINT-GOBAIN INOVATIF MALZEMELER VE**

AŞINDIRICI SAN. TIC. A.Ş.  
GOLD PLAZA, ALTAY ÇEŞME MAHALLESİ,  
ÖZ SOKAK, NO:19/16  
34843 MALTEPE-İSTANBUL,  
TURKEY  
TEL: 0090-216-217 12 50  
FAX: 0090-216-442 40 74

**SAINT-GOBAIN ABRASIVES**

UNICORN HOUSE  
UNIT 1, AMISON CLOSE  
REDHILL BUSINESS PARK  
STAFFORD  
ST16 1WB  
UNITED KINGDOM  
TEL: +44 1785 279553  
FAX: +44 1785 213487



**Saint-Gobain Abrasifs**  
European Headquarters  
251 Rue de l'Ambassadeur  
78700 Conflans  
France

Tel: +33 (0)1 34 90 40 00  
Fax: +33 (0)1 34 90 43 97

[www.nortonabrasives.com](http://www.nortonabrasives.com)  
[www.youtube.com/NortonAbrasiveSEMEA](http://www.youtube.com/NortonAbrasiveSEMEA)

Norton is a registered trademark of Saint-Gobain Abrasives.  
Form # 4366



# SAINT-GERMAIN SURFACE SOLUTIONS AFTERMARKET 2024

SAINT-GOBAIN

SAINT-GOBAIN