IMPROVED VERSION QUALITY THAT PAYS

PAINT SOLUTIONS

PREPARING, MIXING & SPRAYING PAINTS





PAINT SYSTEM





NORTON PAINT SYSTEM DEMONSTRATION VIDEO

Use this QR code to view the Norton Paint System demonstration video or visit www.saint-gobain-abrasives.com



THE MOST EFFECTIVE SOLUTION

FOR PREPARING, MIXING & SPRAYING PAINTS

Providing a faster and cleaner solution, the Norton Paint System saves on cleaning time and solvent usage, allows paint to be stored and reused and enables the operator to paint in all positions, even upside down - without any risk of the paint leaking.






TIP The new improved Norton Paint System can only be used with the new adapter serie A.1


HOW TO USE NORTON PAINT SYSTEM

1 PREPARE



- Fix the ring into the hard cup
- Position the liner into the ring.

2 MIX



- Pour the paint into the liner & mix the paint with the mixing bar
- Remove mixing bar
 Do not wipe excess paint off on the ring.



MIXING

- Curved base of liner ensures all paint is mixed thoroughly
- · Airtight system prevents paint from drying out
- Disposable unit, ensuring zero contamination & quick, easy clean up
- Norton Paint System can be shaken with no risk of spilling once the lid is attached, thanks to the new membrane positioned inside the lid.

TIP

Withdraw the mixing bar vertically & wipe off the excess paint with a clean cloth. Avoid contact with the ring.

SPRAYING

- Paint in all directions, even upside down, with no risk of leaking
- The liner contains a vacuum that will collapse as the paint is sprayed, this ensures all paint is used and distributed evenly
- When using the 250ml & 750ml systems, the hard cup can be removed, reducing fatigue
- Ultra-light adapters available for all paint guns

TIPS

- Removing the hard cup gives better visibility, the gun is lighter & more comfortable to use.
- The 250ml paint cup is the ideal size for respraying a single body part, ideal as 70% of repairs only involve a single part. A cost saving solution.

3 ASSEMBLE



- Place the lid on top of the hard cup and turn it:
 1. twice to the left listen for the 2 CLICKS 2. once to the right
- Fold down the 2 safety clips, the system is now sealed.

4 ATTACH



- Turn the cup upside down and mount onto the spray gun piercing the membrane with the actuator inside the adapter
- Snap adapter locks over adapter base.

AFTERCARE & STORAGE

- The most effective and productive solution faster & cleaner
- Saves on cleaning time and solvents, thanks to the disposable unit [15% more efficient]
- Paints can be stored and reused.

NORTON PAINT SYSTEM CAN BE STORED QUICKLY & EASILY IN MANY WAYS:



REFILLS

Refill kits available to order (include lids & storage caps)



TIP

Storing upside down in the Norton storage cup keeps the filter moist and prevents drying out so that it can be reused.

5 SPRAY



- For ease of use, when using the 250ml & 750ml kit you can remove the hard cup
- You are now ready to paint.





- Put the liner back into the hard cup and secure the clips
- Pull trigger to release any paint left inside the gun
- Unclip the gun from the cup & push storage cap on to seal.



DISPOSABLE KIT includes Liners / Lids / Rings / Caps

Volume Filter 80 μ		Filter 80 μ Filter 125 μ		Pk Qty	
250ml	-	63642504727	63642504734	48	
750ml	63642504739	63642504742	63642504744	48	
950ml	-	63642504745	63642504746	24	



REFILL KITS includes Lids / Caps

Volume	Filter 125µ	Filter 190µ	Pk Qty
750/950ml	63642504747	63642504748	24



ACCESSORIES

Description	Size	Article No.	Pk Qty
Storage holder	S	63642506316	12
	M/L	07660782012	24
Mixing bar		66254405711	250
Mixing bar with scale		07660721879	10
Gun & adapter wash attachment		63642506281	4
Washable	М	66254428976	10
paint overall	L	66254428977	10
	XL	66254428978	10



REUSABLE HARD CUP

Volume	Article No.	Pk Qty
250ml	07660721650	8
750ml	07660721651	8
950ml	07660721652	4



DISPENSERS

Description	Size	Capacity	Article No.	Pk Qty	
Liner	S	50 Liners	07660721654	1	
dispenser	M/L	50 Liners	07660721655	1	
Lid & ring	25 M/L lids or rings		07660721656	1	
dispenser	nser 50 Sm	nall lids or rings	0/660/21636		

${\sf ADAPTERS}$ The new improved Norton Paint System can only be used with the new adapter serie A.1

and the second s				
Model	Adapter	Article No.	Qty	
ACCUSPRAY				
Issac	7A.1 3/8 Female,18 Thread (BSP)	63642501581	4	
AIRGUNSA				
AZ3, AZ5, AZ30 HTE, AZ40 HTE	6A.1 1/4 Male,19 Thread (BSP)	63642501560	4	
OM Green	6A.1 1/4 Male,19 Thread (BSP)	63642501560	4	
PRI, GTI, GTI Pro, GFG, GFV,GFHV 510, FLG4	15A.1 3/8 Male, 19 Thread (BSP)	63642501355	4	
SRI Minigun	14A.1 7/16 Male, 14 Thread (UNC)	63642501565	4	
EMINENT				
E13	6A.1 1/4 Male,19 Thread (BSP)	63642501560	4	
IWATA				
W 400, WR 400, LPA 94, VXL Primer Gun, LPH 400, LPH 440	2A.1 16mm Female,1.5mm Thread	63642501558	4	
W300, LPH 300	6A.1 1/4 Male,19 Thread (BSP)	63642501560	4	
Supernova WS400, LS400	43A.1 1/4" Male, 19 Thread	63642501564	4	
LPH-80 Mini Spray Gun	31A.1 1/8 Male 28 Thread (BSP)	63642501568	4	
KREMIN				
M21G	6A.1 1/4 Male,19 Thread (BSP)	63642501560	4	
SAGOLA				
475 Mini-Gun	12A.1 10mm Male, 1.0mm Thread	63642501563	4	
403 G, 433 G, 434 G, 444 G, 450 G, 4100 G, 4200 G, 4300	5A.1 12mm Male,1.5mm Thread	63642501540	4	
4400 Xtreme, 4500 Xtreme	32A.1 18mm x 1,5mm Female Thread	63642501567	4	

Model	Adapter	Article No.	Qty	
SATA				
SATAjet 2000 HVLP w/o QCC, SATAjet RP w/o QCC, SATA LM 2000 HVLP/RRP, SATA KLC HVLP/RRP, KLC P, SATAjet 90	9A.1 16mm Male, 1.5mm Thread	63642501559	4	
SATAjet 3000, SATAjet 4000	40A.1 12mm Male, 1.5mm Thread	63642501539	4	
SATAjet B NR 92,NR 95 HVLP	2A.1 16mm Female, 1.5mm Thread	63642501558	4	
SATA LM B 92	5A.1 12mm Male, 1.5mm Thread	63642501540	4	
SATA Mini-Jet 1, 2, 3	12A.1 10mm Male, 1.0mm Thread	63642501563	4	
QCC: Quick Connect for SATA	7660721752	4		
TEKNA Cooper, Prolite, Quick Clean	15A.1 3/8 Male, 19 Thread (BSP)	63642501355	4	
SHARPE				
GT1,Platinum, Titanium, Cobalt, SGF 98	11A.1 3/8 Male, 18 Thread (NSP)	63642501576	4	
WALCOM				
FX GEO, FX HVLP	8A.1 12mm Male,1.0mm Thread	63642501566	4	
Touch-up STM	22A.1 8mm Male, 0.75mm Thread	63642501577	4	
Suction gun	16A.1 3/8 Female,19 Thread (BSP)	63642501583	4	

Other models available on request

www.norton.eu

Saint-Gobain Abrasives European Headquarters Rue de l'Ambassadeur - B.P.8 F78702 Conflans-Saint-Honorine

Tel: +33 (0) 134 90 40 00 Fax: +33 (0) 139 19 89 56

France

Norton is a registered trademark of Saint-Gobain Abrasives.

Form # 2685

