



#### **FACING**

Taking the edge off the pipe takes a steady hand and a great grinding wheel to do the job. We offer three choices of best, better and good performance and price.

#### **Real Wheels for Real Pipeliners**

Norton Quantum3 combo wheels NorZon Plus pipeline wheels BlueFire notching wheels Gemini XXL notching wheels

## PREP BEVELING

Cleaning the bevel can be done with various products dependent on the pipe. We have a variety of products that get you the best surface in preparation for the tack weld.

#### **Options Beyond Others for Beveling**

BlueFire wire cup brush
BlueFire double hub or heavy-duty
stringer bead wheel brushes
Blaze or BlueFire flap disc
Norton Quantum3 wheels
NorZon Plus pipeline wheels
BlueFire notching wheels

# others to follo

others to follow. We have options to prepare for the next run. The Norton Quantum3 is the overall best option for lower cost and best performance. The NorZon Plus pipeline is a staple in the industry with its performance and durability. For a low cost option and good performance the Gemini XXL notching wheels are ideal or even our stringer bead wheel brushes.

#### The Very Best at the Root

Norton Quantum3 combo wheels NorZon Plus pipeline wheels Gemini XXL notching wheels BlueFire stringer bead wheel brushes



TACK WELD

We helped in

getting to this point,

now it's up to you

in pulling things

together.



Filling the gaps may be easy money, but keeping the beads looking good is another story. Our BlueFire double hub stringer bead wheel brushes are perfect for getting the most out of a wheel brush. Use it one direction then flip it over and continue the good work going the other. If cost haunts the jobsite then our standard BlueFire stringer bead wheel brushes can get the job done.

## **Too Hot to Pass On**

BlueFire double hub stringer bead wheel brushes BlueFire stringer bead wheel brushes

#### CAP PASS

Closing the gap with the final pass should be, and look the best. Again, using our BlueFire double hub stringer bead wheel brush or standard stringer beads leave a finish any welder or bugger would be proud of.

## A Great Way to Cap Things Off

BlueFire double hub stringer bead wheel brushes BlueFire stringer bead wheel brushes

#### **SEAM COATING**

Wire cup brushes or hand scratch wire brushes are used to clean before coating is applied on some smaller pipeline jobs. We have a good selection so you can move on to the next joint.

#### **Putting on the Final Touch**

BlueFire wire cup brushes BlueFire stringer bead wheel brushes Hand scratch brushes



# STEP FACING

Norton Quantum3 will give you everything needed and more. They're the best-performing wheels we offer. Or, you can trust the proven Norton NorZon Plus pipeline wheels to continue the tradition. Both Norton BlueFire and Gemini XXL can help when cost is in question, but delivering a solid grind is needed while facing.

SIZE (D x T x H)	MAX. RPM	STD. PKG.	PART #	
Quantum3 1/8" - Cutting / N	lotching / Light Gr	rinding – Type 27 🛭	and or an and or an and	
4-1/2" x 1/8" x 5/8"-11	13,580	10	662528 <b>39423</b>	
6" x 1/8" x 5/8"-11	10,185	10	662528 <b>39427</b>	
7" x 1/8" x 5/8"-11	8,600	10	662528 <b>39429</b>	
9" x 1/8" x 5/8"-11	6,600	10	662528 <b>39431</b>	
NorZon Plus 1/8" (5/32") - P	ipe Notching – Ty	pe 27/42 📨	Na Carlos	Morrow
7" x 1/8" (5/32") x 5/8"-11	8,600	10	662529 <b>39184</b>	PHILIP CO.
9" x 1/8" (5/32") x 5/8"-11	6,600	10	662530 <b>49066</b>	BLUEfire
NorZon Plus 1/8" – Cutting /	Notching / Light	Grinding – Type 27	THE CONTRACTOR CONTRACTOR	CAMPINES INVEST.  GRANDING SINCEL  SOCIET CAMPINES  STATE OF THE STATE
4-1/2" x 1/8" x 5/8"-11	13,580	10	662528 <b>43323</b>	With the state of
6" x 1/8" x 5/8"-11	10,185	10	662528 <b>41891</b>	and the state of t
7" x 1/8" x 5/8"-11	8,600	10	662529 <b>38855</b>	The state of the s
9" x 1/8" x 5/8"-11	6,600	10	662530 <b>48897</b>	7. 1. U. 1. 56-11
BlueFire 1/8" – Cutting / No	tching / Light Grir	nding – Type 27 🚃		BLUEFITE MOREON AND AND AND AND AND AND AND AND AND AN
4-1/2" x 1/8" x 5/8"-11	13,580	10	662528 <b>43211</b>	BLUEFITE NOR
6" x 1/8" x 5/8"-11	10,185	10	662528 <b>43199</b>	BLUE III GITTUM
7" x 1/8" x 5/8"-11	8,600	10	662528 <b>43233</b>	
9" x 1/8" x 5/8"-11	6,600	10	662528 <b>43244</b>	
Gemini XXL 1/8" (5/32") - Pi	ipe Notching – Typ	oe 27	- constant	PETERS AND PROPERTY OF THE PETERS AND PROPERTY OF THE PETERS AND P
7" x 1/8" (5/32") x 5/8"-11	8,600	10	662533 <b>70274</b>	
9" x 1/8" (5/32") x 5/8"-11	6,600	10	662533 <b>70275</b>	



#### **WIRE BRUSHES**

Quick and easy scale removal or general cleaning of the bevel with our Norton BlueFire wire brushes in either cups or the popular double hub stringer bead wheels. Long lasting with outstanding performance to start things off.

					CANADA AND AND AND AND AND AND AND AND AN	
SIZE (D x T x H)	TRIM LENGTH	MAX. RPM	STD. PKG.	PART #		and the same of th
BlueFire Twist Knot Carbon	Wire Cup Brus	shes – Single	Row – With	Arbor Hole		
4" x 0.020" x 5/8"-11 with bridle	: 1-1/16"	10,200	5	699366 <b>53345</b>	OF DITTY POPULA	
<b>BlueFire Twist Knot Carbon</b>	Wire Cup Brus	shes – Single	Row – With	Arbor Hole and Protective Guard		
5" x 0.020" x 5/8"-11	1-1/8"	6,500	5	662528 <b>33497</b>		
<b>BlueFire Stringer Bead Kno</b>	t Carbon Wire	<b>Wheel Brushe</b>	es - 3/16" F	ace Width		
4" x 0.020" x 5/8"-11	7/8"	20,000	10*	662533 <b>70022</b>		
5" x 0.020" x 5/8"-11	7/8"	12,500	10*	662528 <b>33490</b>	THE PARTY OF THE P	
<b>BlueFire Pipeline Stringer E</b>	Bead Knot Car	bon Wire Whe	el Brushes	- 3/16" Face Width		and the second
4" x 0.020" x 5/8"-11	7/8"	20,000	6*	662528 <b>40467</b>	West Inner	1
4-1/2" x 0.020" x 5/8"-11	1-1/8"	20,000	6*	662528 <b>42299</b>	Will Intro	A CONTRACTOR OF THE PARTY OF TH
6" x 0.020" x 5/8"-11	1-3/8"	12,500	10*	662528 <b>40469</b>		
6-7/8" x 0.020" x 5/8"-11	1-3/8"	9,000	10*	662528 <b>40468</b>		A STATE OF THE STA
<b>BlueFire Heavy-Duty String</b>	er Bead Knot (	Carbon Wire W	/heel Brush	es - With Arbor Hole - 3/16" Face Width	The same	
4-1/2" x 0.020" x 5/8"-11	1-1/8"	20,000	6	662528 <b>44886</b>		
6" x 0.020" x 5/8"-11	1-3/8"	12,500	10	662528 <b>44887</b>		
6-7/8" x 0.020" x 5/8-11	1-1/8"	9,000	10*	662528 <b>43919</b>		
BlueFire Stringer Bead Kno	t Carbon Wire	Wheel Brushe	es – With D	ouble Hub Arbor Hole – 3/16" Face Widt	h A A	
6-7/8" x 0.020" x 5/8"-11	1-1/8"	9,000	6	662528 <b>10992</b>		- MATERIAL
* Bulk packed						. In the line of the same

витк раскей

#### **CUTTING & GRINDING WHEELS**

Combo wheels can make your life easier without changing tools or abrasives. They do it all with one wheel; cut a little, notching if you need too, or grind the surface down to prepare for the next step. Norton Quantum3 and NorZon Plus deliver the best results. Norton BlueFire and Gemini XXL get the job done economically.

SIZE (D x T x H)	MAX. RPM	STD. PKG.	PART #
Quantum3 1/8" - Cutting / Notching / Light	t Grinding – T	ype 27 🚃	and the same of th
4-1/2" x 1/8" x 5/8"-11	13,580	10	662528 <b>39423</b>
6" x 1/8" x 5/8"-11	10,185	10	662528 <b>39427</b>
7" x 1/8" x 5/8"-11	8,600	10	662528 <b>39429</b>
9" x 1/8" x 5/8"-11	6,600	10	662528 <b>39431</b>
NorZon Plus 1/8" (5/32") - Pipe Notching -	Type 27		
7" x 1/8" (5/32") x 5/8"-11	8,600	10	662529 <b>39184</b>
9" x 1/8" (5/32") x 5/8"-11	6,600	10	662530 <b>49066</b>
NorZon Plus 1/8" – Cutting / Notching / Lig	ht Grinding –	Type 27 📼	CONTROL CONTROL CONTROL
4-1/2" x 1/8" x 5/8"-11	13,580	10	662528 <b>43323</b>
6" x 1/8" x 5/8"-11	10,185	10	662528 <b>41891</b>
7" x 1/8" x 5/8"-11	8,600	10	662529 <b>38855</b>
9" x 1/8" x 5/8"-11	6,600	10	662530 <b>48897</b>
BlueFire 1/8" — Cutting / Notching / Light (	Grinding – Typ	e 27 🔙	a constant constant
4-1/2" x 1/8" x 5/8"-11	13,580	10	662528 <b>43211</b>
6" x 1/8" x 5/8"-11	10,185	10	662528 <b>43199</b>
7" x 1/8" x 5/8"-11	8,600	10	662528 <b>43233</b>
9" x 1/8" x 5/8"-11	6,600	10	662528 <b>43244</b>
Gemini XXL 1/8" (5/32") - Pipe Notching -	Type 27		
7" x 1/8" (5/32") x 5/8"-11	8,600	10	662533 <b>70274</b>
9" x 1/8" (5/32") x 5/8"-11	6,600	10	662533 <b>70275</b>

#### **FLAP DISCS**

Flap discs are ideal for fast removal of scale without gouging the surface. The conical is beveled to help with radius' and smooth operation when cleaning. Choose between our Norton Blaze flap discs for best overall performance, or the tried and true BlueFire for getting the job done at a lower cost point.

SIZE (D x H)	GRIT	MAX. RPM	STD. PKG.	PART #
Blaze Flap Disc – Type 2	9 Conical 🗢			
4-1/2" x 5/8"-11	40	13,300	10	662611 <b>8349</b>
	60	13,300	10	662611 <b>8349</b>
	80	13,300	10	662611 <b>8349</b>
7" x 5/8"-11	40	8,600	10	662611 <b>8349</b>
	60	8,600	10	662611 <b>8350</b>
	80	8,600	10	662611 <b>8350</b>
BlueFire Flap Disc – Typ	e 29 Conical			
4-1/2" x 5/8"-11	40	13,300	10	662544 <b>6116</b>
	60	13,300	10	662544 <b>6117</b>
	80	13,300	10	662544 <b>6117</b>
5" x 5/8"-11	40	12,000	10	666233 <b>9919</b>
	60	12,000	10	666233 <b>9919</b>
	80	12,000	10	666233 <b>9919</b>
7" x 5/8"-11	40	8,600	10	662544 <b>6119</b>
	60	8,600	10	662544 <b>6119</b>
Storfire	80	8,600	10	662544 <b>6119</b>





wheels. They have the best comfort, life and performance of any wheel on the market. If you're a traditionalist, then Norton NorZon Plus is the way to go. Or give Gemini XXL a try for fast removal and cost that won't break the bank.

SIZE (D x T x H)	MAX. RPM	STD. PKG.	PART #	
Norton Quantum3 1/8" – Cutting / No	tching / Light Grinding – Type 27	and the same of th		
4-1/2" x 1/8" x 5/8"-11	13,580	10	662528 <b>39423</b>	
6" x 1/8" x 5/8"-11	10,185	10	662528 <b>39427</b>	
7" x 1/8" x 5/8"-11	8,600	10	662528 <b>39429</b>	
9" x 1/8" x 5/8"-11	6,600	10	662528 <b>39431</b>	
NorZon Plus 1/8" (5/32") - Pipe Notc	hing – Type 27/42	1		
7" x 1/8" (5/32") x 5/8"-11	8,600	10	662529 <b>39184</b>	
9" x 1/8" (5/32") x 5/8"-11	6,600	10	662530 <b>49066</b>	
NorZon Plus 1/8" - Cutting / Notchin	g / Light Grinding – Type 27	vicens, constant		
4-1/2" x 1/8" x 5/8"-11	13,580	10	662528 <b>43323</b>	
6" x 1/8" x 5/8"-11	10,185	10	662528 <b>41891</b>	
7" x 1/8" x 5/8"-11	8,600	10	662529 <b>38855</b>	
9" x 1/8" x 5/8"-11	6,600	10	662530 <b>48897</b>	
Gemini XXL 1/8" (5/32") - Pipe Notch	ning – Type 27			
7" x 1/8" (5/32") x 5/8"-11	8,600	10	662533 <b>70274</b>	
9" x 1/8" (5/32") x 5/8"-11	6,600	10	662533 <b>70275</b>	

# STEP HOT PASS

Cleaning the hot pass is a breeze with our BlueFire stringer bead wire brush wheels. Norton BlueFire has a higher grade of wire that will last longer and provide a smoother finish without harming the surface.

SIZE (D x T x H)	TRIM LENG	TH MAX. RPM	STD. PKG.	PART #
<b>BlueFire Stringer Bead Kn</b>	ot Carbon Wi	re Wheel Brush	es - 3/16" F	ace Width
4" x 0.020" x 5/8"-11	7/8"	20,000	10*	662533 <b>70022</b>
5" x 0.020" x 5/8"-11	7/8"	12,500	10*	662528 <b>33490</b>
<b>BlueFire Pipeline Stringer</b>	r Bead Knot C	arbon Wire Wh	eel Brushes	- 3/16" Face Width
4" x 0.020" x 5/8"-11	7/8"	20,000	6*	662528 <b>40467</b>
4-1/2" x 0.020" x 5/8"-11	1-1/8"	20,000	6*	662528 <b>42299</b>
6" x 0.020" x 5/8"-11	1-3/8"	12,500	10*	662528 <b>40469</b>
6-7/8" x 0.020" x 5/8"-11	1-3/8"	9,000	10*	662528 <b>40468</b>
<b>BlueFire Heavy-Duty Strin</b>	ger Bead Kno	t Carbon Wire \	Wheel Brusl	hes - With Arbor Hole - 3/16" Face Width
4-1/2" x 0.020" x 5/8"-11	1-1/8"	20,000	6	662528 <b>44886</b>
6" x 0.020" x 5/8"-11	1-3/8"	12,500	10	662528 <b>44887</b>
6-7/8" x 0.020" x 5/8-11	1-1/8"	9,000	10*	662528 <b>43919</b>
Blue Fire Stringer Bead K	not Carbon Wi	ire Wheel Brusl	hes – With I	Double Hub Arbor Hole – 3/16" Face Width
6-7/8" x 0.020" x 5/8"-11	1-1/8"	9,000	6	662528 <b>10992</b>
+ D 11				

<sup>\*</sup> Bulk packed



SIZE (D x T x H)	TRIM LENGTH	MAX. RPM	STD. PKG.	PART #			
BlueFire Stringer Bead Knot Carbon W	ire Wheel Brushes – With Dou	ble Hub Arbor Hole –	3/16" Face Width				
6-7/8" x 0.020" x 5/8"-11	1-1/8"	9,000	6	662528 <b>10992</b>			
BlueFire Stringer Bead Knot Wire Wheel Brushes – With Arbor Hole – 3/16" Face Width							
4" x 0.020" x 5/8"-11	7/8"	20,000	6	662528 <b>40467</b>			

# **STEP** SEAM COATING

Seam coating prep is easily done with a right angle grinder, or by hand. Our twist knot cup brushes with and without a protective guard are ideal for making quick work of the surface before applying the coating. If the pipe is in good shape, and only a little removal is needed, try our hand scratch brushes that come in a variety of styles and sizes.

SIZE (D x T x H)	TRIM LENGTH	MAX. RPM	STD. PKG.	PART #			
BlueFire Twist Knot Carbon Wire Cup Brushes – Single Row – With Arbor Hole							
4" x 0.020" x 5/8"-11 with bridle	1-1/16"	10,200	5	699366 <b>53345</b>			
BlueFire Twist Knot Carbon Wire Cup Brushes – Single Row – With Arbor Hole and Protective Guard							
5" x 0.020" x 5/8"-11	1-1/8"	6,500	5	662528 <b>33497</b>			
BlueFire Stringer Bead Knot Wire Wheel Brushes – With Arbor Hole – 3/16" Face Width							
4" x 0.020" x 5/8"-11	7/8"	20,000	6	662528 <b>40467</b>			

SIZE	HANDLE TYPE	TRIM LENGTH	STD. PKG.	PART #			
BlueFire Hand Scratch Carbon Brushes – With Handle							
3" x 19"	Long Handle	1-3/16"	12	662528 <b>33948</b>			
4" x 16"	Shoe Handle	1-3/16"	12	662528 <b>33949</b>			
5" x 10"	Plastic Handle	1-1/8"	24	662528 <b>33954</b>			
BlueFire Hand Scratch Stainless Steel Brushes – With Handle							
3" x 7"	Wooden Handle	1/2"	36	662528 <b>33952</b>			





BEST - NORTON Quantum3

**BETTER** – NORTON BlueFire

GOOD - NORTON Gemini

www.facebook.com/NortonAbrasivesNA | www.voutube.com/NortonAbrasives | www.nortonabrasives.com

**USA CUSTOMER SERVICE:** 

**CANADA CUSTOMER SERVICE:** Toll Free Phone: 1 (800) 551-4413 Toll Free Fax: 1 (800) 551-4416 Toll Free Phone: 1 (800) 263-6565 Toll Free Fax: 1 (800) 561-9490

FORM #8798 REV. 03/20

© Saint-Gobain March 2020.

Norton, Blaze, BlueFire, Gemini, NorZon Plus, Quantum3, and "Reshaping Your World" are trademarks of Saint-Gobain Abrasives. All other trademarks are the property of their respective owners



