


NORTON

®

SAINT-GOBAIN

AUTOMOTIVE AFTERMARKET LONG LIFE





Norton provides the most powerful, precise, and user-friendly solutions for the Automotive Aftermarket.

Our passion is in delighting our customers, making them more productive, more profitable.

LONG LIFE

THE 360° SOLUTION



With extensive experience in Body Shop Repair Norton has launched the 360° solution to help you achieve perfect results in automotive refinishing applications, it demonstrates the complete repair cycle and a global overview of the Norton Automotive product range.


THE 360° SOLUTION



METAL WORKING

Norton offers products for cutting, grinding, surface preparation, reshaping, sanding, cleaning and rust and excess material removal from high strength steel and automotive materials in the collision repair sector.

LONG LIFE



FLAP DISCS

- Tough grain for good cutting action in general metal removal applications such as rust and corrosion removal.
- Poly Cotton cloth backing supports wear resistance and fast material removal.
- Tough Aluminium Oxide abrasive for long life in all low & medium pressure applications.

SIZE	GRIT	UPC	PK QTY
10x16	36	78072729865	10
	60	78072729866	10
	80	78072729867	10
	100	78072729868	10
	120	78072729869	10



RAPID STRIP WHEELS

Rapid Strip wheels are designed for surface removal on flat or shaped metal parts, fibre composition makes them flexible so they do not mark the work surface and are convenient to use. Their open structure prevents clogging and extends service life significantly.

SIZE	GRIT	UPC	PK QTY
10x16	Coarse	66623373605	10



BLAZE RAPID STRIP

- Heavily coated with super-sharp ceramic alumina grains, which ensures this disc will last twice as long as competitor products.
- Use for multiple operations including stripping, cleaning and finishing, provides a comparable finish to a medium surface conditioning disc.
- The open structure will not shed on rusted surfaces or load on soft metals.

SIZE	RPM	GRADE	UPC	PK QTY	BOX QTY
50	15000	Coarse SG	66623331051	10	25
75	12000	Coarse SG	66623331053	10	25
50		Back Pad	66623355103	1	
75		Back Pad	66623355105	1	

PORTABLE FILE BELTS

Portable file belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas. The 40 and 60 grit belts are ideal for spot weld removal on steel followed by the 80 and 120 grit belts for weld dressing and refinement.




GRIT	R980 P	R824	R824	PK. QTY
	10 mm x 330 mm	10 mm x 330 mm	13 mm x 330 mm	
36	78072701981			10
40	78072701984	66623322250	66623322251	10
60	78072701985	66623322245	66623322244	10
80	78072701986	66623322246		10

FILLER SANDING

From aggressive removal of paint layers to fine sanding finishing. In panel repair and preparation, look no further than Multi-Air cut sheets with the original hole configuration from Norton, designed for maximum dust extraction.

LONG LIFE



MESH-POWER™

POWERFUL DUST EXTRACTION

Sanding is traditionally dusty and messy. But, with Norton MeshPower™, you get powerful dust extraction for virtually dust free sanding. This means a cleaner, healthier working environment, a better finish and a much more pleasant sanding experience.


An alternative to traditional perforated paper discs, Norton MeshPower is a multi-functional abrasive, designed with thousands of holes, created by the unique mesh matrix structure. This hole structure allows dust extraction in any application.



ALUMINIUM OXIDE


HARD WORKING ALUMINIUM OXIDE GRAIN

A sharp cutting grain, which wears evenly during use.



A CLEANER, SAFER WORK ENVIRONMENT

We've answered the demands for a cleaner and safer working environment with Norton MeshPower discs. The open construction of the mesh backing allows dust particles to flow freely through the thousands of tiny holes, creating a virtually dust free sanding environment. Better for your health, better for your application and better for your business!



With a more rigid backing in coarser grits for heavy duty applications, to flexible, lighter weight backing for flexibility on curves and contours, MeshPower will make your job faster, cleaner and more efficient.

LONG LIFE

FEATURES AND BENEFITS

- Mesh matrix backing is comprised of thousands of tiny holes
- Powerful dust extraction virtually eliminates harmful dust created by sanding operations
- Allows for a cleaner, healthier working environment
- Reduces clean up time - a welcome benefit for any busy sander!
- Norton No-Fil technology is applied to the abrasive grains
- Prevents clogging for a consistent cut and longer product life
- Improves productivity and value for the money
- Offers a better, faster finish with finer scratch pattern
- Self-grip hook and loop backing with no designated hole pattern
- Easy to align to any back-up pad - just apply and go!
- Can be used on a variety of materials, on machine, or by hand on flat or contoured surfaces
- Open structure and premium resin bond system
- Can be used wet or dry for the perfect results

MESH POWER ALUMINIUM OXIDE M220 CUT SHEET



Size	Grit	UPC	PK QTY	BOX QTY
70 x 198mm	P80	69957326280	50	200
	P120	69957326281	50	200
	P180	69957326283	50	200
	P240	69957326285	50	200
	P320	69957326286	50	200

MESH POWER ALUMINIUM OXIDE M220 DISC



Size	Grit	UPC	PK QTY	BOX QTY
5"	P80	63642506451	50	200
	P120	63642506452	50	200
	P180	63642506453	50	200
	P220	63642506454	50	200
	P240	63642506455	50	200
	P320	63642506456	50	200
	P400	63642506457	50	200
6"	P80	63642506458	50	200
	P120	63642506459	50	200
	P180	63642506460	50	200
	P220	63642506461	50	200
	P240	63642506462	50	200
	P320	63642506463	50	200
	P400	63642506464	50	200

A995 BLAZE NORGRIP ROLLS



The innovative laser-converted rolls feature the same Cyclonic spiral hole-design found on the Multi-Air Cyclonic disc range which optimizes dust extraction while reducing surface imperfections. Another benefit of the new hole-design is that it does not need to be lined up with the holes on the vacuum file boards or vacuum hand blocks to achieve optimal performance so changeover is fast and easy. In addition the rolls are perforated every 2-3/4" to allow it to be torn easily to fit multiple file board lengths.

GRIT	2-3/4" X 13YD	2-3/4" X 9YD
	PERFORATED ROLL	PERFORATED ROLL
	UPC	
P220D	69957308903	
P180D	69957308902	
P150D	69957308901	
P120D	69957308900	
P80D	69957308899	
P40D		69957365500
Pkg/Case	1/4	1/4

A995 BLAZE NORGRIP DISCS BLANK AND MULTI-AIR CYCLONIC

LONG LIFE

Norton A995 Blaze starts with the finest design essentials of ultra-premium ceramic grain, proprietary high-strength backing and prevailing anti-clog coating. Then, we add some serious muscle with our most-advanced vacuum science to deliver the ultimate powerhouse of paper discs.




GRIT	6" UPC	5" MULTI-AIR CYCLONIC UPC	6" MULTI-AIR CYCLONIC UPC
P220D	63642597514	63642597504	63642597509
P180D	63642597513	63642597503	63642597508
P150D	63642597512	63642597502	63642597507
P120D	63642597511	63642597501	63642597506
P80D	63642597510	63642597500	63642597505
P40D			63642597515
Pkg/Case	50/4	50/4	50/4

*P40D is packaged 25/4 (25 discs on a roll, 4 rolls per case)

A975 DRY ICE NORGRIP SHEET ROLLS


Perforated every 2-3/4", the Norton Dry Ice A975 NorGrip continuous rolls minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times.



GRIT	2-3/4" x 13 YDS UPC	2-3/4" x 13 YDS MULTI-AIR UPC
P600B	66623329548	63642506124
P500B	66623329547	63642506123
P400B	66623329518	63642506122
P320B	66623326255	63642506121
P240B	-	63642506120
P220B	63642506256	63642506119
P180B	63642506257	63642506118
P150B	63642506258	63642506117
P120B	63642506259	63642506114
P80B	63642506261	63642506113
Pkg/Case	1/4	1/4

A975 DRY ICE NORGRIP DISCS


Norton Dry Ice A975 NorGrip hook and loop discs with Norton SG ceramic grain are ideal for hard to-sand and self-healing clears. Norton Multi-Air Cyclonic discs provide maximum dust extraction. Norton Dry Ice A975 also works well on composite material, aluminum, and other difficult-to-sand surfaces.



GRIT	3" CYCLONIC	5" CYCLONIC	6" CYCLONIC	6" MULTI-AIR 181 HOLES	6" 17 HOLES	6" 15 HOLES
P500B	77696095013	77696007768	77696007785	63642583300	63642500312	69957312520
P400B	77696095012	77696007765	77696007784	63642565925	63642500311	69957312515
P320B	77696095011	77696007763	77696007781	63642523437	63642500310	69957312512
P280B	-	77696007762	77696007778			
P240B	77696095010	77696007760	77696007777	63642523435	63642500309	69957312511
P220B	77696095009	77696007757	77696007776			
P180B	77696095008	77696007756	77696007775	63642565920	63642500308	69957312510
P150B	77696095007	77696007755	77696007774			
P120C	77696095006	77696007753	77696007773	63642523429	63642500306	69957312509
P80C	77696095005	77696007745	77696007770	63642565916	63642500304	69957315430
Pkg/Case	50/200	50/200	50/200	100/400	50/600	50/600

A975 DRY ICE CUT SHEETS

A975 ceramic grain on a reinforced backing with hook and loop attachment to reduce heat so that the paper lasts extra long. Ideal for sanding body filler. Revolutionary design for maximum vacuum assist virtually eliminates clogging.



SIZE	GRIT	8 HOLES	MULTI-AIR	PK QTY	BOX QTY	MOQ
70x198mm	P80	69957315136	69957394470	50	300	300
	P120	69957315137	69957394472	50	300	300
	P180	69957315138	69957394474	50	300	300
	P240	69957315139	69957394475	50	300	300
93x180mm	P80	66261119937		50	300	300
	P120	66261119938		50	300	300
	P180	66261119939		50	300	300
	P240	66261119940		50	300	300

A275 NORGRIP SHEET ROLLS



The innovative laser-converted rolls feature the same Cyclonic spiral hole-design found on the Multi-Air Cyclonic disc range which optimizes dust extraction while reducing surface imperfections. Another benefit of the new hole-design is that it does not need to be lined up with the holes on the vacuum file boards or vacuum hand blocks to achieve optimal performance so changeover is fast and easy. In addition the rolls are perforated every 2-3/4" to allow it to be torn easily to fit multiple file board lengths.

GRIT	2-3/4" X 13 YDS PERFORATED ROLL
P400B	66623390517
P320B	66623390518
P220B	66623390519
P180B	66623390520
P150B	66623390521
P120B	66623390522
P80B	66623390523
Pkg/Case	1/4

A275 NORGRIP VACUUM AND MULTI-AIR CYCLONIC DISCS



NorGrip hook and loop fastening system provides cooler cutting action and a finer finish.

GRIT	6"	6" MULTI-AIR	6"	6"	5"
	CYCLONIC	181 HOLES	17 HOLES	15 HOLES	8 HOLES
P800	66623390513	63642560573			77696090558
P600	66623390512	63642560572	77696092090	69957364081	69957370429
P500	66623390511	63642560571	77696092089	69957364080	
P400	66623390510	63642560570	77696092088	69957364079	69957370428
P320	66623390509	63642560568	77696092087	69957364078	69957370427
P240	66623390508	63642560566	77696092086	69957364075	69957370426
P220	66623390507	63642560565			
P180	66623390506	63642560564	77696092085	69957364048	69957370425
P150	66623390505	63642560563			69957370424
P120	66623390504	63642560562	77696092084	69957364047	69957370423
P100	-				69957370422
P80	66623390503	63642560561	77696092083	69957364044	69957370421
Pkg/Case	100/400	100/400	100/1200	100/1200	50/200

DEFECT GUIDE COAT



- Quickly identifies pinholes and deep scratches in primer to ensure the total primed area is sanded prior to top coating.
- Does not require masking and takes no time to dry.
- Does not contain solvents and can be used for both wet and dry sanding.

DESCRIPTION	PK QTY	UPC
Black Powder Coat With Applicator	6	66623334772
Guide Coat Spare Parts	12	66261121739



SEMI FINISHING

LONG LIFE

Scratch and scuff removal during the final repair stages needs quality products that can be relied upon to achieve a high quality finish first time. Norton non-woven products, Rotolo Foam and waterproof sheets do just that.



NORTON PRO PLUS A975 ROTOLO FOAM



- The best of the best Norton SG ceramic grain for outstanding cut rate
- Fibre reinforced paper combined with flexible foam backing is ideal for use on round edges, contours and curves without breaking through the paint
- No-fil® treatment prevents clogging, increasing performance and life time
- Units are packed in a handy dispenser box and have colour coded labels that show the grit size for quick product selection and easy storage"

SIZE	Grit	UPC	PK QTY	BOX QTY	MOQ
115mm x 25M	P400	66261108993	1	2	2
	P600	66261108995	1	2	2
	P800	66261108996	1	2	2
	P1000	66261108997	1	2	2

SOFT TOUCH SANDING SPONGES



- Soft-Touch sponges generate a finer finish than conventional coated abrasive products. Conforms to curves and contours to smooth surfaces with complex shapes. Very long working life when used wet.
- Premium foam substrate provides for an extremely smooth and uniform sanded surface
- Dimension 115mm x 140mm x 6mm.

GRADE	FINISH GENERATED	APPLICATION	UPC	PK QTY
Medium	180/120	Scuffing, shaping	07660703074	20
Fine	400/320	Feather edging, scuffing primer, and new	07660703075	20
Super Fine	600/500	Preparing panel for base coat	07660703076	20
Ultra Fine	1000/800	Sanding base coat, removing clear coat defects	07660703077	20
Micro Fine	1500/1200	Clear coat sanding, removing minor	07660703078	20

BEARTEX HAND PADS



- Non Woven hand pads, highly flexible and comfortable, for use wet or dry.
- Combine the grey with Norton Scuff Gel to clean, degrease and abrade in one step.

SIZE	COLOUR	GRADE	UPC	PK QTY	BOX QTY
150 x 230	Maroon	Very Fine	66623341751	5	200
	Grey	Micro Fine	66623341754	5	200
	White	Non-abrasive	78072718159	5	200

THIN FLEX-FLEXIBLE HAND PADS

LONG LIFE



Flexible and durable product perfect for use on contoured surfaces and hard to reach areas.

COLOUR	GRADE	115 x 230mm	APPLICATION	PK QTY	BOX QTY
Red	Very Fine A	63642506166	For use before primer and on primer surfaces. Removes rust and cleans off metal.	25	4
Grey	Ultra Fine	63642506167	Ideal for blending applications. Final scuffing of primer. Flexible. Non loading.	25	4



SCUFF GEL

- Norton Scuff Gel is formulated to clean, degrease and abrade in one step.
- Designed for use with grey and gold BearTex pads, using Scuff Gel gives better paint adhesion.
- The water based formula rinses easily and leaves no mess.

WEIGHT	UPC	PK QTY
700grams	7660705376	6 bottles

NORTON TACK CLOTHS

A specially formulated soft cloth that effectively removes dust, dirt, and sanding residue. It contains no waxes or silicones, and is compatible with all paints. This cloth will not dry out and is always soft and tacky. It is spontaneous combustion proof, non-toxic and anti-static.



DESCRIPTION	UPC	PK QTY	BOX QTY
Tack Cloth	7660749008	12	12

T483 WATER PROOF PAPER

Waterproof sandpaper uses the highest technology abrasive manufacturing, the particle size ensures the uniformity of the surface of the sanding material, and the specially treated abrasive effectively speeds up the wet sanding Processing efficiency.

- Used with sanding block or manual hand sanding.
- Specially treated abrasives provide good grinding efficiency, and the surface of the material after grinding is relatively uniform.
- Imported waterproof oil bond paper backing, good flexibility and not easy to tear.




SIZE	GRIT	UPC	PK QTY	BOX QTY
230mm x 280mm	P80	66254448907	100	2000
	P100	69957399135	100	2000
	P120	69957399136	100	2000
	P150	69957399137	100	2000
	P180	69957399138	100	2000
	P220	69957399139	100	2000
	P240	69957399140	100	2000
	P280	66254469994	100	2000
	P320	69957399142	100	2000
	P360	69957399143	100	2000
	P400	69957399144	100	2000
	P500	66254432638	100	2000
	P600	69957399145	100	2000
	P800	69957399146	100	2000
	P1000	69957399147	100	2000
	P1200	69957399148	100	2000
P1500	66261018296	100	2000	
P2000	66254448909	100	2000	

MICRO FINISHING

LONG LIFE


For a high gloss finish and mirror shine, Norton has many abrasives, compounds and accessories to choose from to make the polishing process fast and simple.



MULTI-AIR INTERFACE PADS

Soft interfaces foam for the best finish even on curved surfaces to avoid excess sanding on edge.

SIZE	PK QTY	BOX QTY	UPC
125 mm	1	16	63642585864
150 mm	1	12	66261107718




PURE ICE FILM DISCS Q175

- Smooth film backing for a consistent finish that buffs out easily and quickly
- Premium aluminum oxide grain cuts fast and lasts longer
- Anti-loading agent produces a uniform finish that buffs out faster and eliminates pigtailed and costly re-work
- Colour coded grits provide an at-a-glance identification of the correct product.

PUREice™

GRIT	COLOR	3" UPC	6" UPC
P1500	Blue	77696088704	77696088716
P1200	Green	77696088703	77696088715
P1000	Red	77696088702	77696088714
P800	Black	77696088701	77696088713
Pkg/Case		50/4	50/4



NORTON ICE DISCS Q255

Norton Ice foam backed discs are ideal for polishing out even faster on spot repair applications. The new open mesh backing technology absorbs water and molds to the surface for equal pressure distribution. Norton Ice also provides a uniformed cut throughout the product life, with a smooth finish and lower scratch depth for a high quality finish.

- Foam backing absorbs water and molds to the surface for equal pressure distribution.
- Uniform cut throughout product life.
- Smooth finish and lower scratch depth.
- Requires less effort during the application.
- Color codes disc Easy grit identification.
- Washable, reusable and waterproof.
- Use by hand on difficult to reach areas.

COLOUR	GRIT	80 MM UPC	150 MM UPC	PK QTY	BOX QTY
Blue	1500	66623324958	66623324933	15	4
Fuchsia	2000	66623324955	66623324952	15	4
Green	3000	66623324956	66623324954	15	4

WATER PROOF PAPER

LONG LIFE



- Specially treated waterproof paper does not require soaking, is curl resistant and will not deteriorate.
- Premium abrasive grain last long and cuts fast.
- Ultra flexible backing resists cracking, tearing and wrinkles.
- Advanced coating process for a consistent scratch pattern that buffs out faster.

SIZE	GRIT	UPC	PK QTY	BOX QTY	MOQ
140x230mm	1500	66261121433	50	250	250
	2000	66261121436	50	250	250


BLACK ICE SELF ADHESIVE ROSETTE DISCS



Self-adhesive waterproof rosette discs combine a very flexible light-weight latex paper with ultra fine premium grain for fine sanding applications in a small area. Use with a sanding block or by hand to:

- Eliminate a flaw in lacquer (dust, run etc.) before polishing and buffing.
- Gentle removal of lacquer before polishing or buffing.

SANDING BLOCK



Designed to be used by hand for maximum flexibility and versatility, the Norton double-sided sanding block has two sides for cutting, and for finishing, ergonomic, best for small repair work.

DETAILER SPRAY



- Detailer Spray cleans up excess buffing residue and provides paint protection
- Simply spray on and wipe off with a microfiber cloth for the perfect showroom shine

DESCRIPTION	UPC	PK QTY	BOX QTY
Detailer Spray 946ml	63642542082	1	4
Microfibre cloth 400x400mm	66261107224	5	100

REVOLUTION FAST CUT CREAM



- General Use compound paste to removed sanding scratch 1500 and finer.
- One step system provides a fast cutting action and high gloss finish.
- Use with water for optimum performance.

UPC	QTY	BOX QTY
6625448745	1Kg	12
6625448746	2.5Kg	4

REVOLUTION FOAM DARK GLAZE



- High Performance polish that eliminated swirl marks fast.
- Specially formulated polish with Cleaning power removes fine scratch with easy.
- Low dusting wipe-off, contained no Silicone, no Wax.

UPC	QTY	BOX QTY
66254408763	1L	12

REVOLUTION PROTECT



- Quick and easy application to create a brilliant high gloss with long term protection.
- Safe and effective on all paint finishes, including clear coat.
- Versatile - can be used with a rotary buffer, D/A polisher, orbital or by hand.

UPC	QTY	BOX QTY
66254408772	1L	12
66254496871	3L	4




WATER-BASED POLISHING COMPOUND

The ideal for polishing and improving shine for perfect finish.

For automotive paint and body repair, polishing is a means to an end. The new Norton Sparkle Ice polishing liquid range can remove scratches quickly, reduce polishing time and overall bodyshop costs, provides productivity and quality of work.



Norton's latest Sparkle Ice series of polishing liquid offer a superior finish, faster application, cost-effective and safe for user and environment.



Norton Sparkle Ice Quick Cut



Quick Cut Compound:

Used in the polishing process to remove sandpaper marks, swirl mark, paint defects, and light scratches.

Norton Sparkle Ice Finish Glaze



Finish Glaze:

Used to remove rough polishing marks for better polishing result.



SPARKLE ICE QUICK CUT AND FINISH GLAZE



- Permanent results fast - no fillers
- Reliable cut, removing P1500 or finer sanding marks
- High gloss system when used with Finish glaze (step2) Compound, for an enhanced gloss finish on dark colours
- Silicone-free - 100% paintshop safe

DESCRIPTION	WEIGHT	UPC	PK QTY	MOQ
Step1 quick cut compound	1.35kg	78072712198	6	6
Step2 Finishing compound	1kg	78072701596	6	6

MASKING SOLUTIONS

A number of tapes are available for masking applications which require high heat resistance, to more specialist jobs on edges and in apertures.

LONG LIFE



GOLD MASKING TAPE



Gold masking tape is the mainstream product of Saint-Gobain Norton® automotive aftermarket. Its high-quality product performance and Stable quality has won the recognition and trust of more and more customers. From a technical point of view, it can help you Solve most common tape troubles and improve the quality of masking.

- Can withstand a baking cycle of 120 degrees for 30 minutes.
- Can resist 6 hours of UV erosion without losing glue.
- Suitable for wet material surface.

SIZE	UPC	PK QTY
19mm x 50m	66261067434	24
25mm x 50m	66254490982*	36
38mm x 50m	66261067435	12
50mm x 50m	66254490986	18

* Made-to-order

BEAR MASKING TAPE



- Can withstand a baking cycle of 80 degrees for 30 minutes.
- Conforms to contours, irregular surfaces and shapes.
- Compatible with most common paints & lacquers.

DESCRIPTION	SIZE	UPC	PK QTY	BOX QTY
Gold Masking tape	15mmx30m	66261109404	15	60
Bear Masking tape	20mm X 24m	78072725383	6	36
Bear Masking tape	24mm x 20m	78072725379	6	36


FOAM TAPE STANDARD



Foam masking tape is mainly used to cover the openings (door side, fuel tank cap, engine hood and painting process Other openings that need to be sealed in the middle), have strong absorption, and can prevent rework caused by paint penetration and defects after painting. Its shape is suitable for all gap adjustment.

- One-piece high-quality foam substrate, no painted edges, no obvious seams.
- Embedded adhesive, protect the edge away from paint, efficient construction.

SIZE	UPC	PK QTY	BOX QTY
13mm x 50m	66254470735	1	1
19mm x 35m	66254470744	1	1



PREMIUM PERFORATED TRIM TAPE

Norton Premium Perforated Trim Tape is an ideal way to protect rubber trims and body side mouldings during spraying. The tape is pre-perforated for easy tear off and is flexible to follow contours and tight curves.

- Only one size and thickness plastic strip to fit all types of rubber trims.
- High quality adhesive with no residue upon removal.

SIZE	UPC	PK QTY	BOX QTY
50mm x 10m	66261194743	1	10



MASKING FILM

As the fastest and most effective large area masking solution for automotive topcoats and varnishes, Saint-Gobain Norton® masking. The introduction of masking film helps technicians greatly shorten the time spent on masking and reduce the amount of masking tape.

DESCRIPTION	PK QTY	BOX QTY	UPC
8mic masking film 3.8m x 100m	1	1	66261135379



SANDING TOOLS

Norton helps bodyshops to optimise all aspects of the automotive repair and refinish process by providing high performing range of sanding tools that are easy to use and deliver total repair cost savings.

LONG LIFE



VACUUM SYSTEM (PROFESSIONAL)

- Flexible one-piece mobile design
- Super suction
- Large storage of dust capacity
- Internal cold/hot wind independent shunt design of motor

Shape Size (mm):	1000 x 330 x 1560mm (L x W x H)
Power consumption:	350 - 1200W
Rubber insulated main cable:	5M
Max. appliance socket connected load:	≤600W
Container/filter bag capacity:	36L/34L
Noise level:	Lower than 78 dB(A)
Weight:	40kg
Filter surface area:	6800cm ²
Operation pressure:	0.7MPa
Voltage:	220v/50HZ
Max. vacuum:	≥28000 Pa/240 mbar
Standard scheme:	<ol style="list-style-type: none"> 1. Dust extractor 2. Workcenter 3. Service unit 4. 5M suction hose set 5. Dust extract manual sanding block set (70x198)



DESCRIPTION	UPC	PK QTY
Vacuum System (Professional)	69957307131	1

RANDOM ORBITAL SANDER

- 12,000 rpm free speed for swirl-free finishes
- Durable composite design
- Built-in power regulator for optimized power control
- Well-balanced for smooth handling
- 360 degree air exhaust is available for Central Vacuum



DESCRIPTION	PAD SIZE	ORBIT DIA	HORSE POWER	RPM	WEIGHT	AIR CONSUMPTION	UPC
Dual Action Sander (Non Vacuum)	5" (127mm)	3/16" (5mm)	0.25HP (186W)	12000	1.51lb (0.68kg)	2CFM (57L/min)	78072711806
Dual Action sander (Self Generating vacuum)	5" (127mm)	3/16" (5mm)	0.25HP (186W)	12000	1.43lb (0.65kg)	2CFM (57L/min)	78072711810
Dual Action Sander (Central Vacuum)	6" (152mm)	3/16" (5mm)	0.25HP (186W)	12000	1.73lb (0.78kg)	2CFM (57L/min)	66261135174
Dual Action Sander (Central Vacuum)	6" (152mm)	3/32" (3mm)	0.25HP (186W)	12000	1.73lb (0.78kg)	2CFM (57L/min)	66261135173

MANUAL BLOCK SANDER



The design of Norton ® Manual block sander conforms to the principles of ergonomics and brings a comfortable polishing experience to the operator. Adopt high-quality rubber base body, durable.

SIZE	UPC	PK QTY	BOX QTY
70 x 198mm	77696099937	1	50

RECTANGULAR DUAL ACTION SANDER



- Free Speed: 10,000 RPM
- Orbit: 3mm
- Motor: 0.24hp
- Pad Size: 3" x 8" (70mm x 198mm)
- Air Flow: 16 SCFM
- Height: 4.5"
- Length: 10.20"
- Weight: 2.05lbs (0.93Kg)

DESCRIPTION	UPC	PK QTY
Rectangular Dual Action Sander	69957330901	1


NORTON HAND FILE BELT SANDER



- Versatility Kit: one motor with three contact arms.
- For 1/4", 1/2" and 3/4" width x 18" length belts.
- One step & one-hand belt change mechanism design.
- Allen wrench storage design.
- Regulator mechanism for speed adjustment.
- Safety Belt Cover design.
- Optional short lever and long lever & safety design.
- Soft grip prevents discomfort from cold temperature.
- Wide Dust Cover to prevent the users getting hurt by spark.

DESCRIPTION	UPC	PK QTY
Hand File Belt Sander	7872711811	1

BACK UP PAD



Innovative design for optimal air flow and powerful dust extraction. Medium pad 06160 has been engineered with a durable, heat-resistant plastic, a molded-in 5/16"-24 spindle, and longer hooks. Soft pad 60505 is packed with Festo adapter, two threaded bolts: M8 and 5/16"-24 and three fiber ring spacers. The soft pad is only for use on extreme contours using NorGrip 320 grit and finer.

DESCRIPTION	GRIT	5" UPC	6" UPC	6" UPC	RPM
Norton Multi-Air Back-Up pad	Medium	66623376000	63642506160	-	15,000
	Soft	-	-	63642560605	7,700
Pkg/case		1/5	1/5	1	

Do not use the Soft Density pad with SoftTouch discs.



Saint-Gobain Abrasives South-East Asia

Email: CS_SEA@saint-gobain.com

Telephones:

Thailand/Myanmar/Laos/Cambodia:

+66 2 493 5400

Indonesia:

+62 21 8898 6262 / +62 31 8474 358

Malaysia-Singapore:

Toll free number For MY : 1800818821

Toll free number For SG : 8008526542

Philippines: +63 2 886 9176

Vietnam: +84 3776 2026 (Ext. 703)



www.nortonabrasives.com/en-sea



Norton Abrasives SEA



Norton.SEA



Saint-gobain Abrasives
South-East Asia / Norton