

NORTON

SAINT-GOBAIN®

Reshaping
your
world®

AUTOMOTIVE AFTERMARKET 2018




SAINT-GOBAIN


NORTON INTRODUCTION

COMPAGNIE DE SAINT-GOBAIN

Saint-Gobain, a world leader with a focus on Leading Edge Technology

Saint-Gobain, the world leader in habitat and construction markets designs, manufactures and distributes innovative materials, providing cutting edge solutions since 1665. As one of the Top 100 Industrial Groups in the world, Saint-Gobain's core focus of activities has been in Innovative Materials, Construction Products, Building Distribution and Packaging. With a worldwide turnover of € 40.8 Billion in 2017 and nearly 179,000 employees, Saint-Gobain is present across 67 countries.

SAINT-GOBAIN, 353 YEARS OF INDUSTRIAL HISTORY



Norton - A Brand Trusted for over 135+ years

Since the last 135+ years, Norton has focused on providing Innovative Abrasive Products that solve customers' manufacturing needs wherever materials are cut, shaped or finished. Norton offers our customers with the industry's most comprehensive line of quality abrasives and has unmatched solutions across all industry segments for abrasive grinding to finishing.

Grindwell Norton Ltd

Founded in 1941, Grindwell Abrasives, as Grindwell Norton was then known, is an Indian arm of Saint-Gobain Conglomerate which has eight companies across India. It is the leader in Abrasives in India with manufacturing plants at Bangalore • Baddi • Mora • Nagpur



Leading innovation for over 135+ years



64 manufacturing facilities globally
4 in India: Bangalore • Baddi • Mora • Nagpur



28 countries



Research & Innovation powering differentiation

RESEARCH & DEVELOPMENT, QUALITY & PRODUCT SAFETY

Saint-Gobain houses Abrasive Technology Centres across the globe with headquarters in North America. In India the Grinding Technology centre focuses on:

- New Product Development
- Exploratory Researches
- Application Engineering Projects
- Quality Assurance Activities and
- Education & Training

Norton plants are ISO-9001, ISO-14000, OHSAS-1800 certified and adapts world class manufacturing practices to exceed customer expectations around the world.

We are committed towards ensuring highest product safety, a large range Grinding and Cutting products confirms to European Product Safety Standard EN12413. Norton being part of Saint-Gobain is also a member of oSa (Organization for safety of Abrasives), an European organization which actively participates in the standardization process.

We design our products to meet these stringent safety norms and all our products undergo in-depth safety tests such as Burst Speed, Side Load & Impact test to ensure compliance with EN12413 & oSa standards.






DRY ICE A975

TAKE SANDING TO THE NEXT LEVEL

Utilizing Norton patented SG ceramic grain, Norton Dry Ice A975 offers the technician a faster cutting product that significantly out performs and outlasts conventional abrasives. A water - based stearate NO-Fil coating provides maximum load resistance, further extending the life of the product.

The incredible versatility of Norton Dry Ice A975 is perfect for refinishing any job, including those that contain scratch-resistant clears and E-coats, composites and aluminum, eliminating the need for specialty products.



VELCRO DISC

Norton Dry Ice A975 Velcro discs with patented Norton SG ceramic grain are ideal for hard-to-sand and self-healing clears. Norton Dry Ice A975 also works well on composite material, aluminum and other difficult-to-sand surfaces.

Features:

- Patented SG ceramic grain
- Unique fiber reinforced latex/paper backing
- Water-based stearate (No-Fil)

Benefits:


- Superior cut on abrasion resistant paints and clears
- Quicker/cooler cut with better longevity
- Flexible and easy removal from back up pad with maximum tear resistance
- Increased durability
- Improves load resistance
- Extends life

Availability:

Grit: 1000, 800, 600, 500, 400, 320, 240, 220, 180, 150, 120, 100, 80

NORTON MULTI-AIR

Norton Multi-Air discs provide maximum dust extraction



PSA DISC ROLLS

PSA (Pressure Sensitive Adhesive) link disc rolls with patented Norton SG ceramic grain are the perfect solution for hard-to-sand and self-healing clears. It also works well on composite material, aluminum and other difficult-to-sand surfaces.

Availability:

Shape: 5" PSA Disc, 6" PSA Disc

Grit: 80 - 800

PSA SHEET ROLLS

Stick and Sand Sheet rolls are PSA backed, so you can peel them off easily and stick them on at any length, quickly.

Availability:

Shape: 2-3/4"

Grit: 80 - 400



VELCRO SHEET ROLLS

Perforated every 2-3/4", the Norton Dry Ice A975 NorGrip continuous rolls minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be reused multiple times.

Availability:

Shape: 2-3/4"X 13 YDS

Grit: 80 - 600



A275 OP (ORIGINAL PERFORMANCE) DISCS

PSA DISCS

Finer grits can be used dry on all automotive finishes to save time and money and increase work-time productivity

Features:


- Premium heat treated grain
- Premium B-weight latex fiber reinforced paper backing
- Superior bond system
- Water-based stearate No-Fil
- Extended life
- Anti-Loading
- Tear resistant
- More flexible
- Easier disc removal from back up pad
- Optimizes grain adhesion
- Extends cut life

Benefits:

- 30-50% faster cut rate

Availability:

800, 600, 500, 400, 320, 280, 240, 220, 180, 150, 120, 100, 80



VELCRO DISCS

A275 Velcro discs provide cooler cutting action and a finer finish.

Availability:

800, 600, 500, 400, 320, 280, 240, 220, 180, 150, 120, 100, 80



BODY FILE SHEETS

These body file sheets are a popular choice for dry sanding paint, primer, and primer surface. These are also used for deburring, removing sand scratches, shaping and finishing plastic filler as well as feather-edging repaired areas.

Availability:

Velcro Grit: 220, 180, 150, 120, 100, 80

Grit: 700 X 420mm, 700 X 210mm

9"X11" SHEETS

For dry sanding old paint, primer, primer surface and between-colour coats: also for deburring, removing sand scratches, shaping and finishing plastic filler, and feather-edging repaired areas. Special No-Fil coating prevents premature loading.

Availability:

Grit: 1500, 1200, 1000, 800, 600, 500, 400, 320, 280, 240, 220, 180, 150, 120, 100, 80



BLUEFIRE

VELCRO DISCS

Norton BlueFire discs are ideal for sanding body filler. NorZon grain micro-fractures to improve cut rate, minimize loading, and reduce heat.

Features:

- High strength blue latex paper backing
- Premium NorZon zirconia alumina grain
- Superior bond system with phenolic resin bonding agent

Benefits:

- Superior cut on abrasion resistant paints and clears
- Quicker/cooler cut with better longevity
- Flexible and easy removal from
- Increased durability
- Improves load resistance Extends life


Availability:

Size: 6"6 hole

Grit: 80, 40, 36



BODY FILE SHEETS



Self-sharpening NorZon improves cut rate, minimizes loading, and reduces heat. Tough E-weight latex reinforced paper backing resists tearing. Norton BlueFire is ideal for sanding body filler.

Availability:

Size: 700 X 420mm, 700 X 198mm

Grit: 120, 80, 60, 40



A216 VELCRO DISCS AND ROLL

A216 VELCRO DISCS AND ROLL

Features:

- FEPA graded premium ALO grain
- Strong C-weight paper backing
- Non-loading formulation with
- impregnated bond

Benefits:

- Quick, cool cut
- More consistent scratch patterns
- Resists tearing

- Comfortable and flexible
- Resists loading
- Increases productivity

Availability:

PSA - 5" & 6",
Paper - 4" & 4.5",
Velcro - 6" & 5"
Grit - 400, 320, 220, 180, 150, 120, 100, 80



MULTI-AIR SYSTEM

THE NORTON MULTI-AIR PROCESS

The patented Norton Multi-Air process uses an optimized pattern of holes to eliminate dust while increasing the abrasive surface area used for cutting. Norton Multi-Air is able to improve productivity by 35% versus traditional vacuum sanding and by 60% versus non-vacuum sanding. It's simple, if you keep the abrasive grain exposed to cut through paint, primer and body filler by continually removing the dirt that can clog paper and leave wild scratches, you will cut faster and the sandpaper will last longer. Bottom line, the job gets done faster and costs less with Norton Multi-Air.

6" BLUEFIRE VELCRO

Norton BlueFire Velcro discs last long and cut quickly, using premium zirconia grain which microfractures to remain sharp and fast cutting. It leads to elimination of dust for full visual control of the work space and reduces contaminants for a cleaner working environment. It is ideal for shops using waterborne paints.

Features:


- Revolutionary design for maximum vacuum assist
- Cutting surface remains clean
- Premium abrasive grain
- SoftTouch disc in fine grits

Benefits:

- 30% increase in dust extraction
- Clogging is virtually eliminated
- Cleaner working environment
- Less dust and contamination in the shop
- 35% increase in productivity vs. traditional vacuum systems
- No clogging
- Consistent cut throughout the life of the disc
- Substantially longer life and faster cut than conventional abrasives
- Sand over contours without cutting through

Availability:

Grit: 80





6" SOFT TOUCH FOAM VELCRO

Norton A975 Velcro discs on a durable foam allows for contour sanding without cutting through. Discs are colour coded to properly identify the grit.

Availability:

Grit: 500, 400, 320



NORTON MULTI-AIR BACK-UP PADS

Innovative design for optimal air flow and powerful dust extraction. Medium pad has been engineered with a durable, heat-resistant plastic, a molded-in 5/16" - 24 spindle, and longer hooks. Hard pads are available for aggressive cutting.

Availability:

Back-up pad - 6"

Interface pad - 6"

6" SOFT TOUCH FOAM VELCRO

Norton Dry Ice A975 Ceramic grain and Norton BlueFire H835 Zirconia grain on a reinforced backing with hook and loop attachment which lasts extra long without generating heat. Ideal for sanding body filler.

Features:

- Revolutionary design for maximum vacuum assist
- Cutting surface remains clean
- Premium abrasive grains
- Consistent cut throughout the life of the body file sheet
- No clogging or loading
- Substantially longer life and faster cut than conventional abrasives


Benefits:

- Clogging is virtually eliminated
- Cleaner working environment
- Less dust and contamination in the shop

Availability:

Grit - 400, 320, 240, 180, 150, 120, 80, 60, 40

Size - 70 X 420mm, 70 X 198mm



NORTON MULTI-AIR HAND BLOCKS

The ergonomic dust free hand blocks are easy to hold and move in any position. Each block comes with a regulator adapter to control air flow and a reducer to connect to a standard vacuum hose line.

Availability:

Size - 70 X 420mm, 70 X 210mm



NORTON MULTI-AIR TUBE AND UNIVERSAL CONICAL ADAPTER

The 4meter (13') hose extension tube with conical adapter is universal fit for any central or portable vacuum system.

Availability:

Size - 4meter Hose





WATER PROOF SHEETS

NORTON PREMIUM LATEX WATERPROOF SHEETS T279

Features & Benefits:

- Highly flexible microfine grit Latex Waterproof Paper
- Ideal for top coat defect sanding applications
- Glossy finish

Typical Applications:

- Clear coat sanding
- Jewellery polishing

Availability:

Grit range: 1000 - 2000



NORTON PREMIUM WATERPROOF SHEETS T479

Features & Benefits:

- Norton's best in class Latex Black Waterproof Paper
- Premium silicon carbide grains provide high cut rate and smooth finish
- Ideal for both wet and dry sanding applications

Typical Applications:

- Automotive applications
 - Paint stripping
 - Putty & primer sanding
 - Top coat sanding
- Wood polishing

Availability:

Grit range: 80 - 1000



SCUFFING SOLUTIONS

BEARTEX SCUFF PADS

Features:

- Advanced resin formulation
- Consistent grain sizing
- Consistent grain description throughout thickness
- Longer life
- Tear-resistant Maroon scuff pad for quick and aggressive cut
- Flexible and tear-resistant Gray scuff pad works with our without scuff Gel for quick cut and uniform finish

Benefits:


- Evenly coats the fibers allowing for a more consistent cut
- Added strength and resists tearing
- No wild scratches
- Uniform scratch pattern
- Consistent cut for full use of scuff pad

Availability:

Maroon - Grits - 320, 400

Gray - Grits - 600, 800

Size - 6", 9"



SCUFF GEL

Formulated for consistent abrasion for paint adhesion. Use with Norton Beartex gray pads. Cleans, degreases and abrades in one step. Rinses off easily and completely. Water-based formula, very low in V.O.C

Availability:

600gms

ROTOLO FOAM

Rotolo foam pre-cut sheets, conventionally packaged in a roll form, are ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats. Perforated every 5-1/2", width of rolls is 4-12".

Features:

- Norton A275 on foam backing
- Water resistant
- Uniform finish

Benefits:

- Perfect for hand sanding primer without leaving finger marks
- Fast cut and long life without loading
- Eliminates finger marks

- Ideal for waterborne
- Can be used moist
- Minimize 'difficult to cover' sand scratches that prove challenging for waterbase paints

Applications:

Feather-edge, scuff primer, scuff new parts before painting and preparing panel for base coat

Availability:

Grit - 320, 400, 500, 600



Benefits:

- Can be used wet or dry Eliminates finger marks
- Comfortable to all shapes
- Generates uniform finish
- Easily identify the right product to use
- Ideal for bumpers, jambs and small parts
- Great on contours and edges

SOFT TOUCH SPONGES

The finishing action of sponges generates a finer finish than conventional coated abrasive products. These pads generate a finish corresponding to coarse or fine grits based on whether the pad is used dry or wet respectively. The coarser grit is the finish achieved when sanding dry and the finer grit is the finish achieved when sanding wet.

F e a t u r e s :

- Abrasive grain coated on sponge backing
- Grit printed on the back of each sponge
- Highly comfortable

Availability:

Medium Grit - 180, 120 - for scuff and shaping filler

Fine Grit - 400, 320 - for feather-edging, scuffing primer, scuffing new parts before painting

Super fine grit - 600, 500 - for preparing panel for base coat

Ultra Fine Grit - 1000, 800 - for sanding base coat, removing clear coat defects

Micro Fine Grit - 1500, 1200 - for clear coat sanding, removing minor defects

Size - 4-1/2"X 5-1/2" X 3/16" Pads

TOP COAT DEFECT REMOVAL

NORTON DRY ICE VELCRO FINISHING FILM DISCS

Norton Dry Ice Velcro Finishing Film Discs are the most technologically advanced discs on the market today. A superior grain on a super smooth film backing provides an incredibly fast cut that simply doesn't load so there are no 'pigtailed' that take extra time to buff out.

Features:

- Smooth film backing
- Premium aluminum oxide grain
- Anti-loading agent
- Less downtime switching discs
- Eliminate pigtailed and costly re-work
- Uniform finish that buffs out faster

Benefits:

- Consistent finish that buffs out easily and quickly
- Fast cut and long life

Availability:

Grit - 1500, 1200, 1000

Size - 3", 6"



NORTON ICE VELCRO FINISHING FOAM DISCS

Norton Ice Velcro Finishing Foam Discs, used moist, will produce a semi-polished surface which greatly reduces buffing time.

F e a t u r e s :

- Integrated foam backing
- Produces a semi-polished finish

B e n e f i t s :

- Eliminate pigtailed and costly re-work
- Comfortable to contours
- Quick and easy to buff out

A v a i l a b i l i t y :

Grit - 3000, 2000, 1500

Size - 3", 6"



NORTON LIQUID ICE SUPER CUT

Use on its own for scratch removal to eliminate swirl marks and produce a high gloss finish. Ideal for dark colored vehicles, giving best in class finish on all paint systems.

Features:

- Complete system
- Multiple offerings
- Premium micro-fine abrasives

Benefits:

- VOC complaint
- Very easy to clean up

- Simple system that's easy to use
- The polish matches the cut of the pad for optimal performance
- Removes swirl marks and haze
- Removes sand scratches quickly

Availability:

1KG



NORTON LIQUID ICE 1 STEP RUBBING COMPOUND

Norton Liquid Ice 1 Step Rubbing Compound is easy to use and easy to clean up. It is engineered to be used with different types of pads, depending on the finish required.

A v a i l a b i l i t y :

1kg, 100gm

NORTON REVOLUTION FAST CUT CREAM

General use paste type compound. One-step system provider a fast cutting action and a high gloss finish. Use with water for optimum performance.

Availability:

2.5kg, 1kg, 200gm, 100gm



NORTON GLOSSY FINISHING POLISH

PTFE polish produces high gloss with easy application. Restores original colour and provides durable finish. For use by hand or by machine (700 - 1800rpm).

Availability:

945ml



NORTON LIQUID ICE WAX

Norton Liquid Ice Wax shields the surface from environmental conditions and gives a long wet look finish. It contains a sufficient amount of polishing minerals to eliminate small paint defects as well.

Availability:

1L, 100ml

DETAILER SPRAY AND MICROFIBER CLOTH

The detailer spray cleans up excess buffing residue and provides paint protection. Just spray it on and wipe it off with a Norton Blue Magnet microfiber cloth.

Availability:

Spray - 945ml

Microfiber cloth - 400 X 400mm



BUFFING/POLISHING PADS

These pads are engineered to work with Norton compounds and polishes to achieve the optimal cut in the least amount of time while producing the best finish. For small spot repair areas, the 3" pads work just the same as the larger pads with Norton compounds and polishes.

Availability:

Size: 8" (Foam Pad Blue & White; Waffle Foam Pad Black), 7.5" (Single and double sided twisted wool pad - bodyshop), 3" (Premium and regular OEM Wool Pad)





RAPID STRIP DISCS

Put Your Clean-up Problems Behind You! Reach For Norton Rapid Strip Discs

Norton Rapid Strip Discs can handle all your tough stripping jobs. The robust discs work wonders on all kinds of surfaces – on rust spots, hard-to-reach areas, wheel wells, under the hood, in truck beds, door jambs, and under carriage areas. Or, try its fast, aggressive action on undercoatings, pinch welds or drip rails. It won't quit, load, fray or tear. So, why spend more time on surface prep than you have to? When the going gets tough, reach for Norton rapid Strip.

PAINT STRIPPING DISCS

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to wire brush. Rugged design provides long life and continuous cutting action. Available in designs for mounting on Angle Grinders and Speed-Lok Grinders.

Features:


- Open web construction
- Extra coarse Aluminum Oxide grain
- Tough synthetic fiber web impregnated with abrasive
- Thick and durable
- Resists loading
- Great alternative to wire brushes Effective on sharp, jagged surfaces
- Will not rust
- Extended product life

Benefits:

- Aggressive cut

Availability:

Size - 100mm, 125mm



NORTON BLAZE SPEED-LOK TR DISCS

Norton Blaze self-sharpening design is ideal for high-pressure, heavy metal removal applications.

Features:

- Premium SG ceramic coating
- Easy twist-on/twist-off system
- Rugged backing for extended life

Benefits:

- Aggressive cut
- Minimal loading

- Self-sharpening for consistent cut and long life
- Long life
- Burn free grinding of heat-sensitive materials
- Reduced edge wear

Availability:

Size - 2", 3"

Grit - 80, 60, 36



SPEED-LOK BACK-UP PADS

Speed-Lok TR are compatible with similar competitive attachment systems.

A v a i l a b i l i t y :

Size - 3", 2"



MASKING PRODUCTS

NORTON AUTOMOTIVE MASKING TAPE

Norton masking tape goes on easy, sticks fast and holds tight. It conforms easily to contours and irregular surfaces. There is no bleed-through or flaking upon removal.

- F e a t u r e s :**
 - Rubber-based adhesive
 - Saturated crepe paper
- B e n e f i t s :**
 - Superior quick stick
 - Conforms to curved spaces without lifting or tearing
 - Stays in place with no lifting or roll-back
 - Resists moisture and solvents
- Easily removed with no adhesive transfer
 - No bleed-through
 - No curling or roll-back

A v a i l a b i l i t y :

Size - 24mm X 30M, 18mm X 30M, 36mm X 30M, 24mm X 25M, 18mm X 25M, 36mm X 25M, 48mm X 25M, 24mm X 30M, 24mm X 20M, 48mm X 30M, 24mm X 50M



PREMIUM TRIM PERFORATED MASKING TAPE



This premium automotive trim masking tape is designed to lift the molding from the surface that is being painted. This allows paint coverage under the molding.

A v a i l a b i l i t y :
Size - 50mm X 30M

FOAM MASKING TAPE

Easy-to-use, time saving products to mask door jambs and other apertures like hood and deck lid openings that need to be sealed during the painting process. The premium foam masking tape features a semi-split design and offset adhesive to ensure a soft paint edge.

A v a i l a b i l i t y :

Size - 13mm X 50M



FINE LINE TAPE

Fine line tape adheres and conforms easily to contours and irregular surfaces. This tape's unique thinness allows for minimum edge build-up and leaves no residue when removed.

B e n e f i t s :

- Resistant to temperatures up to 80°C
- 'Pucker-free' cornering
- Straight edges on long runs

• Stays in place

• No curling edges or rollback

A v a i l a b i l i t y :

Size - 9mm X 33M

NORTON BLUE SHEETING

Paint will adhere to outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. Norton Blue Sheeting can be cut and painted along the critical edge.

F e a t u r e s :

- Tri-layer paintable sheeting
- Corona-treated so paint won't flake off
- 3-ply resin
- Plastic material resistant to solvents

B e n e f i t s :

- Clings well
- Easy to handle - fast application
- Clings even after repositioning
- Resists tearing
- No bleed through

A v a i l a b i l i t y :

Size - 4m X 120m




NORTON PLASTIFILM

'Value' paintable overspray sheeting. Medium density, corona- treated plastic

Availability:

12' X 400'



NORTON MASKING PAPER

Norton masking paper is custom treated so paint won't flake off and protects against bleed-through.

A v a i l a b i l i t y :

Size - length: 200m; width: 18", 24", 36"

NORTON MASKING DISPENSER

Specially designed dispenser that accommodates your masking rolls. This dispenser helps you to improve speed of masking operation while keeping the shop floor clean and organised.



NORTON PAINT SYSTEM

NORTON PAINT SYSTEM

The most effective and productive solution for preparing, mixing and spraying paints. Providing a faster and cleaner solution, the Norton paint system saves on cleaning time and solvent usage.

This system allows paint to be stored and reused and enables the operator to paint in all positions, even upside down – without any risk of paint leaking. The easy to assemble system ensures a consistent spray pattern, convenient storage of paint as well as easy and clean disposal of the entire unit.

A complete range of products and accessories are also available.

NORTON DISPOSABLE KIT

Each kit comes with lids containing 190micron or 125micron mesh, lids, liners, rings and plugs.

Two different kits are available with different mesh weights built in to the filter inside the lids. Refer to paint manufacturer's recommendation for the correct filter mesh.



A v a i l a b i l i t y :

125 micron – 75ml; 190micron – 75ml

NORTON REUSABLE HAND CUP

The reusable mixing cup has preprinted mixing ratio scales for greater convenience.

A v a i l a b i l i t y :

750ml



SEALERS, ADHESIVES AND FILLERS

URETHANE WINDSHIELD SEALER

A primerless to glass, one part urethane adhesive sealant for windshield and backlite installations.

Easy handling, fast-set properties, excellent shelf life. Passes FMVSS tests.

Availability:

300ml



QUICK-SET SEAM SEALER

Quick-set seam sealer can be used to seal any body seam against moisture or dust and to finish skin panels. Outstanding toolability. Remains flexible when dry. Excellent adhesion to numerous substrates.

Availability:

300ml

APPLICATION GUN

Designed for use with sealants. This item is fully enclosed metal unit, which provides fast and efficient application of material. Low ratio mechanism allows for easy pumping and precise application of sealant.

Availability:


300ml



NORTON REVOLUTIONARY BODY FILLER

Norton revolution body filler provides filling, smooth spreading and easy leveling properties. It offers excellent feather-edge adhesion to bare and galvanized steel.

A v a i l a b i l i t y :
3kg



NORTON REVOLUTION POLYESTER PUTTY

Norton revolution polyester putty is a two component filling/finishing putty. It has excellent adhesion to bare metal and OE finishes.

A v a i l a b i l i t y :
1kg

ACCESSORIES

AUTOMOTIVE ATTACHMENT TAPE

It is used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel, moldings and pillar covers. It offers instant pressure-sensitive bonding and remains flexible at low temperatures.

Availability:

Premium double sided tape - 10mm X 16.5m

Multipurpose PE foam bonding tape - 10mm X 10m



DRY GUIDE COAT



Provides the technician with a visual aid to ensure primed surfaces are totally smooth and even. A quick and efficient method to find uneven and low spots on body filler, primer, glazing putties and other repairs components. Apply guide coat over the area to be sanded, and continue sanding until the coating is no longer visible on the surface. It can be sanded using either wet or dry sanding methods.

Availability:

100gm

ACTIVE LUBE CHAIN

Features & Benefits:

- Penetrates well into chain links and roller parts
- Specially formulated for high wear & tear applications
- Contains no solvent/silicones
- Penetrates and sticks to give long lasting lubrication

- Improves chain/cable life with better wear resistance
- Prevents rust and corrosion
Reduces friction and power loss

Availability:

Net Wt: 325gms | 450ml,
65gms | 100ml

Pack Qty.: 12, 24



ACTIVE LUBE ELECTRICAL EQUIPMENT

Features & Benefits:

- Non-flammable CO₂ propellant All angle spray (including upside down)
- Pleasant odour
- Contains no chlorinated solvent / silicones
- Displaces water & prevents corrosion
- Prevents electrical malfunctions

- Improves equipment performance by forming non-drying, non conductive oily film
- Safe on most plastics, metals, rubbers & insulation material

Availability:

Net Wt: 400gms | 500ml

Pack Qty.: 12

ACTIVE LUBE MULTI-FUNCTION

Features & Benefits:

- Non-flammable CO₂ propellant*
- All angle spray* (including upside down)
- Pleasant odour
- Contains no chlorinated solvent/silicones
- Eliminates noise in moving parts
Loosens rust from mating parts

- Removes dirt and corrosion
- Lubricating oil film temporarily protects against corrosion
- Removes moisture from metals, motors, etc.

Availability:

Net Wt: 325gms | 400ml,
65gms | 100ml

Pack Qty.: 12, 24



ACTIVE CLEAN BRAKE

Features & Benefits:

- Removes grease, oil and other contaminants
- Fast drying formula that doesn't leave residue
- CO₂ filled cans with 97% active weight and safe to use
- Quickly removes road debris, grease, oil and other contaminants
- Contains no solvent/silicones
- High pressure spray flushes out dirt & dust without dismantling brakes
- Also functions as general degreaser on engine parts

Availability:

Net Wt: 400gms | 510ml

Pack Qty.: 24



ACTIVE CLEAN THROTTLE BODY, CARB & CHOKE

Features & Benefits:

- Removes gum, sludge, varnish, grease and dirt from carburettors, linkages and automatic chokes
- Fast acting, easy to use formula
- CO₂ filled cans with 97% active weight and safe to use
- Enhances engine power & efficiency, reduces smoke
- Contains no solvent/silicones
- Cleans & maintains carburettors efficiently
- Prevents dirt build up with regular use
- Safe on oxygen sensor

Availability:

Net Wt: 350gms | 450ml

Pack Qty.: 24

ACTIVE LUBE MULTI-FUNCTION

Features & Benefits:

- Penetrates well into chain links and roller parts
- Does not damage chain/roller parts
- Contains no solvent/silicones
- Removes rust, grease and dirt
- Cleans and leaves oily layer for lubrication
- Improves chain/cable life
- Reduces friction and power loss

Availability:

Net Wt: 325gms | 450ml

Pack Qty.: 12



VELCRO HAND BLOCKS

Constructed of flexible, yet tough foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard Velcro sheets.

Availability:

Hard and medium density



ERGONOMIC HAND SANDING BLOCK FOR 6" DISCS

The unique design quickly converts a 6" diameter disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

DUAL DENSITY WET SANDING BLOCK

Because of the 'grabbing' power of these blocks, no adhesive is required, simply wrap the paper around the block.

The dense side is for more aggressive blocking, while the soft side is for colour sanding. These blocks come in a 'point of purchase' display pack.



RUBBER HAND SANDING BLOCK

Ideal for uniform sanding. Can be used for dry or wet sanding. Slotted jaws securely hold sheets in place. Can be used with 70mm X 230mm sheets.

VELCRO HAND BLOCK

The Velcro hand block has a light weight, rugged design. This is designed to be used with 70mm X 420mm Velcro sheets.



FOAM INTERFACED PAD

Designed for use with fine grit Velcro sanding discs. Improves both surface finish and cut rate. Use with Velcro disc back-up pads.

Availability:

Size - 6"



NORTON TACK CLOTHS

A specially formulated soft cloth that effectively removes dust, dirt and sanding residue. It contains no waxes or silicones and is compatible with all paints.

This cloth will not dry out and is always soft and tacky. It is spontaneous combustion proof, non-toxic and anti-static. It is available in both regular and premium.





ACCESSORIES

PERSONAL PROTECTION EQUIPMENT

The new range of personal protection equipment is designed to provide the highest standards of protection in the workplace. Our approach to safety in the workplace is taken very seriously and products are designed to the most rigorous standards to guarantee optimum personal safety and user comfort.

DUAL CARTRIDGE RESPIRATOR MASK

State-of-the-art design, performance and comfort.

Features:

- Soft, non-allergic material
- Patented hygienic form guard
- Low profile cartridge
- Cradle suspension and adjustable head straps

Benefits:

- Smooth and comfortable on the face
- Maintain shape and cleanliness after use
- Improved vision
- Proper and comfortable fit



PARTICULATE FILTER PAD REPLACEMENT

Use with the dual cartridge respirator mask to protect against dust and gases. Filter replacement pads are low maintenance and can be frequently replaced to prevent replacing the mask itself.

SAFETY GLASSES

Ideal for general purpose applications. Protects from dust and paint particles.

Features:

- Frame & lens marking

Benefits:

- Quality & safety assurance



GRINDWELL NORTON LTD.

5th Level, Leela Business Park, Andheri-Kurla Road, Marol, Andheri (East), Mumbai - 400059, Maharashtra.

Help us serve you better - Call us on: 1800 3000 8199

Write to us at: norton.abrasives@saint-gobain.com | www.nortonabrasives.com/en-in

Visit us at:   