

NORTON

SAINT-GOBAIN

clipper

Transforming
surfaces
...and beyond

CV 340 UNO

USER MANUAL

Translated instruction manual




SAINT-GOBAIN



CE Declaration of Conformity

The undersigned manufacturer:

SAINT - GOBAIN ABRASIVES S.A.
190 KENNEDY BD. J. F.
L-4930 BASCHARAGE

Declares that the following new equipment:

Vacuum cleaner: **DUST EXTRACTOR CV 340 UNO 230V D** Code: **70184633786**

complies with the provisions of the Guidelines:

- **"Machinery" 2006/42/EC**
- **"Electromagnetic compatibility" 2014/30/EU**
- **"Low Voltage" 2014/35/EU**

And to the European standard:

- **EN ISO 12100**
- **EN 55014-1**
- **EN 61000-3-2**
- **EN 61000-3-3**

Valid for machines with a serial number from: 101031-SN0001

Where technical documents are kept:

Saint-Gobain Abrasives 190, Bd. J. F. Kennedy 4930 BASCHARAGE, LUXEMBOURG

This declaration of conformity becomes null and void if the product is processed or modified without our consent.

Bascharage, le 17.01.2025.

Fabrice Genuardi, authorised representative and responsible for the technical file.
Bascharage, Luxembourg.

CV 340 UNO USER MANUAL TABLE OF CONTENTS

<u>1</u>	<u>Introduction</u>	<u>6</u>
<u>2</u>	<u>Guarantee</u>	<u>6</u>
<u>3</u>	<u>Unauthorized Use</u>	<u>7</u>
<u>4</u>	<u>Machine data.....</u>	<u>8</u>
4.1	<i>Machine Description</i>	8
4.2	<i>Technical data</i>	9
4.3	<i>Machine identification plate.....</i>	9
4.4	<i>Test.....</i>	10
4.5	<i>Safety features.....</i>	10
<u>5</u>	<u>Performance Tolerances.....</u>	<u>11</u>
<u>6</u>	<u>Security Provisions</u>	<u>11</u>
<u>7</u>	<u>Installation</u>	<u>12</u>
7.1	<i>Delivery & Handling.....</i>	12
7.2	<i>Electrical hook-up</i>	12
<u>8</u>	<u>Using the vacuum cleaner</u>	<u>13</u>
8.1	<i>Starting the vacuum cleaner.....</i>	13
8.2	<i>Manual tank emptying.....</i>	14
8.3	<i>Accessories</i>	14
8.4	<i>Filter Replacement</i>	15
<u>9</u>	<u>Maintenance.....</u>	<u>16</u>
9.1	<i>Before and after each use.....</i>	16
9.2	<i>After 200 hours of use.....</i>	16
<u>10</u>	<u>End of Product Life</u>	<u>16</u>
<u>11</u>	<u>Breakdowns – Cause and Repair</u>	<u>17</u>
11.1	<i>Fault Tracking.....</i>	17
11.2	<i>Wiring diagrams</i>	17
11.3	<i>After-sales service.....</i>	18
11.4	<i>Parts</i>	19

1 Introduction

This operation and maintenance manual sets out the guidelines and procedures to be followed by operators of this equipment to ensure:

- Operator Safety
- Correct use of the machine
- Optimal performance

IT IS NECESSARY THAT AUTHORIZED PERSONNEL AND THE MACHINE OPERATOR HAVE READ AND UNDERSTOOD THE MANUAL BEFORE OPERATING THE MACHINE.

Because of the importance of this information, it is recommended to:

- Always keep this manual handy for easy reference
- Keep the manual in a safe place to avoid loss or damage
- Ask the manufacturer/supplier for a copy in case of loss or damage
- Provide this manual and the manufacturer's details with the machine if it is sold to a third party.

The manufacturer reserves the right to update its products and manuals and is under no obligation to provide updated versions thereof.

2 Guarantee

The vacuum cleaners manufactured by Saint-Gobain Norton Clipper have been fully inspected to ensure proper electrical, pneumatic and mechanical operation. The vacuums are covered by a 12-month warranty. All defective parts of the machine are covered by the warranty, but this does not include parts damaged during shipping, handling, or use, nor does it cover parts damaged by normal wear and tear.

Repairs can be carried out by an authorized service center or directly by Saint-Gobain Norton Clipper.

To request your warranty service, you must send a written request to the dealer or directly to the manufacturer, including manufacturing details which can be found on a plate inside your machine along with a copy of the invoice.

The warranty is not valid under the following conditions:

- Improper use of the machine or total or partial non-compliance with the contents of this manual
- Any part of the vacuum cleaner is altered or altered in any way
- Incorrect electrical installation
- If the laws of the country of use are not complied with
- Inadequate maintenance
- The machine has not undergone routine maintenance as specified in this manual
- Use of spare parts that are not produced by Saint-Gobain Norton Clipper or that are not specifically indicated for the model used

3 Unauthorized Use

It is strictly forbidden to use the machine:

- With the air outlet partially or fully closed.
 - When used in narrow areas where there is no fresh air.
 - When not placed on a level floor.
 - When the filter is not installed.
 - When the cooling ducts are partially or completely blocked.
-
- Never vacuum cigarette butts that have not been properly extinguished and/or any other flammable material
 - Never aspirate powders or liquids that are inherently explosive or incendiary or that may result in explosions.
 - Never work in environments where explosive gases and/or gases from toxic chemicals are present in the air.
 - Check the suitability of the cartridge filter before vacuuming toxic substances.
 - Unplug from the power outlet before accessing the machine's electrical components.
 - Do not modify the machine under any circumstances.
 - Do not operate the machine in a manner that does not meet the requirements of this manual.
 - It is forbidden to vacuum gases, vapours and/or corrosive liquids.
 - Do not leave any liquid or powder inside the container and possibly dry the filter before storage.

4 Machine data

4.1 Machine Description



1	Identification plate
2	Suction head
3	On/off switches
4	Filter Cleaning Button
5	Connecting Accessories
6	Pivoting wheels
7	Holding hooks
8	Dust tank
9	Filter cleaning indicator LED

**The vacuum cleaner is delivered without accessories.*

4.2 Technical data

Model	CV 340 230V D 70184633786
Power	2200 W (2 motors)
Voltage	230 V – 50 Hz
Protection (IP)	X4
Cleaning the filter	Semi-automatic
Filter Filtration Class	M
Filter Filtration Surface	0.9 m ²
Debit	340 m ³ /h
Depression	230 mBar
Tank Diameter	370 mm
Usable Capacity	25 l
Size	480 x 480 x 920 mm
Suction diameter	Ø 40 mm
Weight	25 kg
Sound Pressure Level	78 dB

4.3 Machine identification plate



Each Saint-Gobain Norton Clipper machine carries an identification plate with the essential details needed to contact the supplier/manufacturer for advice, suggestions, or aftermarket information.

The following details can be found on the plaque:

- Maker
- Model
- Serial Number
- Supply voltage
- Nominal installed power
- CE symbol (manufactured in accordance with the Machinery Directive 2006/42/EEC) and UKCA

4.4 Test

All Saint-Gobain Norton Clipper machines are tested before packaging and delivery to ensure that each component is working properly. An accurate electrical safety test is performed in accordance with specific electrical safety standards relating to:

- Grounding Continuity Test
- Insulation resistance test between each phase and the ground
- Dielectric test
- Dispersed Current Measurement
- Power and current input measurement (acceptable difference of +/-10% of nominal value)
- Measurement of maximum vacuum and exhaust air values (tolerance of +/-15% based on environmental temperature and humidity values)
- Measurement of maximum air absorption

4.5 Safety features

The vacuum cleaner has been manufactured in compliance with all legal standards for operator safety.

All metal components are grounded to eliminate electrostatic discharge, including the flexible suction hose which is properly grounded. In this respect, the choice of a suitable flexible suction hose eliminates this risk along the length of the hose from the area of use to the vacuum cleaner.

The brakes mounted on the rear swivel castors allow the machine to be safely locked in its place of use.

BEFORE USING THE MACHINE, CHECK THAT THE MACHINE HAS NOT SUFFERED ANY SHOCK OR DAMAGE DURING TRANSPORT THAT WILL AFFECT THE OPERATION OF THE ABOVE DEVICES

5 Performance Tolerances

The performance of the vacuum cleaner can vary by 15% depending on the temperature and humidity of the air.

The safety valves are calibrated according to the amperage of the turbine.

6 Security Provisions

- Read the instructions in this manual carefully before starting, using, maintaining, or operating the vacuum cleaner
- Check the vacuum cleaner for damage in any way
- Never turn on the machine if it is faulty or if you suspect it is defective
- Check the switch for wear or damage
- Do not approach the suction of the machine with loose or broken clothing that could easily be sucked into the machine
- Verify that filters are present and effective
- Ensure that filters are installed correctly and in perfect working order, always complying with applicable workplace regulations
- Do not carry out repairs without the manufacturer's permission
- Never use gasoline, solvents or other flammable liquids for cleaning; Only suitable detergents should be used for cleaning
- Never move the machine by pulling on the power cable or hose
- Never direct the opening of the machine or flexible tube towards people or animals
- Protecting the machine from the rain
- Verify that the machine is connected to a power source with the voltage indicated on the machine insert
- Make sure the power cable is free of wear and damage. Replace the cable with one of the same type as the original: Unapproved or inferior cables can overheat and cause serious injury to the user
- Make sure the machine is connected to a suitable power source in perfect working order
- Repairs should only be performed by authorized personnel and only when the machine is disconnected from the power source
- Never allow unauthorized personnel to operate the machine
- Make sure all safety devices are in good working order before turning on the machine
- Never cover the vacuum cleaner during use

7 Installation

7.1 Delivery & Handling

All machines are thoroughly tested and inspected by Saint-Gobain Norton Clipper prior to delivery. The machine is transported inside a protective box and is securely attached to a pallet. If any part of the machine is not intact or has been damaged during transport, file an immediate complaint with the carrier. Parts that have been damaged or broken due to improper transportation or handling of the machine will not be recognized by the manufacturer's warranty.

7.2 Electrical hook-up




Connect the vacuum cleaner's socket to a network that has the same voltage and current and is protected by a suitable circuit breaker.

8 Using the vacuum cleaner

8.1 Starting the vacuum cleaner

Caution: Before turning on the vacuum, make sure the tank is empty



1: ON/OFF switches	2: Filter cleaning	3: Filter cleaning indicator LED*
		
<p>I – Start the motors O – Turn off the motors</p>	<p>Press to launch a cleaning cycle of the filter</p>	<p>When the LED lights up, the filter needs to be cleaned</p>

**LED sensitivity is set for the Norton Clipper CM42 D masonry saw (Item No. 70184633787). In case of other use, you can clean the filter only if the vacuum cleaner is less efficient.*

8.2 Manual tank emptying



- Unplug the vacuum.
- Unlock the tank holding hooks (A)
- Lift the head using the handle.
- Emptying the tank
- Replace the suction head, make sure to lock the tank holding hooks securely.

When emptying the tank, it is advisable to put a garbage bag over the tank before turning it over to empty it. This limits the amount of dust that escapes into the air.

8.3 Accessories

Connect one end of the hose to the desired accessory and the other with the connector mounted on the vacuum.




The CV 340 UNO is delivered without accessories. An accessory kit is available as an option (Item No. 310616351), it contains:

- A 5m long Ø38 hose
- A suction handle
- A dusting brush



The CV 340 UNO can be used with a standard Ø38 hose, so all types of accessories can be used.

8.4 Filter Replacement



- Unplug the vacuum
- Unlock the tank holding hooks and lift the head
- Unscrew the wing nut
- Remove the cylindrical steel guard from the filter
- Unscrew the wing nut and remove the spring and washer
- Replace the filter with a new filter according to the label on the bottom of the filter, check for the presence of the sealing gasket
- Reassemble the washer with the rubber part against the base of the filter
- Reassemble the spring and wing nut
- Reassemble the cylindrical protection by screwing it in with the wing nut
- Replace the suction head, make sure to lock the tank holding hooks securely

9 Maintenance

Maintenance and cleaning operations should ALWAYS be performed when the vacuum cleaner is turned off and disconnected from the power source. No special measures need to be taken for the maintenance, cleaning or lubrication of the suction unit. However, it is important to remember that proper use and maintenance are essential to ensure the safety and efficiency of the vacuum.

To ensure smooth and consistent operation and to prevent the warranty from becoming void, always use original Saint-Gobain Norton Clipper spare parts when repairs are required.

9.1 *Before and after each use*

- Visually check that the suction hose has not been damaged (it must not be damaged, torn, crushed)
- Check that electrical switches are in good working order and are not damaged in any way
- Check the level of waste inside the tank
- Check that the motor head is correctly positioned on the filter chamber

9.2 *After 200 hours of use*

- Check the condition of the filter: it should not have any tears, holes or other damage: in this case, replace it
- Check that the identification plate is legible and that it is not damaged: contact the manufacturer for a replacement if necessary

10 End of Product Life

Dispose of the machine and all accessories in accordance with the country's legislation.

To avoid harming the environment or your or others' health, it is recommended that you separate the machine from other waste and, if necessary, recycle it properly.

11 Breakdowns – Cause and Repair


11.1 Fault Tracking

PROBLEM	CAUSE	MEDICINE
Engines won't start.	No electrical voltage.	Check the cables, plugs, and plug.
The suction capacity slowly decreases.	The filter, nozzle, suction hose, or suction hose may be blocked.	Check and clean accessories. Clean the filter.
Dust comes out during vacuuming.	The filter has not been properly secured or is defective.	Check if the filter is installed correctly; replace it if necessary.

When used with the Norton Clipper CM42 D masonry saw (Article No. 70184633787)

PROBLEM	CAUSE	MEDICINE
Dust is not sucked up properly	The filter is clogged	Clean the filter using the button (do not hesitate to press many times the button)
	The dust tank is full	Empty the tank

11.2 Wiring diagrams



11.3 After-sales service

When ordering spare parts, always indicate:

- a. Serial number (seven digits)
- b. Part Number
- c. Exact description
- d. Number of pieces desired
- e. Exact address
- f. Please avoid statements such as "as soon as possible" or "urgent" but clearly indicate the desired shipping method: "express", "by air", etc.

If you do not specify the desired shipping method, we will send the parts by the means considered the most reasonable, without necessarily being the fastest.

With accurate instructions, you will avoid problems and shipping errors.

If there is any uncertainty, please send us the defective part.

In the event that the parts are covered by the warranty, the shipment of the defective part is mandatory.

Order engine parts directly from the manufacturer or from a representative – you'll save time and money!

This machine was manufactured by Saint-Gobain Abrasives S.A.:

190 J. F. Kennedy Blvd.

L-4930 BASCHARAGE

Grand Duchy of Luxembourg

Tel.: 00352 50 401 1

<http://www.construction.norton.eu>

E-mail: sales.nlx@saint-gobain.com

11.4 Parts

To view spare parts lists, please visit the Norton Clipper Aftermarket website at the following address:

<https://spareparts.nortonabrasives.com>

For quick access, you can also use the QR Code below using your mobile phone:



This electronic catalog provides you with exploded parts and spare parts lists for various Norton Clipper machines so that you can find the part numbers you need.

You can get technical support, spare parts and diamond blades from our local distributors.

SAINT-GOBAIN ABRASIVES
INDUSTRIEWEG 21
9420 ERPE-MERE
BELGIUM
TEL: +32(0) 2 267 21 00

SAINT-GOBAIN CONSTRUCTION
PRODUCTS CZ A.S
DIVIZE ABRASIVES
SMRČKOVA 2485/4
180 00 PRAHA 8
TEL: +420 255 719 326 FAX: +420 255 719 321

SAINT-GOBAIN ABRASIVES A/S
DYBENDALSVÆNGET 2,
DK-2630 TAASTRUP
DENMARK
TEL: +45 4675 5244

PO BOX 643706
FORTUNE TOWER OFFICE 2106
JLT BLOCK C
(NEXT TO METRO STATION)
JUMEIRA LAKE TOWER, DUBAI
UNITED ARAB EMIRATES
TEL: +971 4 431 5154
FAX: +971 4 431 5434

SAINT-GOBAIN ABRASIVES
RUE DE L'AMBASSADEUR - B.P.8
78 702 CONFLANS CEDEX
FRANCE
TEL: +33 (0)1 34 90 40 00
FAX: +33 (0)1 39 19 89 56

SAINT-GOBAIN ABRASIVES GMBH
BIRKENSTRASSE 45-49
D-50389 WESSELING
GERMANY
TEL: +49 (0) 2236 703-0
FAX: +49 (0) 2236 703-730

SAINT-GOBAIN KFT ABRASIVES.
1225 BUDAPEST
BÁNYALÉG U. 60/B.
HUNGARY
TEL: +36 1 371 22 50
FAX: +36 1 371 22 55

SAINT-GOBAIN ABRASIVI S.P.A
VIA PER CESANO BOSCONI 4
I-20094 CORSICO MILANO
ITALY
TEL: +39 02 44 851
FAX: +39 02 44 78 266

SAINT-GOBAIN ABRASIVES S.A.
190 J.F. KENNEDY STREET
L-4930 BASCHARAGE
GRAND DUCHY OF LUXEMBOURG
TEL: +352 50 401 1
FAX: +331 83 717 792
NO. VERT (FRANCE): 0800 906 903

SAINT-GOBAIN ABRASIVES, S.A.
2 ALLÉE DES FIG TREES
AIN SEBAÂ - CASABLANCA
MOROCCO
TEL: +212 5 22 66 57 31
FAX: +212 5 22 35 09 65

SAINT-GOBAIN ABRASIVES BV
GROENLOSEWEG 28
7151 HW EIBERGEN
P.O. BOX 10
7150 AA EIBERGEN
THE NETHERLANDS
TEL: +31 545 466466
FAX: +31 545 474605

SAINT-GOBAIN ABRASIVES AS
KARIHAUGVEIEN, 89
0186 OSLO
NORWAY
TEL: +47 63 87 06 00
FAX: +47 63 87 06 01

SAINT-GOBAIN HPM POLSKA SP. Z O.O.
UL. NORTON 1, 62-600 KOŁO
62-600 KOŁO
POLAND
TEL: +48 63 26 17 100
FAX: +48 63 27 20 401

SAINT-GOBAIN ABRASIVOS, L. DA
ZONA INDUSTRIAL DA MAIA I-SECTOR
VIII, NO. 122
APARTADO 6050
4476 - 908 MAIA
PORTUGAL
TEL: +351 229 437 940
FAX: +351 229 437 949

SAINT-GOBAIN GLASS
BUSINESS UNIT ABRASIVI
PUNCT DE LUCRU : LOC. VETIS, JUD.
SATU MARE 447355
STR. CAREIULUI 11
INDUSTRIAL PARK RENOVATIO
ROMANIA
TEL: +40 261 839 709
FAX: +40 261 839 710

SG HPM RUS
58, F. ENGELS STR.
STROENIE 2
105082 MOSCOW
RUSSIA
TEL: +74 955 408 355
FAX: +74 959 373 224

SAINT-GOBAIN ABRASIVES (PTY) LTD
2 MONTEER ROAD
ISANDO 1600
P.O. BOX 67
SOUTH AFRICA
TEL: +27 11 961 2000
FAX: +27 11 961 2184/5

SAINT-GOBAIN ABRASIVOS, S.A.
CTRA. FROM GIPUZKOA, KM. 7,5
E-31195 BERRIOPLANO (NAVARRA)
SPAIN
TEL: +34 948 306 000
FAX: +34 948 306 042

SAINT GOBAIN ABRASIVES AB
GÅRDSFOGDEVÄGEN 18A
168 66 BROMMA • SVERIGE
SWEDEN
TEL: +46 8 580 881 00
FAX: +46 8 580 881 30

SAINT-GOBAIN INOVATIF MALZEMELER
VE ASINDIRICI SAN. TWITCH. ACE.
ALTAYÇEŞME MAH. ÇAMLI SOK. NO:21
ESAS OFISPARK KAT:9 34843
MALTEPE, İSTANBUL • TURKEY
TEL: 0090-216-217 12 50
FAX: 0090-216-442 40 74

SAINT-GOBAIN ABRASIVES LTD.
UNICORN HOUSE UNIT 1, AMISON CLOSE
REDHILL BUSINESS PARK
STAFFORD ST161WB
UNITED KINGDOM
TEL: +44 1785 279 553
FAX: +44 1785 213 487



Saint-Gobain Abrasifs
190 Rue J.F. Kennedy
L-4930 Bascharage
Grand Duche de Luxembourg
Tel: +352 50 4011
Fax: +331 83717792
no. vert (France) 0800 906 903

www.nortonabrasives.com/fr-fr